



Universal Notebook Power Adapter

Adjustable Voltage, Eight Output Levels, 90 W

Part No.: **101899**

Power solution for mobile devices.

Power supplies are often forgotten, lost or damaged. The Manhattan Power Adapter with eight adjustable output levels and 90 watts provides a single, convenient AC source for almost any portable device. Convertible DC plug tips ensure a proper polarization and fit.

Features:

- Eight (8) selectable output levels provide a broad mobile power solution — 12 to 24 V
- Convenient, single power source with USB port for notebook computers and other portable devices
- Compatible with most notebook computers from Acer, Asus, Compaq, Dell, HP, Lenovo, Toshiba and more
- Convertible (8) DC plug tips ensure proper polarization and fit
- Overload, overcurrent and overheat protection
- Lightweight and compact design easily stores for travel
- Three-Year Warranty

Specifications:

Standards and Certifications

- FCC
- CE
- WEEE
- RoHS

Power Cable

- UL
- cUL

General

- AC input: 100 – 240 V; 47 – 63 Hz
- DC output: 12 – 24 V; maximum 4 A; 90 W
- Voltage/current settings (maximum):
12 V - 4 A
15 V - 4 A

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

16 V - 3.5 A

18 V - 3.5 A

19 V - 3.5 A

20 V - 3.5 A

21 V - 2.9 A

24 V - 2.9 A

- USB output voltage: 5.0 V \pm 5%
- USB output current: 0.5 A
- USB output peak current: 1 A

Input Characteristics

- AC rated voltage: 100 – 240 V
- AC voltage range: 90 – 264 V
- Frequency range: 50 – 60 Hz (\pm 3 Hz)
- Current: 1.2 A max
- No-load power consumption: \approx 0.5 W

Output Characteristics

- Rated voltage: 12 / 15 / 16 / 18 / 19 / 20 / 21 / 24 V (autoset by output tips)
- Peak load current: 5 A maximum (at constant voltage mode)
- Rated power: 90 watts maximum
- Ripple and noise: \approx 2% of output voltage (peak-to-peak)

Protection Characteristics

- Short circuit: auto recovery mode
- Primary current protection: an internal fuse on the AC input line
- Dielectric withstand voltage, primary (input AC short)-to-secondary (output DC short): 3000 VAC, 5 mA, 1 minute
- Leakage current \approx 0.5 mA
- Insulation resistance, input to output: 7 M Ω at 500 VDC
- Reinforced insulation system, primary-to-ground and primary-to-secondary

Physical

- DC plug tips: 3.5 x 1.35 x 10 mm (24 V), 4.0 x 1.7 x 11 mm (21 V), 4.8 x 1.7 x 11 mm (20 V), 5.5 x 1.7 x 12 mm (19 V), 5.5 x 2.1 x 10 mm (18 V), 5.5 x 2.5 x 12 mm (16 V), 6.3 x 3.0 x 12 mm (15 V), 6.4 x 4.3 x 14 mm (12 V)
- Cable (combined length): 1.6 m (5.6 ft.)
- Dimensions: 58 x 36 x 115 mm (2.3 x 1.4 x 4.5 in.)
- Weight: 345.9 g (12.2 oz.)

Package Contents

- Universal Notebook Power Adapter
- 8 DC plug tips and instructions

Compatible with:

Acer (use 5.5 x 1.7 / 5.5 x 2.1 / 5.5 x 2.5 DC Plug tips)

TravelMate 512DX, 512T, 200, 201, 202, 210, 212, 220, 270, 330, 333, 340, 341, 342, 343,

345, 350, 351, 360, 505DX, 506T, 507DX, 507T, 524TX, 524TXV, 508, 510, 512, 513, 514, 515, 517, 520, 521, 524, 525, 600, 602, 603, 630, 720, 721, 722, 723, 730, 732, 734, 735, 736, 737, 738, 739, TF6720, TF6760, FT8850

AcerNote 350, 355,356, 390, 367D, 367T, 352, 358, 361, 370C, 374, 850C

AcerNoteLight 350, 256, 358,360, 370, 371, 372, 373, 380, 382, 370C, 370P, 370PC, 373+, P100

Anywhere 1100LX, 1120LXExtensa 355, 365, 366D, 367D, 368D, 390, 390C, 393, 500, 600, 610, 501DX, 501T, 502D, 503DX, 505DX, 506DX, 515, 610CD, 610CDT, 900, Ess3-391TTI Extensa 350, 360, 392, 394, 395, 550, Ess-3-391T

AMS Tech (use 5.5 x 2.5 DC Plug tip)

Rodeo 7000, 7620, 1000CT, 1000CX, 1010CT, 1010CX, 1010CXNT, 7030ECX, 7630ECXDNT, 7640XL TravelPro 180, 1900

Averatec (use 5.5 x 2.5 DC Plug tip)

3120V, 3150P, 3150H, 3150HS, 3150HX, 5100, 5110H

Compaq (use 4.8 x 1.7 / 5.5 x 2.5 DC Plug tips)

Armada 100, 1100, 1120, 1125, 1130, 4120, 4130, 4131, 4220, 110, E500 Series, E500s, M300, M700, V300,100/100S, 110/110S, 2940, 3100, 4100, 4110/4110D/4110T, 4120/4120T, 4125/4125D, 4130/4130T, 4131/4131T, 4150/4150T, 4160/4160T, 4200, 4210/4210T, E300, E700, M2453, M500, M702Evo N110, N115, N150, N160, N180, N200, N400c, N410c, N600c, N610c, N620c, N800c, N800vLTE 5000, 5150, 5250, 5300, 5380, 5400, 5480, 6000Presario 300, 700, 701, 702, 703, 704, 705, 706, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 100%, 731, 732, 733, 734, 735, 736, 737, 738, 739, 800, 801, 802, 803, 850, 1010, 1020, 1030, 1060, 1065, 1070, 1075, 1080, 1200, 1201, 1202, 1203, 1205, 1207, 1210, 1211, 1212, 1213, 1214, 1215, 1216, 1217, 1219, 1220, 1232, 1234, 1235, 1236, 1237, 1238, 1240, 1242, 1244, 1245, 1246, 1247, 1250, 1252, 1255, 1256, 1257, 1260, 1262, 1266, 1267, 1270, 1272, 1273, 1274, 1275, 1277, 1278, 1279, 1400, 1450, 1600, 1610, 1611, 1621, 1622, 1625, 1626, 1645, 1655, 1670, 1680, 1681, 1682, 1685, 1687, 1688, 1690, 1692, 1693, 1694, 1700, 1701, 1702, 1703, 1704, 1705, 1710, 1711, 1712, 1713, 1714, 1715, 1716, 1717, 1720, 1721, 1722, 1723, 1724, 1725, 1726, 1800, 2700, 2701, 2702, 2710, 2711, 2712, 2715, 2716, 2720, 2800, 2801, 2802, 2803, 2804, 2805, 2806, 2807, 2809, 2810, 2811, 2812, 2813, 2814, 2815, 2816, 2817, 2818, 2819, 2820, 2821, 2822, 2823, 2825, 2826, 2827, 2828, 2830, 2832, 2835, 2838, 2840, 2845, 2853, 2857, 2858, 2860, 2861, 2862, 286.3, 2864, 2865, 2866, 2867, 2868, 2869, 2870, 2871, 2887, 2888, 2890, 2891, 2892, 2893, 2894, 2895, 2896, 2897, 2898, 2899, 2900, 2902, 2903, 2904, 2905, 2906, 2907, 2908; X1000, X1001;1600i, 1800t, 12XL, 14XL, 16XL, 17XL, 18XL, 2700xx, 1600s, 1810, 1825, 1630, 800Prosignia 150, 170, 190Tablet TC1000, NC4000, NC6000, NC8000, NX7000

Dell (use 5.5 x 2.5 DC Plug tip)

Inspiron 3000, 3200, 3500, 7000

Fujitsu (use 5.5 x 2.5 / 6.4 x 4.3 DC Plug tips)

LifeBook A1010, C2010, C2110, C2111, C2210, E4010, E4010D, E-6624, E-6634, E-6644, E-6654, E-6664, E7010, E7110, 200, 270Dx, 280Dx, 400, 420Dx, 435Dx, 500, 531T, 535T, 555Tx, 565Tx, 585Tx, 585Tx1, 600, 635T, 635Tx, 635Tx1 655Tx, 656Tx, 656Tx1, 675Tx, 690Tx, 700, 735Dx, 755TX, 756Dx, 765Tx, 770Tx, 790Tx, 900, 985Tx, 990Tx2, A4170, B2, B112, B142, B2130, B2131, B-2545, B-2562, B-2566, 2610, 2620, 2630, C340, C350, C352, C353, C360, C-4120, C-4235, C-5130, C-5235, C-6177, C-6320, C-6330, C-6525, C-6535, C-6537, C-6547, C-6556, C-6557, C-6577, C-6581, C-6591, C-6611, C-6631,

C-6651, C-7631, C-7651, C-7661, Celsius Mobile H, E330, E340, E342, E350, E351, E360, E362, E370, E380, E-2010, E-5140, E-5320, E-5520, E-6150, E-6520, E-6530, E-6540, E-6541, E-6550, E-6555, E-6556, E-6557, E-6570, E-6571, E-6575, E-6595, L440, L470, P-1000, P-1032, P-1035, P-1120, P-2000, P-2040, P-2046, P-2110, P-2120, P-5010, P-5010D, S-2010, S-4510, S-4542, S-5582, S6010, S6110, S6120, S6120D, Stylistic 3400, Stylistic 3500, Stylistic LT C-500, Stylistic LT P-600, Stylistic ST4110, Stylistic ST4110P, Stylistic ST4120, Stylistic ST4120P, Stylistic ST4121, T3010D

Gateway (use 5.5 x 2.5 DC Plug tip)

400SD4, 400VTX, 450SX4, 450ROG, 600YG2, 600YGR, M305, M500Solo 1100, 1150, 1200, 1400, 1450, 2150, 2500, 2550, 3100, 3150, 5150, 5300, 5350, 9100, 9150, 9300 Series, 9500, 9550, 2100, 2200, 2300, 5100

HP (use 4.8 x 1.7 / 5.5 x 2.5 / 4.0 x 1.7 DC Plug tips)

Omnibook 300, 425, 430, 500 510, 530, 600c, 600ct, 900, 900b, xt1000, zt1000, xt1500, 2000, 2100, 2103, 2105, 3000, 3100, 3101, 4000, 4100, xe4100 4101, 4103, 4105, 4150, xe4200, xe4400, xe4500, 5000, 5500, 5700, 6000, xt6050, 6100, vt6200, xt6200, 7100, 7103, 7150, 7103, 7150, VT Series, XE Series, XT Series, XE2 Series, XE3 Series; N3100, N3200, N3300, N5000, N5100, Pavilion 2105, 3101, 4101, 4103, 4105, 5159, N3110, N3150, N3190, N3210, N3215, N3220, N3250, N3270, N3290, N3295, N3310, N3330, N3350, N3370, N3390, N3402, N3410, N3438, N3478, N3490, N5124, N5125, N5130, 5135, 5140, 5150, N5159, N5170, N5190, N5195, N5210, N5221, N5240, N5241, N5250, N5261, N5270, N5271, N5290, N5295, N5310, N5311, N5340, N5341, N5350, N5351, N5371, N5381, N5390, N5402, N5412, N5415, N5420, N5421, N5422, N5425, N5430, N5435, N5440, N5441, N5442, N5444, N5445, N5450, N5452, N5454, N 5455, N5461, N5462, N5470, N5472, N5474, N5475, N5481, N5482, N5484, N5490, N5491, N5495, N6190, N6195, N6395, N6396, N6397, N6398, N6399, N6400, N6401, N6402, N6403, N6404, N6490, xf125, xf145, xf235, xf255, xf315, xf325, xf328, xf335, xh136, XH156, xh156, xh176, xh215, xh216, xh226, xh355, xh365, xh455, xh485, xh535, xh545, xh555, xh575, xh675, xt115, xt118, xt125, xt128, xt155, xt178, xt183, xt188, xt236, xt276, xt345, xt375, xt395, xt412, xt512, xt537, xt545, xt555, xt565, xt575, xt585, xt595, xu155, xz133, xz148, xz163, xz168, xz185, xz275, xz295, xz335, xz355, ze1000, ze1110, ze1115, ze1145, ze1201, ze1202, ze1210, ze1230, ze1250, ze1260, ze4101, ze4102, ze4103, ze4105, ze4111, ze4115, ze4120, ze4123, ze4125, ze4130, ze4133, ze4140, ze4145, ze4200, ze4201, ze4202, ze4204, ze4206, ze4207, ze4208, ze4209, ze4210, ze4211, ze4214, ze4218, ze4219, ze4220, ze4221, ze4222, ze4224, ze4228, ze4229, ze4230, ze4231, ze4232, ze4234, ze4236, ze4239, ze4240, ze4241, ze4251, ze4258, ze4261, ze4268, ze4271, ze4274, ze4278, ze4281, ze4282, ze4284, ze4288, ze4292, ze4294, ze4298, ze4301, ze4305, ze4307, ze4308, ze4310, ze4311, ze4312, ze4313, ze4314, ze4315, ze4316, ze4317, ze4318, ze4319, ze4320, ze4321, ze4323, ze4325, ze4330, ze4332, ze4333, ze4334, ze4335, ze4336, ze4345, ze4347, ze4348, ze4349, ze4351, ze4352, ze4353, ze4354, ze4355, ze4356, ze4357, ze4360, ze4365, ze4367, ze4375, ze4384, ze4385, ze4386, zt1114, zt1120, zt1121, zt1122, zt1125, zt1130, zt1131, zt1132, zt1135, zt1141, zt1142, zt1145, zt1150, zt1151, zt1152, zt1155, zt1161, zt1162, zt1170, zt1171, zt1172, zt1175, zt1180, zt1182, zt1185, zt1190, zt1192, zt1201, zt1210, zt1211, zt1213, zt1230, zt1233, zt1235, zt1243, zt1250, zt1260, zt1261, zt1270, zt1271, zt1290, zt1331, zt3010, zu1155, zu1175, ZT3010

IBM (use 5.5 x 2.5 DC Plug tip)

ThinkPad 240, 240X, 290, 310, 310D, 310E, 310ED, 1400-2611, 1500-2611365, 365XD, 380, 380D, 380E, 380ED, 380XD, 380Z, 385, 385D, 385ED, 385XD, 390, 390E, 390X,

560, 560E, 560X, 560Z, 570, 600, 600E, 600X, 701, 770, 770E, 770ED, 770X, 770Z, A20, A21, A22, A31, i1200, i1300, i1400-2621, i1500-2621, i1720, i1721, R30, R31, R32, R40, T20, T21, T22, T23, T30, T40, T41, TransNote, X20, X21, X22, X23, X31, 1410i, 1411i, 1412i, 1434i, 1435i, 1436i, 1450i, 1451i, 1452i, 1470i, 1472i, 1500i

NEC (use 5.5 x 2.5 DC Plug tip)

LaVie C LC500/4D, LC700/4D, LC700/6D, LC700/7D, LC900/7D, PC-LC3001A, PC-LC3002D, PC-LC5001D, PC-LC5002D, PC-LC5003D, PC-LC5004D, PC-LC5005D, PC-LC5503DW, PC-LC7001D, PC-LC7003D, PC-LC7004D, PC-LC7005D, PC-LC9001D, PC-LC9002D, PC-LC9003E, PC-LC9004D, PC-LC9005D, PC-LC9503E, PC-LC9504E, LC900/4D Series, LC950/4D Series; LaVie F PC-LF5504D, PC-LF5505D, PC-LF7507D, LF550/4D Series; LaVie G PC-LG10JLFEA, PC-LG10JLFEB, PC-LG10JLFJA, PC-LG10JLFB, PC-LG10JSFEA, PC-LG10JSFEB, PC-LG10NRXEA, PC-LG10RRXEB, PC-LG10RRXJB, PC-LG11NRXEB, PC-LG11NRXJB, PC-LG14NFXEC, PC-LG14NRXEC, PC-LG14NRXJC, PC-LG14SSFEA, PC-LG14SSFEB, PC-LG14SSGEB, PC-LG14SSGJB, PC-LG15HLXEC, PC-LG15HLXJC, PC-LG15SEFEC, PC-LG15SEFJC, PC-LG15SSFEC, PC-LG15SSFJC, PC-LG15SSGEC, PC-LG15SSGJC, PC-LG16HEVED, PC-LG16HEVJD, PC-LG16HLFED, PC-LG16HLFJD, PC-LG16HLVED, PC-LG16HLVJD, PC-LG16NFXED, PC-LG16NRXED, PC-LG16NRXJD, PC-LG16SLFED, PC-LG16SLFJD, PC-LG16SLVED, PC-LG16SLVJD, PC-LG16SSUJB, PC-LG18SEFEC, PC-LG18SEFJC, PC-LG18SEVED, PC-LG18SEVJD, PC-LG18SSFED, PC-LG18SSFJD, PC-LG18SS-GED, PC-LG18SSGED, PC-LG18SSGJD, PC-LG18SSUEC, PC-LG18SSUJB, PC-LG18SSUJC, PC-LG19NRXEC, PC-LG19NRXJC, PC-LG20NRXED, PC-LG20NRXJD, PC-LG20-SEGEC, PC-LC20SEGED, PC-LC20SEGJC, PC-LG20SEGJD, PC-LG20SSUEC, PC-LG20SSUED, PC-LG20SSUJC, PC-LG20SSUJD, PC-LG90RRXEA, PC-LG90RRXJA; LaVie J LJ700/7E, LJ500/4D Series, LJ700/4F Series; LaVie L LL500/6D, LL530/7A, LL550/6D, LL550/7D, LL700/6D, LL700/7D, LL750/7D, LL770/6DT, LL770/7DT, LL900/6D, LL900/7D, LL950/6D, PC-LL3001A, PC-LL3004F, PC-LL5001D, PC-LL5002D, PC-LL5003D, PC-LL5004D, PC-LL5005D, PC-LL5503D, PC-LL5504D, PC-LL5505D, PC-LL7001D, PC-LL7002D, PC-LL7003D, PC-LL7004D, PC-LL7005D, PC-LL100%5D, PC-LL7502D, PC-LL7503D, PC-LL7504DW, PC-LL9001D, PC-LL9005D, PC-LL9305D, PC-LL9507D, LL300/4F Series, LL500/4D Series, LL550/4D Series, LL700/4D Series, LL750/4D Series, LL750/4D Series; LaVie M LM500/4E, LM500/7D, LM700/7E; LaVie ME LE500/7D Series; LaVie N LN500/6D, LN500/7D, LN570/7DT; LaVie Pro PC-LH3002A, PC-LH3003F, PC-LH7002D, PC-LH7003E; LaVie T LT500/6D, PC-LT3005D, PC-LT5004D, PC-LT5005D, PC-LT7004D, LT500/4D Series, LT700/4D Series; Pocket Gear MC/PG5000, MC/PG7000 Ready 220T, 230T, 330T, 340T, 360T, 440T; Versa 500, 2400, 2500, 2505, 2530, 4000 Series, 5000, 5060, 5080, 2500CD, 5060CX, 5080X, 550D, C140, C150, C160, E120, E600, FM320, FM500, FP520, FS800, IGO3000, IGO5000, IGO6000, L320, M300, M320, M3210, M500, P440, P520, P600, P700, Premium, S800, T400, T400S820, VersaNote, VX series; VersaPro NX LW23C/52, LW23D, LW26H, LW30H, LW33H

Panasonic (use 6.4 x 4.3 / 5.5 x 2.5 DC Plug tips)

Toughbook CF01, CF11, CF17, CF170, CF25, CF27, CF270, CF28, CF33, CF34, CF35, CF37, CF370, CF380, CF41, CF45, CF47, CF61, CF62, CF63, CF71, CF-M34, CFV25, CF-V41, CF50, CF73, W2, CF-V21, CF-V21P

Sharp (5.5 x 2.5 / 3.5 x 1.35 DC Plug tip)

AV18, AV18P, MC22, MV10W, MV12W, MV14, MM10, MM20, TN10W, UM10M, UM20, UM30W, UM32W

Sony (use 6.4 x 4.3 DC Plug tip)

Picturebook C1XVAIO 81, 705, 707, 717, 719, 729, 731, 735, 748, 800, 808, 812, 818, 838, C1XW, F Series, F150, F160, F180, F190, F250, F270, F280, F290, F304, F305, F309, F340, F350, F360, F370, F390, F400, F400LT, F403, F409, F420, F430, F450, F480, F480K, F490K, F520, F540, F540K, F560, F560K, F580, F580K, F590, F590K, F630, F660, F670, F680, F690, F701, F707, F709, 709K, F801, F801A, F807, F807K, F808K, F809K, FR102, FR105, FR130, FX Series, FX101, FX103, FX105K, FX108K, FX109K, FX120, FX140, FX150, FX170, FX190, FX200, FX201, FX203, FX203K, FX205K, FX209K, FX270, FX 301, FX401, FX405, FX501, FX502, FX505, FX601, FX602, FX604, FX605, FX701, FX702, FX705, FX770K, FX800, FX801, FX802, FX804, FX805, FX880K, FX902P, FX905P, FXA32, FXA33, FXA36, GRS100, GRS150, GRX500, GRS515M, GRS515R, GRS515SP, GR614MP, GRS700, GRX316SP, GRX416SP, GRX516SP, GRX500, GRX520, GRX520/B, GRX550, GRX560, GRX570, GRX580, GRX590, GRX600, GRX650, GRX670, GRX690, GRX700, NV100, NV105, NV109M, NV170, NV190, NV200, NV209, NV309, NVR23, PG32, QR10, QR20, R500, R505CT, R505D, R505DS, R505DSK, R505DT, R505J, R505T, R505TE, R505TEK, R505TS, R600HEK, R600HEP, R600HFPD, R600HMPD, R600MX, X18, X29, X9, XE17, XE7, XG18, XG19, XG28, XG28K, XG29, XG38, XG39, XG39K, XG500, XG700, XG9, Z505, Z505FA, Z505GA, Z505GAH, Z505GAM, Z505HE, Z505HS, Z505HSK, Z505JE, Z505JEK, Z505JS, Z505JSK, Z505LE, Z505LEK, Z505LS, Z505LSK, Z505R, Z505RX, Z505S, Z505SX, Z600HEK, Z600LEK, Z600NE, Z600NEK, Z600RE, Z600TEK, C1MHP, GR100, GR100K, GR114EK, GR114MK, GR114SK, GR150K, GR170K, GR200, GR200K, GR200P, GR214CP, GR214EP, GR214MP, GP215MP, GR215SP, GR250, GR250K, GR250P, GR270, GR270K, GR270P, GR290, GR290K, GR290P, GR300, GR314MP, GR315MP, GR370, GR390, GR414SP, SR1K, SR5K, SR7K, SR9G, SR11K, SR17, SR17K, SR21K, SRX41P, SRX51P, SRX51PA, SRX51PA, SRX51PB, TR1A, TR1AP, TR2A, TR2AP1, TR2AP3, V505A, V505AC, V505B, V505BC, V505BX, V505BXP, V505D, V505DC1, V505DC11, V505DC1P7, V505DX, V505DXP, VX71P, Z1, Z1A, Z1A1, Z1AP1, Z1AP2, Z1AP3, Z1M, Z1RA, Z1RAP1, Z1RAP2, Z1RAP3, Z1R5P, Z1SP, Z1VA, Z1VAP1, Z1VAP2, Z1ZAP1, Z505AX, Z505AXP, VAIO PCG-700 series, VAIO PCG-FX880K, VAIO PCG-XG series

Sotec (use 5.5 x 2.5 DC Plug tip)

3120X, 3123XS

Toshiba (use 6.3 x 3.0 / 5.5 x 2.5 DC Plug tips)

Satellite 1000, 1005, 1100, 1200, 1605, 1625, 1675, 1695, 1715, 1735, 1750, 1755, 3000, 3005, 1730, A10, A15, M20, M30, M35, 1400, 1405, 1410, 1415, 1555, 1800, 1805, 2060, 2065, 2100, 2105, 2140, 2210, 2250, 2400, 2405, 2410, 2415, 2500, 2505, 2510, 2515, 2530, 2535, 2540, 2545, 2590, 2595, 2615, 2655, 2675, 2695, 2715, 2755, 2775, 2800, 2805, 4000, 4005, 4010, 4020, 4025, 4030, 4060, 4080, 4085, 4090, 4100, 5005, 5105, 5200, 5205, M10, M15, 4200, 4600, 6000, 6100, 2210, 2250, 2270, 4260, 4320, 4340, 4360, 4380, 4600, 6000Dynabook 1800, 1850, 1860, 1870, 2140, 440, 460, 480, 490, 4000, 3500 Series, S Series, S8 Series, G8 Series, P7 Series, P8 Series, T6 Series, V8 Series, 3000, 3010, 3020, 3300, 3330, 3380, 3410, 3430, 3440, 3480Libretto 60, L Series, 50, 70, 100, 110, 1050, 1100, 1000, 1010Portege R100, M100, M200, 2000, 2010, 3500 Tablet, 3505 Tablet, 4000, 4005, 4010, 3010, 3015, 3020, 3025, 3110, 3120, 3440, 3480, 3490CDT, 3490CTTecra A1, M1, M2, S1, 8000, 8100, 8200, 9000, 9100

Winbook (use 5.5 x 2.5 DC Plug tip)

J1, N, Si, Si2, X1, X2, X4, XL, XLi, XP, Z, Winbook X1i, Winbook XL2, Winbook XL3,

Winbook XP5, Winbook Z1, FX, XP5 Pro

BenQ (use 4.8 x 1.7 / 5.5 x 2.5 / 5.5 x 1.7 DC Plug tips)

All models

Lenovo (use 5.5 x 2.5 DC Plug tip)

All models

Hasee (use 5.5 x 2.5 DC Plug tip)

All models

LG (use 5.5 x 2.5 DC Plug tip)

All models

Hitachi (use 5.5 x 2.5 DC Plug tip)

E-100, E-100D, E-100DC, E-100DN, E-133, E-133D, E-133DC, -133DN, E-133T, E-133TC

Asus (use 4.8 x 1.7 / 5.5 x 2.5 DC Plug tips)

A 1000 series, Artbook L7336, B 1000 series, F7400, L1000B series, L2000B series,

L2000D series, L2000E series, L3000C series, L3000S series, L7233, L7300, L8400,

M1000 series, M2000 series, M2 series, M2400, MP 8xxx series, S1000 series,

T4700CS, T7200, T9000 series

Medion (use 5.5 x 2.5 DC Plug tip)

MD5050, 5061, 5214, 5218, 5222, 5223, 5225, 5389, 5396, 5400, 5498, 5499, 5943, 5944,

5945, 5946, 6001, 6200, 7321



