

HDMI to VGA Adapter Converter – Connect Mac Mini and MacBook's to a VGA Projector or Monitor

StarTech ID: MCHD2VGA



The MCHD2VGA HDMI / Micro HDMI to VGA Converter lets you connect an HDMI-enabled video source device to a VGA monitor or projector. The adapter also includes a Micro HDMI to HDMI adapter, for added compatibility with Micro HDMI tablets and smartphones – an ideal solution for sharing presentations or worksheets from your HDMI and Micro HDMI devices, on a classroom or boardroom projector.

The MCHD2VGA provides an active video connection making the MCHD2VGA the perfect solution for low-power HDMI sources, such as MacBook® and Mac Mini computers.

For added convenience, the adapter can be powered using any USB power source, even the computer or television the device is connected to. A power adapter is also included ensuring you can connect the adapter to a regular power outlet where a USB Power source may not be available.

Note: The adapter will not pass digitally encrypted content.

The MCHD2VGA is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Carry with your laptop, smartphone or tablet for BYOD applications with VGA displays
- Share presentations on a classroom or boardroom projector
- Connect the low-powered HDMI port on your Mac Mini or MacBook to a VGA projector
- Power using the USB port on your computer for added mobility and fast installation



Features

- Micro HDMI to HDMI adapter included, for added compatibility with Micro HDMI smartphones and tablets
- Active converter for low-powered HDMI source devices such as MacBook & Mac Mini
- Conveniently USB powered with included A.C outlet to USB adapter
- Supports video resolutions up to 1920 x 1200 / 1080p

Technical Specifications

Warranty 2 Years

Converter Type Format Converter

Ports 1

Audio No

Industry Standards High Speed HDMI®

Connector A 1 - HDMI (19 pin) Female

Connector B 1 - VGA (15 pin; High Density D-Sub) Female

Supported Resolutions 1920x1200, 1920x1080 (1080p), 1600x1200 @ 60Hz

Color Black Enclosure Type Plastic

Product Length 2.5 in [64 mm]
Product Width 1.6 in [41 mm]
Product Height 0.6 in [14 mm]
Product Weight 1.3 oz [38 g]

Power Source AC Adapter Included

Input Voltage 100 ~ 125 AC

Output Voltage 5 DC
Output Current 0.5A
Power Consumption 1.75W

Operating Temperature 0°C to 45°C (32°F to 113°F)
Storage Temperature -20°C to 70°C (-4°F to 158°F)

Shipping (Package) Weight 10 oz [284 g]

Included in Package 1 - HDMI® to VGA Adapter

Included in Package 1 - HDMI® to HDMI Micro Cable

Included in Package 1 - AC to USB Power Adapter (North American)





Certifications, Reports and Compatibility



