



HP t520 Flexible Thin Client

Get a flexible, reliable desktop experience for your virtual network and knowledge base users with the HP t520 Flexible Thin Client.



Work smarter.

- Maximize your productivity with the latest thin client technologies packed into a sleek, new, fanless industrial design that brings a modern touch to a range of environments.

Powerful performance.

- Get AMD GX-212JC SOC, an ultra-fast flash drive interface, integrated dual DisplayPort, and native VGA.

Seamless integration.

- Choose the operating system and client virtualization solutions best suited to your environment. Help boost management and performance of your thin client deployment with HP Device Manager and HP Velocity software.

Rest easy with a smart investment.

- Be future-ready with a 36-month long lifecycle that supports extended deployments, get global support from a standard three-year limited warranty, and help save money with an energy-efficient design that carries globally recognized eco-certifications.

Optional Features

- Get the best bang for your investment buck with AMD GX-212JC SOC, HD graphics, and expansive memory and storage.
- Make the most of your available workspace and deploy the sleek, new, fanless chassis horizontally or vertically in a range of compact settings.
- Make it easy to deploy, manage, and maintain your install base with HP Device Manager, a software tool available exclusively for HP Thin Clients.
- Improve network performance and the end-user experience with HP Velocity software.
- Select Windows Embedded Standard 7, Windows Embedded 8 Standard, HP ThinPro or HP Smart Zero Technology.
- Connect to your virtualized desktops and applications with support for the latest ISVs and certifications from Citrix, VMware, and Microsoft.
- Enjoy dual-display¹ productivity and get USB and legacy connectivity.
- Pick the communication technology that's best for you.



HP t520 Flexible Thin Client Specifications Table



Available Operating System	Windows Embedded 8 Standard 64 Windows Embedded Standard 7E 32 HP ThinPro 32 HP Smart Zero Technology 32
Browser	Microsoft Internet Explorer 9 (for models with Windows Embedded Standard 7E); Mozilla Firefox 19 (for models with HP Thin Pro and HP Smart Zero Technology)
Available Processors	AMD GX-212JC Dual-Core SOC APU with AMD Radeon HD Graphics (1.2 GHz) ¹
Maximum Memory	8 GB 1600 MHz DDR3L SDRAM ²
Internal Storage	8 GB up to 64 GB M.2 SSD
Available Graphics	Graphics integrated on processor
Audio	1/8-inch stereo mini-jack for headphone and 1/8-inch stereo mini-jack for microphone
Communications	Broadcom 802.11a/g/n 2x2 WiFi Network Interface with Bluetooth® (optional) ³ 10/100/1000 GbE
Protocols	Citrix® ICA; Citrix® HDX; Microsoft RDP; Microsoft RemoteFX (RFX); VMware Horizon View through RDP; VMware Horizon View through PCoIP (Protocols are dependent on operating system installed)
Input Devices	HP USB Standard Keyboard ; HP USB Optical Mouse
Ports and Connectors	2 USB 3.0; 4 USB 2.0; 2 DisplayPort 1.2; 1 VGA; 1 RJ-45; 1 headphone; 1 microphone
Dimensions	1.78 x 7.87 x 7.87 in 4.51 x 20 x 20.01 cm
Weight	2.29 lb 1.04 kg
Power	65 W, worldwide auto-sensing, 100-240 VAC, 50-60 Hz energy-saving automatic power-down, surge tolerant
Environmental	Low halogen ⁴
Energy Efficiency Compliance	ENERGY STAR® qualified
Warranty	HP Total Care Warranty and Services offers limited three-year hardware warranty options depending on country. Optional HP Care Packs extend your protection beyond the standard limited warranty. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc . HP services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product

HP t520 Flexible Thin Client

Accessories and services (not included)

HP Keyed Cable Lock



The HP Keyed Cable Lock is designed to be used with industry standard lock slots like the type found on a laptop, docking station, desktop PC, flat panel display, printer or projector. Secure your valuable IT hardware with this lock that consists of a 6.00' (1.83 m) vinyl-coated, galvanized aircraft-grade steel cable that loops around any secure object and then attaches to the computer or device you want to lock. The lock features a push-button locking mechanism and a unique key (including a spare key) to unlock the cable. A small Velcro strap is also included to help manage or adjust the length of the cable as you place and use it.

Product number: BV411AA

HP LCD Monitor Quick Release Mount



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.

Product number: EM870AA

HP DisplayPort to DVI-D Adapter



Converts the DisplayPort connector on a HP Workstation computer to a single link DVI-D port. The adapter has a latching DisplayPort connector on one end and DVI-D connector on the other for connecting to a DVI-D monitor cable.

Product number: FH973AA

HP Integrated Work Center Stand for Ultra Slim Desktop and Thin Client



The HP Integrated Work Center Stand is designed to help maximize the use of limited desk space without compromising performance or productivity by accommodating an HP Compaq 6005 Pro, or 8000 Series HP Ultra-slim Desktop PC or an HP Thin Client and most HP 17 to 24-inch* (43,18 to 60,96 cm) diagonal LCD monitors (please refer to compatibility in the Quick Spec) with VESA standard mounting brackets. * HP monitors weighing 3,4 kg to 4,8 kg (7.5 lbs to 10.5 lbs).

Product number: LH526AA

Messaging Footnotes

¹ Optional feature sold separately or as add-on feature.

Technical Specifications Footnotes

¹ This system requires a 64-bit operating system and 64-bit software products to take advantage of the 64-bit processing capabilities of AMD technology. Multi-core processing available with AMD technology is designed to improve performance of this system. Given the wide range of software applications available, performance of a system including a 64-bit operating system will vary.

² Graphics chipset uses part of the total system memory (RAM) for graphics performance. System memory dedicated to graphics performance is not available for other use by other programs.

³ 802.11 is an optional or add on feature. Use of Wi-Fi module requires WiFi access point and Internet service. Availability of public WiFi access points is limited.

⁴ External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

Learn more at
hp.com

Sign up for updates
hp.com/go/getupdated

© Copyright 2014. Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

ENERGY STAR® and the ENERGY STAR® mark are registered U.S. marks. Bluetooth is a trademark of its proprietor used by Hewlett-Packard Company under license. Microsoft and Windows are U.S. trademarks of the Microsoft group of companies. AMD is a trademark of Advanced Micro Devices, Inc. Citrix® is a registered trademark of Citrix Systems, Inc. and/or one more of its subsidiaries, and may be registered in the United States Patent and Trademark Office and in other countries.

