

2U Vented Sliding Rack Shelf w/ Cable Management Arm & Adjustable Mounting Depth - 200lbs / 90.7kg

StarTech ID: UNISLDSHF19H



The UNISLDSHF19H Adjustable Sliding Rack Shelf lets you add a vented, sliding shelf with cable management into virtually any 4-post server rack or cabinet. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

The adjustable mounting depth design allows the shelf to be installed easily into server cabinets with mounting depths from 29.4in (746.5mm) to 31.8in (807mm). The sliding rails also offer a locking mechanism to stop the shelf from sliding out too far, or sliding back into the rack before maintenance is complete.

Offering a weight capacity of up to 200 lbs (90.7 kg), this sliding rack shelf features a ventilated, cold-rolled steel construction for increased airflow and durability in your server room or wiring closet installations.

For ease in routing cables neatly through your rack, we've included a reversible cable management arm that can be attached to the back of the shelf, plus an adjustable bezel to keep your equipment where you want it on the shelf.

Backed by a StarTech.com 2-year warranty.

Toepassingen

- Supply additional storage space for hardware or non-rackmount equipment and peripherals
- Install into virtually any standard 4-post rack or cabinet

Eigenschappen

- Supports up to 200lbs (90.7kg)
- Adjustable mounting depth from 29.4in (746.5mm) to 31.8in (807mm)
- TAA compliant for GSA Schedule purchases
- Includes a reversible cable management arm
- Vented shelf for increased airflow
- Sliding rails with locks to prevent the shelf from sliding out too far
- Sturdy, 2mm cold-rolled steel construction

Technische specificaties

Warranty	2 Years
Industry Standards	EIA RS310-D
Mounting Options	Front Mount (Front and Rear)
U Height	2U
Weight Capacity	90.7 kg [200.5 lb]
Color	Black
Enclosure Thickness	2 mm [0.1 in]
Enclosure Type	Steel
External Depth	660 mm [26 in]
External Height	87.2 mm [3.4 in]
External Width	483 mm [19 in]
Maximum Mounting Depth	807 mm [31.8 in]
Minimum Mounting Depth	746.5 mm [29.4 in]
Product Weight	8.5 kg [18.8 lb]
Shipping (Package) Weight	9.6 kg [21.1 lb]
Included in Package	1 - Shelf Assembly
Included in Package	2 - Ear Hook and Slide Assembly (Left / Right)
Included in Package	2 - Ear Hook Bracket (Left / Right)
Included in Package	1 - Cable Management Assembly
Included in Package	1 - Instruction Manual

Certificaties, rapporten en compatibiliteit

