

2.5in USB SATA External Hard Drive Enclosure w/ Integrated USB cable

StarTech ID: SAT2510SCB



The SAT2510SCB External Hard Drive Enclosure transforms any 2.5" SATA (SATA, SATA II, SATA III) hard drive or solid state drive (SSD) into a portable USB external hard drive. Large capacity drives (tested with up to 1TB) can be used to greatly enhance your computer's storage/backup capabilities.

Designed to provide convenience and portability, the hard drive enclosure features a built-on USB 2.0 cable and a durable yet lightweight aluminum construction that fits perfectly in your pocket or laptop bag when not in use.

To simplify connection to the host desktop or laptop computer, the enclosure can be powered through its built-on USB connection, eliminating the need for an external power supply and having to find a suitable power outlet while making it easier to backup data or load stored files.

Applications

- Busy travelers who can't waste time locating or sorting out cables while on the road
- Create a fast, portable external storage solution for desktops, laptops or netbooks
- Add-on extra storage to almost any USB enabled computer system
- Backup important data to an external storage device
- Share large files between computers quickly and securely without a network
- Retrieve data from old SATA drive, or turn the unused drive into additional external storage space





Features

- Integrated 2in (5cm) USB cable
- High Speed USB 2.0 host interface, with supported transfer rates up to 480 Mbps
- Powered directly from the USB port
- Light-weight and durable aluminum chassis
- Power/Activity LED indicator
- Compatible with SATA revision 1/2/3 (1.5/3.0/6.0 Gbps) drives
- Supports 2.5" form factor SATA hard drives (HDD) or solid state drives (SSD)
- Plug-and-Play and Hot-Swap compatible





Technical Specifications

Warranty 2 Years Interface USB 2.0

Number of Drives 1

Drive Size 2.5in
Drive Type SATA
Drive Installation Fixed
Fan(s) No

Chipset ID Sunplus - SPIF301

Drive Connectors 1 - SATA Data & Power Combo (7+15 pin) Receptacle

Host Connectors 1 - USB A (4 pin) Male Type and Rate USB 2.0 - 480 Mbit/s

RAID No

Max Drive Capacity Currently tested with up to 1TB 5400 RPM hard drives

OS Compatibility Windows 2000/ XP(32/64-bit)/ Server 2003(32/64-bit)/ Server 2008 R2/ Vista(32/64-bit)/

7(32/64-bit)/ 8(32/64-bit)

Mac OS X (tested up to 10.8)

Linux

Color Silver

Enclosure Type Aluminum

Max Drive Height0.4 in [9.5 mm]Product Length5.2 in [131 mm]Product Width3.3 in [84 mm]Product Height0.6 in [16 mm]Product Weight5.1 oz [145 g]

LED Indicators 1 - Blue Power and Activity

Power Adapter

Included

Optional

Output Voltage 5 DC
Output Current 0.5A
Center Tip Polarity Positive

Plug Type H

Operating 0°C to 70°C (32°F to 158°F)

Temperature

Storage Temperature -20°C to 75°C (-4°F to 167°F)

Humidity 10 to 90% RH





Shipping (Package) 9.9 oz [280 g]

Weight

Included in Package 1 - 2.5" Aluminum Enclosure with Integrated USB Cable

Included in Package 1 - Extension USB Y cable Included in Package 1 - Package of screws

Included in Package 1 - Instruction Manual

Certifications, Reports and Compatibility







