# 40" Full HD resolution LCD display.

The Samsung 400FPn-2 40" professional LCD display offers full connectivity for the most demanding commercial applications. The 400FPn-2 features a built-in PC for easy network integration, with MagicInfo Pro i software for downloading and streaming of files over a LAN / WAN. You can also add a digital TV tuner to the 400FPn-2 with an optional DTV set back box (SBB-DT). And Full HD 1920 x 1080p resolution displays the highest resolution content.
Stand sold separately.

RS232C IN-OUT

RS232C, a standard of serial communication, is used for the communication between PC and displays. Therefore, A Multiple Display Control (MDC), helping various displays to be easily and simultaneously operated on PC, is possible with RS232C function.

## Display

| | |
|---|---|
| Screen Size | 40" |
| Brightness | 450 cd/m² |
| Contrast Ratio | 4000:1 |
| Resolution | 1920 x 1080 |
| Response time | 8 ms (GTG) |
| Viewing Angle(Horizontal/Vertical) | 178⁰ / 178⁰ |
| Color Supported | 16.7 mil. |

## Signal Input

| | |
|---|---|
| Video Signal | analog RGB, DVI-D, CVBS, HDMI |
| Sync. Signal | separate H / V, composite, SOG |
| Connector | D-sub, RS232C cable, BNC (component, PC) |

## Power

| | |
|---|---|
| Power Consumption | 290 watts |
| Stand By Power (DPMS) | 5 watts (energy saving on) |
| Type | internal |

## Feature

| | |
|---|---|
| Plug & Play | DDC 2B |
| Mac compatibility | Yes |
| Multimedia Speakers | 10 W x 2 (built-in) |
| Wall-Mount | mounting kit available (option) |
| Cabinet Colour | black |
| Accessories | MDC program, user manual, power cable, remote controller |
| Special Features | Lamp Error Detection, Matrix Video Wall (2 x 2, 3 x 3, 4 x 4, 1 x 5, 5 x 1, 5 x 5), Safety Lock, Temperature Sensor, Built-in Fan, RS232C, Window Xpe, AMD Athlon X2 Dual Core, 4 GB FDM / 512 MB DDR1 |

## Dimension

| | |
|---|---|
| Product Dimension(With stand, WxHxD) | 971 x 643 x 311 mm |
| Product Dimension(Without Stand, WxHxD) | 971 x 582 x 118.5 mm |
| Shipment Dimension (WxHxD) | 1085 x 703 x 310 mm |

## Weight

| | |
|---|---|
| Product Weight | 20.4 kg |
| Shipment Weight | 23.9 kg |

## Stand

| Type | Foot Stand (optional) |
|---|---|