

Enjoy the same high-definition widescreen viewing you love about your notebook

HP L1908w Flat Panel Monitor

Now you can enjoy the same widescreen comfort of your notebook when you're working at the office. The large-screen HP L1908w 19-inch Widescreen LCD Monitor offers the essential performance features of our Essential series monitors in an elegant 19-inch diagonal screen designed for users who prefer widescreen viewing, wherever they work.

Improve how you see your work

Get crisp, clear, high-resolution views of your graphics and data projects with a 1000:1 contrast ratio, sharp resolutions to 1440 x 900, and fast 5 ms response time. Position the monitor for the way you work most comfortably—on the desk—or using the optional HP Quick Release ¹ —a wall, arm, or bundled with another VESA-compliant device, such as an HP Thin Client or HP dc7800 USDT. Minimize clutter on the desk or mount the monitor flush against the wall; the integrated power supply eliminates bulky "power bricks" and improves cable management. Take advantage of smart software—HP Display Assistant lets you adjust the display through software instead of the on-screen display (OSD).

Assured compatibility

HP monitors offer guaranteed out-of-the-box compatibility with HP notebooks, business PCs, and workstations. Plus, when you buy the monitor with an HP PC, you get end-to-end product serviceability and support from HP with just one phone call.

Environmentally responsible

This monitor meets stringent worldwide environmental regulatory standards, including ENERGY STAR®, CE Mark and UL and is in compliance with the Restrictions of Hazardous Substances (RoHS) Directive, 2002/95/EC. This monitor also received a Silver ranking from the Electronic Products Environmental Assessment Tool (EPEAT).

Enjoy peace of mind

The HP L1908w monitor is just one more product that comes with the HP-standard peace of mind. The monitor is fully tested and qualified for out-of-the-box functionality and compatibility with HP notebooks, desktops, workstations, and other products. The three-year limited warranty is backed by HP service and support from 65,000 IT service and support professionals in 160 countries around the world.



HP L1908w Flat Panel Monitor

| Туре | Active Matrix TFT (thin film transistor); Anti-glare and anti-static coatings |
|-----------------------------------|--|
| Viewable image area | 19 inches diagonal |
| Viewing angle | 160° horizontal, 160° vertical |
| Brightness | 300 nits |
| Contrast ratio | 1000:1 |
| Response rate | 5 ms |
| Dot/Pixel pitch | 0.285 mm |
| Frequency | Horizontal frequency: 24-83 kHz, Vertical frequency: 50-76 Hz |
| Resolution | 1440 x 900 @ 60 Hz (native), all VESA modes up to 1280 x 1024 @ 75 Hz |
| Input signal | 15-pin D-sub VGA |
| Video cable | VGA |
| User controls (on-screen display) | Brightness, contrast, positioning, color temperature (6500k, 9300k, custom), individual color control, serial number, display, clock, clock phase, monitor management, factory reset, zoom |
| Base features | Tilt range: -5° to + 30° vertical tilt, no swivel range, no height adjust, detachable base |
| Software | HP Display Assistant is a software utility that allows monitor adjustment and color calibration using the Display Data Channel Command Interface (DDC/CI) protocol of the connected PC HP Display LiteSaver feature allows you to schedule Sleep mode at preset times to help protect the monitor against image retention, drastically lower power consumption and energy costs, and extend the lifespan of the monitor |
| Power consumption | 50 watts maximum, 37 watts typical |
| Power supply | Auto-sensing, 100 to 240 VAC, Internal power supply, 50 to 60 Hz (built-in power supply) |
| Power Consumption, Standby | 2 watts |
| Dimensions (W x D x H) | 44.6 x 5.9 x 30.1 cm |
| Weight | 5.6 kg |
| Certifications, compliances | TCO'03, ISO 13406-2 VDT Guidelines Approval, MPR-II Compliant, CISPR Requirements, VCCI Approvals, MIC (Korean) Requirements, CSA, Australian ACA Approval, "GS" Mark, TUV Approvals, CE Marking, FCC Approval, ENERGY STAR® Qualified, PC-2001 Certified, Microsoft® Windows® Certification (Microsoft® Windows® 98, Microsoft Windows 2000, Microsoft Windows XP and Windows Vista®) |
| Warranty | Limited 3 years parts, labour and on-site service, including backlight. Availability varies by region. Certain restrictions and exclusions apply. For details, contact HP Customer Support or Service |

¹ The HP Flat Panel Monitor Quick Release has been designed to support a maximum of up to 24 lbs (10.9 kg) depending upon the mounting configuration used. Please note this is a total weight limit for all devices mounted, i.e. the combined weight of the monitor and a second device such as an HP Thin Client cannot exceed 24 pounds. Because mounting surfaces vary widely and the final mounting method and configuration may vary, mounting fasteners are not supplied (other than the VESA-compliant screws). HP recommends that you consult with a qualified engineering, architectural or construction professional to determine the appropriate type and quantity of mounting fasteners required for your application and to ensure that your mounting solution is properly installed to support applied loads.

© 2007 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft and Windows are trademarks or registered trademarks of Microsoft Corporation in the U.S. or other countries. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the U.S. or other countries.

For more information, please visit www.hp.com/eur/monitors

4AA1-5692EEE. October 2007



HP L1908w Flat Panel Monitor

Recommended accessories





