

V7 D1912

V7 LC-Displays are designed for business, education and home computing. The user can be sure to enjoy the bright and vivid image with fast screen response, high contrast ratio and wide-view angles with long-life panel design for reduction of eye strain.

If you're doing desktop publishing, web-browsing, gaming, movie watching or any desktop-computing task, the V7 LC display is the ideal choice for comfort and value.

V7 is a proven technology band blending quality, technology, mandatory safety and environmental certifications and value. All in one great package.

Specifications



Panel Size	19" (~ 483 mm)
Aspect Ratio	5:4
Display Area	376 x 301 mm
Maximum Resolution	1280 x 1024 @ 75 Hz (SXGA)
Pixel Pitch	0.294 mm
Brightness	300 cd/m ²
Response Time	5 ms
Contrast Ratio	800:1
Viewing Angle H/V	160° / 160°
Color	16.2 Million
Horizontal Frequency	31.5 ~ 83 KHz
Vertical Frequency	56 - 76 Hz
Video Bandwidth	135 MHz
Signal Input	15 pin D-Sub, 24 pin DVI-D
Power Consumption On/Off	< 45W / < 1W
Power Requirements	AC 100~240V, 50~60 Hz
Features	2x 1W Speaker
Adjustment	Auto Adjustment, Phase, Clock, Horizontal/Vertical Position, Brightness, Contrast, Color, Display Ratio, Theme Mode, Power Saving Mode, 14 OSD Languages, Recall
Dimensions WxHxD	
With stand packaging	403 x 422 x 188 mm 461 x 407 x 110 mm
Weight	
With stand	4 kg
Incl. packaging	4.9kg
Storage/Operating Temperature	-20°C to 60°C / 5°C to 40°C
Wall Mountable	100 x 100 mm
Tilt	-5° ~ +15°
Certifications & Standards	CE, TUV/GS, TCO'03, Energy Star
Supplied Accessories	Users Manual CD, Quick-Start Guide, Warranty Card, Power Cable, VGA Cable, DVI Cable, Audio Cable
Warranty	3 Years On-Site Swap-Service
EAN Code	4038489004635

The data in this publication is for illustration purposes only and does not necessarily represent standards or specifications which must be met by V7. Design and specifications are subject to change without prior notice. Trademarks belong to their respective owners. No responsibility assumed and all liability for damages resulting from use of this information or for any errors or omissions are disclaimed. Measurement standards and testing conditions, as per manufacturer definitions, are available on request. Issue: 06/2007

