imageCLASS D1150

Laser Multi-Function Printer



BE RESILIENT IN BUSINESS

WITH A RELIABLE PARTNER WHO DELIVERS

Living with Canon Eco-Office MFP



ADVANCED **AIO PERFORMER**

- UFRII Lt Print Technology for no wait-time
- 30ppm print & copy speed
- 50-sheet Duplex ADF
- 128MB RAM shared memory
- Quick First Print (QFP) within 8 seconds
- Network-ready

HIGH **RELIABILITY**

- Up to 20,000 pages monthly duty cycle***
- Up to 5000 pages yield** of cartridge
- On-Demand Fixing Technology
- Super-G3 FAX speed with UHQ[™]
- Department ID Management



- Low power save mode (approximately 3W)
- Save 50% & more paper with Auto-Duplex print & copy
- Toner-save mode for longer lasting supply
- On-Demand Fixing Technology
- No separate parts, no waste with all-in-one Cartridge 320
- Energy Star & RoHS compliant

Business Can be simple

A New Class of Reliability

At only 45 cm wide, it does not take the imageCLASS D1150 much to do what it does best. Along with a generous 128 MB of built-in RAM, this workhorse also has mass paper input capacity of up to 1050-sheets – ensuring undisrupted productivity and zero wastage in your business operation.


While eco-office features like automatic duplex printing, copying and faxing capabilities help save more than 50 percent in paper usage, low power consumption (approximately 3W) translates to smaller operations bills. These benefits are but the tip of the iceberg though, with scores more to come.



An Eco-Office For Business Sustainability

- The imageCLASS D1150's Energy Saver Mode puts the system to sleep after a user-specified period of non-use (adjustable from three to 30 minutes). When activated, the device will consume only approximately 3W of power. Or, simply press the [Energy Saver] key for instant activation to sleep mode power savings.
- The Toner Save Mode reduces the toner amount used to create copies and prints, extending the life of toner yield (of up to 50 percent more) and lowering the cost per page. Simply select between On/Off.
- Auto Duplex printing, copying & faxing can be done with its built-in duplex input (50-sheet Duplex ADF) and duplex printing features for paper savings of 50 percent and more!
- Lowest Typical Electricity Consumption rating by Energy Star[®] for savings of more than 4 times against other comparable devices. This translates to long-term business savings.








✓Auto Duplex Print
✓Toner Save Mode
✓On-Demand Fixing Technology






Canon Technology Assurance

Tired of printers taking forever to start up? The imageCLASS D1150 speeds ahead with **On-Demand Fixing** (SURF) technology. This cutting-edge marvel transfers heat instantly only when the machine is printing, so it takes minimum time and energy to warm up – you get first copies before you can say "Wow!"





Not a fan of long print queues? You'll love Canon's in-built UFRII LT (Ultra Fast Rendering) printing system as you won't have to rely on your printer alone to do all the jobs. It enables integration between your computer and the printer's RAM for simultaneous job processing, balancing the workload and speeding up the printing process. The result? Quick First Print (QFP) of approximately 8 seconds, less downtime, and no expensive RAM upgrades required.

Print & Save

Go for its ready-option **Booklet Print** finishing, or select **2-on-1 plus 2-sided** print finishing. You can print all your documents and yet save up to 75 percent of total paper use!

In addition, the unique **Canon Page Composer** feature in the Printer Driver lets you combine different file formats - PDF, JPEG, TIFF or BMP - into one single document output, improving productivity and convenience. Select **[Edit & Preview]** in the Output Method of the printer dialogue, set and off you go!



Canon Page Composer (Edit & Preview) feature





Zoom In On The Best Results


You don't have to squint to see the fine print anymore. The imageCLASS D1150 copy feature lets you zoom in and out manually from 50 to 200 percent as you copy.

Best of all, its auto 2-sided printing/copying feature is better than a 4-on-1 copy combination, saving you up to four times the amount of paper! Input four A4-original pages and select **2-sided** and **2-on-1**. You get four pages on a 1-sheet output at a great readability range of 70 percent scale of every A4-original.

Worried about fitting in your limited edition hard-cover magazines? The imageCLASS D1150 platen glass is sized up-to-Legal which allows more space to scan and copy of magazine-size thick books.








Personal Security

Keep your identity intact with a hassle-free ID Card Copy feature. Simply place your card on the platen glass, press the [Collate/2-on-1] button till you see [ID Card Copy] appear, and copy away.



Its standard paper cassette capacity can take 500-sheet or onerim of papers at once, meaning you don't have to stop for a refill too often. For envelope printing, there's a 50-sheet multipurpose tray for multiple-sizes paper feed (up to Legal paper size). Other media within the range of 60 – 190 gsm thickness can be fed, or up to 5 envelopes at a time. Envelope printing up to LGL size paper Optional Cassette Feeding Unit-U1: 500-sheet capacity

Going Beyond SOHOs

The robustly-built engine has maximum endurance of a 20,000-page monthly duty cycle, while 128 MB of RAM system memory further extends its print volume capacity beyond any small office. It can comfortably fit the bill of any workgroup with a monthly print volume of 2,000 - 5,000 pages.

Topping it off, the imageCLASS D1150 is designed with a **high-capacity all-in-one toner cartridge 320**, which can last up to 5,000 pages*. In today's business environment, this all-in-one toner suits the growing demand for fuss-free and self-manageable office equipment.

To fully optimise your printer performance, only use Canon's genuine consumables for maximum protection and warranty assurance for your device.

*Average yield is in accordance with ISO/IEC19752







The Best Business Resolution

Where your business is concerned, minimal compromises should only be allowed. Not only do you need crisp and clear scanning for documents, you'll need them fast and in minimal data sizes as well. The readily available **MF Toolbox** scanning software comes with **PDF conversion**. Turn your hardcopies into PDF compact, Multi-page PDF, and Searchable PDF files, by simply selecting the PDF file option available in the toolbox.





Straighten Out Your Fax




Minimise your telephone bill when you send and receive fax messages using the **Super-G3 Fax** technology, transmitting at approximately 3 seconds per page.

Its high capacity speed dialling feature (19 one-touch, 180 coded and 198 group dials) offers convenience when faxing to your top groups of business partners or to frequent personal contacts.

In addition, Canon's UHQTM (Ultra High Quality) image processing technology guarantees your recipients receive crisp and clear image-quality faxes.

Best of all, the **fax memory** can record up to **512 fax pages** to ensure that not a single fax is missed.




Plus, the imageCLASS D1150's built-in PC-Fax feature enables paperless faxing – sending the fax directly from your computer desktop. You can even set an off-peak time to transmit your fax documents (from 0000 – 2359 hrs) with the **Delayed Fax Sending** feature!

Ready For The Bigger Network

It's important that everyone at work gets along, and the imageCLASS D1150's **built-in network print** and **PC-Fax** features ensure that everyone can share the benefits of an advanced document hub.

Recommended for workgroups of up to 15 users (monthly print volume of 2,000–5,000 pages), it comes with substantially larger address book space (up to 200), where you can enjoy improved flexibility in maintaining your business contacts.



Work Smart, Manage Smarter

The built-in **Canon Remote UI** (User Interface) rides on a web-browser platform for you to monitor the status of your device, and to update the Address Book and Department IDs at ease.

Basic device access management can also be done using the built-in **Department ID Management** feature. Every device can store up to 100 registered user IDs.

Functions available are:

- View page totals for Print/Scan/Copy/Total Print by each department
- Set page limits for total print, copy, black scan, print by ID per usage (from zero to 999,999 pages)
- Accept or reject print jobs from computers with unknown IDs

With the imageCLASS D1150, shift the full focus to your business, without having to sweat the small stuff.







imageCLASS D1150

GENERAL SPECIFICA Multifunction Type

Fixing Method Standard Interface & Connectivity OS Compatibility

Monochrome Laser Print, Copy, Colour Scan, Fax, Auto Duplex, Network-ready On-Demand Fixing SURF Technology USB & Network (Ethernet 10Base-T/ 100Base-TX)

Win OS: 2000 / XP / Server2003 (network only) / Vista / Server2008 (network only) Mac OS X & Linux OS various version*

Driver Utility (CD ROM) UFRII LT Printer Driver, Fax Driver, MF Toolbox

OmniPage SE (OCR), PageManager (OCR, PDF) by Custom Installation 450 x 472 x 464 mm Other Bundled Scan Software Dimension Main Unit (W x D x H)

Weight
(Main Unit including Cartridge)
Power Source

AC 220-240V, 50-60Hz Acoustic Noise Level Standby: approx. 43db Operation: 69.5db 128MB (Shared)

System Memory (On Board) Warm-Up Time

< 16-sec Power Consumption Max Standby

12 W Sleep 3 W Energy Star

1090 W

DEVICE CONSUMPTION CAPACITY Toner Cartridge Type All-in-One (Black)

Cartridge 320 5000 pages (bundled 2300 pages) Yield** up to 20,000 pages** Durability (Monthly Duty Cycle) 2000-5000 pages per month

Print Volume (Monthly Usage) PAPER HANDLING

Auto Document Feeder 50-sheet (Duplex ADF) Document Size Up to LGL (ADF/Platen) Paper input capacity 500-sheet paper cassette 50-sheet Multipurpose Tray (Bypass) Optional Paper cassette Cassette Feeding Unit-U1 (500-sheet) 150 sheets (face down) Paper Output

60~120g/m² (cassette) 60~190g/m² (Multipurpose tray) Paper Weight

PDL Print Speed UFRII LT Up to 30 ppm (A4) 600 x 600 dpi 1200 x 600 dpi (smoothing) Print Resolution

First Print Output Time (FPOT) approx. 8-sec

Print Memory Print Output Size 128MB (Shared) Up to LGL (including Custom Sizes) Others Page Composer, Booklet Print, Poster Print, Watermarks, Toner Save

Monochrome Laser Copy Speed Up to 30 cpm (A4) 600 x 600 dpi

Halftones 256 level Auto Duplex Copy First Copy Output Time (FCOT) Yes with Duplex Scanning (1:2, 2:2, 2:1)

Copy Memory 128MB (Shared) Zoom Copy Size 50%~200% in 1% increments Up to LGL (ADF/Platen) ID Card Copy, Electronic Sort, Toner Save mode, 2-sided, 2-on-1 combination, Reserved Copy Others

COLOUR SCAN Scanning Element Scanning Resolution Colour CIS 600 x 1200 dpi (optical)

9600 x 9600 dpi (interpolated)

Up to LGL (ADF / platen) Document Size

USB 2.0 Hi-speed Win 2000 / XP / Vista MF Toolbox, ScanGear MF driver Scan to Email/PDF/File/Applications Host Interface Win OS Compatible Software MF Toolbox Scan JPEG, PDF (compact, searchable PDF), TIFF, BMP

Compatibility WIA 1.0 (XP & Vista only), TWAIN dling software Omnipage (OCR) & Pagemanager Free bundling software Mac OS Compatible Mac OS X late Software ScanGear MF Mac OS X later version****

Compatibility TWAIN

File Format Depending on Mac Application used.

Specifications

Modem Speed 33.6 Kbps, Super-G3 (approx. 3-sec/page) Fax Resolution

Standard, Fine, Super Fine, Ultra Fine (up to 409 x 391 dpi) Image Processing System UHQ™ (Ultra High Quality) MH MR MMR IRIG

Compression Modes Fax Memory Capacity 512 pages Fax-memory backup Address Book/ Speed Dial Yes (up to 15 min) 19 one-touch, 180 coded dials, 198 group dials 200 locations Sequential Broadcasting

Delayed Transmission Yes (1 pre-set time) Receive Mode FAX Only, Manual, Answering DRPD, Fax/Tel Auto SW

Remote Reception Yes (default ID: 25) Other Fax Receiving Features Memory Lock reception, Auto Reception Reduction, ECM **Dual Access** Yes (up to 70 reservation) Auto Double-sided Faxing Yes (Sending & Receiving) Report / List

Activity & Rx / Tx Report (Up to 40 transactions/page), Non-delivery report Sending (Fax Driver)

NETWORKING & MANAGEMENT UTILITY

Network Interface Ethernet

Network Type 10Base-T/ 100Base-TX Network Print Network PC Fax Yes (Win, Mac, Linux OS) Yes (Win, Mac OS)

By Remote User Interface (HTML-based) By Department ID (100 IDs) Device Management Feature Management Department Counter Copy/Print/Scan

Driver for Mac & Linux OS are not bundled with products; will be available via web download on http://support-asia.canon-Mac OS X & Linux OS Driver available only in Q3-2009.

Declared yield value in accordance with ISO/IEC 19752

Duty cycle value provides a comparison of product robustness in relation to other Canon Laser All-in-One devices and it shows the maximum number of pages of image output per month. And is different from recommended monthly print volume value which is normally used for optimum device performance where factors like device life over a given warranty period and supplies replacement internals are accounted for.

Compatible to Mac OS X later version available in Q3-2009

PC-Fax

All information contained in this brochure is correct at the time of printing. Some information could become dated due to product improvements or other changes. Canon bears no responsibility for any discrepancies

CANON SALES SUBSIDIARIES & BUSINESS PARTNERS

Afghanistan: Ishan National Co. Ltd P.O.Box 559 Opp: Ministry of Justice Kabul - Afghanistan Tel: 0093-2-2101727

Bangladesh:

Bangladesh: Flora Limited Adamjee Court Annex-2 (4th Floor) 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 Fax: 880-2-955-0030 www.floralimited.com

Interhouse Company No. 5 -7 Bunut Jaya Complex Spg 574 Jalan Tutong BF1320 P.O Box 423, Seri Complex Bandar Seri Begawan BA 1779 Brunei Darussalam Tel: 673-2-653 001 Fax: 673-2-653 003

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd Phnom Penh Kingdom of Cambodia Tel: 855-23-428955 Fax: 855-23-722961

India: Canon India Private Limited 2nd Floor, Tower A & B Cyber Greens, DLF Phase III Gurgaon – 122002 Harvana, India Tel: 91-124-516 0000 Fax: 91-124-516 0011

Indonesia

Indonesia: PT Samafitro Jalan Ir. H Juanda No.8 Jakarta 10120, Indonesia Tel: 62-21-345 5521 Fax: 62-21-384 4271 www.samafitro.co.id

Malaysia:

Canon Marketing (Malaysia) Sdn. Bhd Block D, Peremba Square Saujana Resort Section U2, 40150 Shah Alam Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 Fax: 60-3-7844 6196 / 6198 www.canon.com.my

Simdi Company Pvt Ltd.
No.3 Koli Umaru Maniku
Goalhi Male' 20-02
Republic of 2040/20 Tel: 960-333 4421 Fax: 960-333 4424

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD. 1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632 Tel: 65-6799 8888 Fax: 65-6799 8882

Myanmar: Accel International Co. Ltd. FJV Commercial Centre Level 6, No 422 - 426 Strand Road Botataung Township Yangon, Myanmar Tel: 951-202 092 to 96 Fax: 951-202 079

Nepal: International Electronics Concern (P) Ltd Kha 14 1st Floor Haratibhawan Putalisadak Ramshah Path, Kathmandu, Nepal P.O Box 12588 Tei: 977-1-442 1991 Fax: 977-1-442 1909

Pakistan:

Shirazi Trading Company (Pvt.) Ltd 8th Floor, Adamjee House I.I Chundrigar Road Karachi 74000 Pakistan Tel: 92-21-241 7737 Fax: 92-21-242 0417 www.shirazitrading.com.pk

Sri Lanka: Metropolitan Communications Ltd. 85, Braybrooke Place Colombo 02 Sri Lanka Tel: 94-11-243 7797 Fax: 94-11-244 8980

Thailand: Canon Marketing (Thailand) Co. Ltd 10th Floor Bangkok City Tower 179/34-45 South Sathorn Road Bangkok 10120 Tel: 66-2-344 9999 Fax: 66-2-344 9960 www.canon.co.th

Vietnam: Canon Singapore Pte Ltd Ho Chi Minh City Representative Office Unit 437-439-441. Hai Ba Trung Street Ward 8 District 3, Ho Chi Minh City, Vietnam Tel: 848-820 0466 Fax: 848-820 0477

Hanoi City Representative Office

15 Nguyen Chi Thanh Hanoi, Vietnam Tel: 844-771 1677 Fax: 844-771 1678 www.canon.com.vn









Dealer's Stamp