

PRINT





DUPLEX

NETWORK

Up to 40 ppm



Lexmark E460dn

Lexmark E460dw

Lexmark E462dtn



Print Less, Save More,

Print less? This may seem like a surprising message for a company dedicated solely to printing. But when you consider that businesses spend on average up to 6% of their revenue on printing and that active print management can cut office print costs by up to 30%¹, it makes a lot of sense. Lexmark products, solutions and services provide innovative ways to save you time, drive down costs and reduce your impact on the environment. We are committed to helping you print less and save more.

¹ Source: InfoTrends/CapVentures, Network Document Solutions Forecast 2007-2012, Network Document Solutions Consulting Service, August 2008

Keep your productivity up and costs way down with the Lexmark E460 Series. Network-ready with an intuitive display, these compact monochrome laser printers offer effortless operation, confidential printing, advanced security and management tools, in addition to practical ways to lower your running costs, like integrated duplex printing and Lexmark Extra High Yield Toner Cartridges. There is even a wireless model so you can print with true wireless freedom. A great value for small and medium workgroups with big workloads and high expectations.



Powerfully simple

With its rapid time-to-first-page, the Lexmark E460 Series is a powerful asset to your workgroup. It features everything you need to perform at your best, along with great print quality and an intuitive display to simplify your workday.

- Powerful 466MHz processor
- First page out as fast as 6.5 seconds thanks to the instant warm-up fuser
- High-speed printing up to 40 ppm
- User-friendly 4-line graphical display



Your day is too busy to spend time on maintenance issues. The Lexmark E460 Series brings simplified management to your fingertips. Experience enhanced security and time savings along with a range of high-end features you typically wouldn't expect to find on such attractively priced printers.

- Lexmark remote management tools available
- Customized early-warning alerts for low toner
- 10-digit numeric pad for secure print release
- Customizable operator panel messaging
- Large input capacity, from 300 sheets standard (E460dn/dw) up to 550 sheets standard (E462dtn)



Easy on your budget

Benefit from smarter ways to save and an attractive total cost of ownership. In addition to its low acquisition price, the Lexmark E460 Series offers you cost-effective ways to expand your team's productivity and lower your total cost of printing.

- Lower page cost with Extra High Yield Lexmark Toner Cartridges (up to 18,000* pages with Lexmark E462dtn)
- Multiple darkness levels save up to 50% on toner
- Built-in networking for easy sharing

Printing responsibly means everyone wins – your business, your budget and the environment. The Lexmark E460 Series is designed with eco-conscious features to help you reduce paper and save energy.

- Paper-saving duplex printing standard
- Eco-Mode reduces power consumption
- Instant warm-up fuser saves energy
- Lexmark Cartridge Collection Program for easy recycling





Lexmark's guarantee to you

Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts. Lexmark's 1-Year Exchange warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com.

Lexmark E460 Series

High-endurance printing for busy workgroups – in a compact size!



Affordable printing

Reduce operating costs with multiple toner level settings and Lexmark Extra High Yield Toner Cartridges.



Large standard input capacity

The ample 550-sheet standard input capacity on the Lexmark E462dtn is a helpful time saver.



Comprehensive messaging

The user-friendly operator panel includes an intuitive 4-line display, which offers you valuable time-saving guidance and assistance.



Eco-Mode

Select this printing mode to automatically lower your energy consumption and drive down paper waste and costs.



Wireless

Break free from cables with the Lexmark E460dw and experience Wi-Fi CERTIFIEDTM n performance.



Secure printing

Keep sensitive documents fully secure. Use the numeric pad to hold, release and protect your confidential print jobs. It helps save paper too!



Get exactly the performance you need



Lexmark E460dn

Business-class features and performance in a compact design

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready
- Standard input capacity: 300 sheets
- 15,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages



Lexmark E460dw

Break free from printer cables with built-in wireless connectivity

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready, plus built-in wireless support
- Standard input capacity: 300 sheets
- 15,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages



Lexmark E462dtn

Tremendous value, with best-in-series standard capacity and cartridge yield

- Fast! Up to 40 ppm print speed
- Built-in duplex
- User-friendly 4-line operator panel with numeric pad
- Network-ready
- Standard input capacity: 550 sheets
- 18,000*-page Lexmark Extra High Yield Toner Cartridge available
- Recommended monthly volume: 1,500 to 10,000 pages

	Lexmark E460dn	Lexmark E460dw	Lexmark E462dtn
Printing			
Print Technology		Monochrome Laser	
Print Speed (Letter, Black): Up to		40 ppm	
Time to First Page (Black)		As fast as 6.5 seconds	
Print Resolution, Black	1200 lma	ge Quality, 1200 x 1200 dpi, 2400 lmage Quality, 600) x 600 dpi
Memory, Standard		64 MB	
Memory, Maximum		576 MB	
Print Noise Level, Operating		53 dBA	
Noise Level, Idle		inaudible dBA	
Maximum Monthly Duty Cycle: Up to		80,000 pages per month	
Recommended Monthly Page Volume		1,500 - 10,000 pages	
Supplies		1,000 - 10,000 pages	
Supplies Yield	9,000*-page High Yield Toner Cartridge, 3,500*-	9,000*-page High Yield Toner Cartridge, 3,500*-	9,000*-page High Yield Toner Cartridge, 3,500*
(*Average standard page yield value declared in accordance with	page Toner Cartridge, 15,000*-page Extra High	page Toner Cartridge, 15,000*-page Extra High	page Toner Cartridge, 18,000*-page Extra High
	' - ' - ' - ' - ' - ' - ' - ' - ' - '		
ISO/IEC 19752.)	Yield Toner Cartridge	Yield Toner Cartridge	Yield Toner Cartridge
Cartridge(s) Shipping with Product		7,000*-page starter Return Program Toner Cartridge	
Paper Handling			
Paper Handling Standard	150-Sheet Output Bin, Integrated Duplex, Single	150-Sheet Output Bin, Integrated Duplex, Single	150-Sheet Output Bin, 250-Sheet Drawer, Inte
	Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multi-	Sheet Exit, 250-Sheet Input Tray, 50-Sheet Multi-	grated Duplex, Single Sheet Exit, 250-Sheet Inp
	purpose Feeder	purpose Feeder	Tray, 50-Sheet Multipurpose Feeder
Paper Handling Optional	550-Sheet Drawer, Only one drawer may be	550-Sheet Drawer, Only one drawer may be	
	installed at a time, 250-Sheet Drawer	installed at a time, 250-Sheet Drawer	
Paper Input Capacity, Standard: Up to	300 pages 20 lb or 75 gsm bond	300 pages 20 lb or 75 gsm bond	550 pages 20 lb or 75 gsm bond
Paper Input Capacity, Maximum: Up to	850 pages 20 lb or 75 gsm bond	850 pages 20 lb or 75 gsm bond	550 pages 20 lb or 75 gsm bond
Paper Output Capacity, Standard: Up to	150 pages 20 lb or 75 gsm bond		
Paper Output Capacity, Maximum: Up to	150 pages 20 lb or 75 gsm bond		
Media Types Supported	Card Stock, Envelopes, Paper Labels, Plain Paper, Transparencies, Refer to the Card Stock & Label Guide		
Media Sizes Supported		5 Envelope, C5 Envelope, DL Envelope, A6 Card, Exe	
	sal, Oficio		
Compatibility			
Network Protocol Support	TCP/IP IP:	4, IPX/SPX, AppleTalk™, LexLink (DLC), TCP/IP IPv6,	TCP, UDP
Printer Languages (Standard)	PCL 5e Emulation, PCL 6 Emulation, Personal Printe	er Data Stream (PPDS), PostScript 3 Emulation, xHTM	L, PDF 1.6, Direct Image, Microsoft XPS (XML Pap
	Specification)		
Standard Ports	Centronics IEEE 1284 Bidirectional Parallel, Ether-	Ethernet 10/100BaseTX (RJ-45), USB 2.0 Speci-	Centronics IEEE 1284 Bidirectional Parallel, Ethe
	net 10/100BaseTX (RJ-45), USB 2.0 Specification	fication Hi-Speed Certified (Type B), 802.11b/g/n	net 10/100BaseTX (RJ-45), USB 2.0 Specificat
	Hi-Speed Certified (Type B)	Wireless	Hi-Speed Certified (Type B)
Microsoft Windows Operating Systems Supported			
3.7	minal Services, Vista, Vista, Vista, Server 2008, Server 2008 x64, Server 2008 running Terminal Services, Server 2008 x64 running Terminal Services, Windows		
	Time do video, vida, vida ve i, co ve 2000, co ve	2000 //0 1, 001 / 01 2000 / 01 11 11 19 / 01 / 11 11 10 00 / 000	3. Vol. 2000 XO 1 1011111119 10111111101 CO1 11000, 111110011
Apple Macintosh Operating Systems Supported	Mac OS X (10.2 or later), Mac OS 9.2		
Other Operating Systems Supported	www.lexmark.com		
General		· · · · · · · · · · · · · · · · · · ·	
Product Warranty		1-Year Exchange	
Product Certifications	1-Year Exchange www.lexmark.com		
Size (in H x W x D)	10.2 x 15.98 x 14.55 in.	10.2 x 15.9 x 14.55 in.	13.7 x 15.98 x 14.55 in.
Weight (lb.)	30.87 lb.	30.91 lb.	36.5 lb.
rreignt (ib.)		30.91 lb. 2500 Meters (8,200 Feet), Humidity: 8 to 80% Relative	

Recommended Monthly Page Volume

Recommended Monthly Page Volumes is a range of pages that helps customers evaluate Lexmark's product offerings based on the average number of pages customers plan to print on the device each month. Lexmark recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed,


and typical customer usage.

Lexmark and Lexmark with the diamond obesign are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. All other trademarks are the property of their respective owners. P.C. is a registered trademark of Hewlett-Packard Company, AppleTalk, Mac and Macintosh are trademarks of Apple Computer, Inc., registered in the United States and other countries. MarkNet and MarkVision are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. The USB-IF logos are trademarks of Universal Serial Bus Implementers Forum, Inc. ENERGY STAR® is a U.S. registered mark. Microsoft, Windows, the Windows Vista, and the Windows Vista logo are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Citrix, MetaFrame and MetaFrame XP are registered trademarks or trademarks of Citrix Systems, Inc. in the U.S. and other countries. Information in this document is subject to change without notice.

Lexmark and Lexmark with the diamond design are trademarks of Lexmark International. Inc., registered in the United States and/or other countries. All

Lexmark E460 Series

Lexmark E460dn



E460X11A E360H11A E260A11A E460X21A E360H21A E260A21A E260X22G	E460 Extra High Yidel Return Program Toner Cartridge E360, E46X High Yield Return Program Toner Cartridge E260, E360, E46X Return Program Toner Cartridge E460 Extra High Yield Toner Cartridge E360, E46X High Yield Toner Cartridge E260, E360, E46X, MCDerner Cartridge E260, E360, E46X, X264, X36X, X46X Photoconductor Kit
Part # 70X7240	Paper & Transparencies
70X7Z40	Laser Printer Transparencies (Letter) Paper Handling
34S0550 34S0250	550-Sheet Drawer 250-Sheet Drawer
Part #	Memory Options
1022298 1022299 1022301 14F0245 30G0828 30G0825 30G0826 30G0827	128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM 256MB Plash Card Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card
Part #	Application Solutions
30G0829 34S0975 34S0073 34S0074	Lexmark PrintCryption Card E460 Forms and Bar Code Card E460, E462 Card for PRESCRIBE Emulation E460, E462 Card for IPDS/SCS/TNe
Part #	Connectivity
1021231 1021294 14T0145 14T0220	Parallel Cable (10-foot) USB Cable (2-meter) Lexmark N4950e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server
D4 #	Francis d Warmanita

2-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day

Model Lexmark E460dn

Laser Toner/Print Cartridge

	350253 350254	5-Years Total Exchange Service, Next Business Day
		1-Year Exchange Service Renewal, Next Business Day
- 2	350257	Upgrade to Onsite Service, Next Business Day
2	350258	2-Years Total Onsite Service, Next Business Day
	350259	3-Years Total Onsite Service, Next Business Day
2	350260	4-Years Total Onsite Service, Next Business Day
2	350261	5-Years Total Onsite Service, Next Business Day
2	350262	1-Year Onsite Service Renewal, Next Business Day
P	art #	Service Parts
4	0X5400	E460, X46x Fuser Maintenance Kit 110-120V

Paper Handling Optional


Lexmark E4600n Laser Printer, up to 7,000-page* starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Extended Warranties

Part #

2350250

Lexmark E460dw




Paper Handling Standard Paper Handling Optional

ASSORO Lexmark E460dw Lexmark E460th	· are n	mode:
### ### ### ### ### ### ### ### ### ##	34S0600	Lexmark E460dw
E360H1A E360, F46x High Yield Return Prögram Toner Cartridge E260A11A E360, F36x High Yield Toner Cartridge E460A12A E360, F36x High Yield Toner Cartridge E360H21A E360, E36x High Yield Toner Cartridge E260W21A E360, E36x High Yield Toner Cartridge E260W21A E360, E36x High Yield Toner Cartridge E260W226 E260, E300, E36x Toner Cartridge E260W27240 Laser Printer Transparencies Laser Printer Transparencies Laser Printer Transparencies (Letter) Part # Paper Handling 34S00250 550-Sheet Drawer Part # Memory Options 102229a 128MB DDR1-DRAM 102229a 128MB DDR1-DRAM 1022301 512MB DDR1-DRAM 3060828 33609826 3060829 Traditional Chinese Font Card 3060827 Traditional Chinese Font Card 3480074 E460, F482 Card for PRESCRIBE Emulation 246	Part #	Laser Toner/Print Cartridge
Table Tabl	E360H11A E260A11A E460X21A E360H21A E260A21A	E380, E46x High Yield Return Program Toner Cartridge E280, E360, E46x Return Program Toner Cartridge E480 Extra High Yield Toner Cartridge E380, E46x High Yield Toner Cartridge E280, E360, E46x Toner Cartridge
Part # Paper Handling 34S0350 550-Sheet Drawer 34S0250 250-Sheet Drawer Part # Memory Options 1022298 128MB DDR1-DRAM 1022298 128MB DDR1-DRAM 1022299 256MB DDR1-DRAM 1022294 256MB Flash Card 3060828 3060828 3060829 Korean Font Card 3060829 Korean Font Card 3060829 Tarditional Chinese Font Card 34S0073 E460 Forms and Bar Code Card 4460 Forms and Bar Code Card 4660 Forms and Bar Code Card 4460 Forms and Bar Code Card 4660 Forms and Bar Code Card 4460 Forms and PRESCRIBE Enulation 4660 Forms and PRESCRIBE Enulation 4460 Forms and Tarditional Card for IPDS/SCS/TNe 460 Forms and Print Card 34S0074 E460 Forms and Bar Code Card 4460 Forms and Bar Code Card 470 Forms and Bar Code Card 4460 Forms and Bar Code Card 480 Forest Card for IPDS/SCS/TNe Part # Connectivity 1021294 USB Cable (2-meter) MarNet** MY020e Gigabit Ethernet Print Server	Part #	Paper & Transparencies
34S0550 550-Sheet Drawer	70X7240	Laser Printer Transparencies (Letter)
250-Sheet Drawer	Part #	Paper Handling
1022298	34S0250	
1022290 256MB DDR1-DRAM 1022301 512MB DDR1-DRAM 14F0245 256MB Flash Card 30G0825 Japanese Font Card 30G0826 Simplified Chinese Font Card 30G0827 Traditional Chinese Font Card 30G0827 Extended Chinese Font Card 30G0829 Lexmark PrintCryption Card 44S0975 E460 Forms and Bar Code Card 44S0975 E460 Forms and Bar Code Card 44S0974 E460 Forms and Bar Code Card 44S0975 E460 Forms and Bar Code Card 44G0 F462 Card for IPDS/SCS/TNe Part # Connectivity 1021294 LSB Cable (2-meter) 14T0220 MarkNlet™ N7020e Gigabit Ethernet Print Server Part # Extended Warranties 2350253 2-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 3-S350253 4-Years Total Exchange Service, Next Business Day	Part #	
30G0829 Lexmark PrintCryption Card 34S0975 E460 Forms and Bar Code Card 34S0073 460, F482 Card for PRESCRIBE Emulation 34S0074 E460, E462 Card for PRESCRIBE Emulation 24G0, E462 Card for IPDS/SCS/TNe Part # Connectivity USB Cable (2-meter) MarkNet™ N7020e Gigabit Ethernet Print Server Part # Extended Warranties 2350250 2-Years Total Exchange Service, Next Business Day 3350253 4-Years Total Exchange Service, Next Business Day 3250253 4-Years Total Exchange Service, Next Business Day 3250253 5-Years Total Exchange Service, Next Business Day	1022299 1022301 14F0245 30G0828 30G0825 30G0826	256MB DDR1-DRAM 512MB DDR1-DRAM 256MB Flash Card Japanese Font Card Korean Fort Chris Simplified Othinese Font Card
3450975	Part #	Application Solutions
1021294 USB Cable (2-meter) 14T0220 MarkNet** M7020e Gigabit Ethernet Print Server Part # Extended Warranties 2350251 2-Years Total Exchange Service, Next Business Day 2350251 3-Years Total Exchange Service, Next Business Day 2350253 4-Years Total Exchange Service, Next Business Day 2350253 5-Years Total Exchange Service, Next Business Day	34S0975 34S0073 34S0074	E460 Forms and Bar Code Card E460, E462 Card for PRESCRIBE Emulation E460, E462 Card for IPDS/SCS/TNe
14T0220 MarkNlet™ N7020e Gigabit Ethernet Print Server Part # Extended Warranties 2350250 2-Years Total Exchange Service, Next Business Day 2350251 3-Years Total Exchange Service, Next Business Day 2350253 4-Years Total Exchange Service, Next Business Day 2350253 5-Years Total Exchange Service, Next Business Day		
2350250 2-Years Total Exchange Service, Next Business Day 2350251 3-Years Total Exchange Service, Next Business Day 2350252 4-Years Total Exchange Service, Next Business Day 2350253 5-Years Total Exchange Service, Next Business Day		
2350251 3-Years Total Exchange Service, Next Business Day 2350252 4-Years Total Exchange Service, Next Business Day 2350253 5-Years Total Exchange Service, Next Business Day		
	2350251 2350252 2350253	3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day

2350257 2350258 2350259 2350260 2350261 2350262	Upgrade to Onsite Service, Next Business Day 2-Years Total Onsite Service, Next Business Day 3-Years Total Onsite Service, Next Business Day 4-Years Total Onsite Service, Next Business Day 5-Years Total Onsite Service, Next Business Day 1-Year Onsite Service Renewal, Next Business Day
Part #	Service Parts
40X5400	E460, X46x Fuser Maintenance Kit 110-120V

Lexmark E462dtn



Paper Handling Standard	

Part #	Model
34S0800	Lexmark E462dtn
Part #	Laser Toner/Print Cartridge
E462U11A E360H11A E260A11A E462U21G E360H21A E260A21A E260X22G	E462 Extra High Yield Return Program Toner Cartridge E360, E46x High Yield Return Program Toner Cartridge E260, E360, E46x Return Program Toner Cartridge E462 Extra High Yield Toner Cartridge E360, E46x High Yield Toner Cartridge E260, E360, E46x Toner Cartridge E260, E360, E46x Toner Cartridge E260, E360, E46x, X264, X36x, X46x Photoconductor Kit
Part #	Paper & Transparencies
70X7240	Laser Printer Transparencies (Letter)
Part #	Memory Options
1022298 1022299 1022301 14F0245 30G0828 30G0825 30G0826 30G0827	128MB DDR1-DRAM 256MB DDR1-DRAM 512MB DDR1-DRAM 256MB Flash Card Japanese Font Card Korean Font Card Simplified Chinese Font Card Traditional Chinese Font Card
Part #	Application Solutions
30G0829 34S0975 34S0073 34S0074	Lexmark PrintCryption Card E460 Forms and Bar Code Card E460, E462 Card for PRESCRIBE Emulation E460, E462 Card for IPDS/SCS/TNe
Part #	Connectivity
1021231 1021294 14T0145 14T0220	Parallel Cable (10-foot) USB Cable (2-meter) Lexmark N4050e 802.11g Wireless Print Server MarkNet™ N7020e Gigabit Ethernet Print Server
Part #	Extended Warranties
2350250 2350251 2350252 2350253 2350254 2350257 2350258	2-Years Total Exchange Service, Next Business Day 3-Years Total Exchange Service, Next Business Day 4-Years Total Exchange Service, Next Business Day 5-Years Total Exchange Service, Next Business Day 1-Year Exchange Service Renewal, Next Business Day Upgrade to Onsite Service, Next Business Day 2-Years Total Onsite Service, Next Business Day

2350259 3-Years Total Onsite Service, Next Business Day 2350260 4-Years Total Onsite Service, Next Business Day 2350261 5-Years Total Onsite Service, Next Business Day 2350262 1-Year Onsite Service Renewal, Next Business Day	
---	--

E460, X46x Fuser Maintenance Kit 110-120V

Lexmark E462dtn Laser Printer, 250-Sheet Drawer, up to 7,000*-page starter Return Program Toner Cartridge, Photoconductor Kit, Software and documentation CD, Setup guide or sheet (network and local attachment), Power cord(s), Statement of limited warranty / guarantee, Operator panel language overlay, Safety sheet or booklet, Lexmark Cartridge Collection Program information

Optimize your printer's performance and investment value by using genuine Lexmark supplies, service and parts. Lexmark's 1-Year Exchange warranty provides added peace of mind. Enhanced service offerings may be available by contacting your Lexmark representative or visiting www.lexmark.com.



Lexmark believes that the environment is a critical component of responsible business management and clearly demonstrates it by implementing the "4R" strategy: Reduce, Recover, Reuse and Recycle. To learn more about these programs please visit www.lexmark.com/recycle.

- Duplex models are Energy Star compliant
 Duplex, Prior and Hold, multi-up, and printing on recycled paper help reduce paper consumption
 Power Saver Mode reduces energy consumption
- Extra High Yield Cartridges and Lexmark Cartridge Collection Program help reduce waste



