

# HP LaserJet Pro CP1025 Color Printer series

The world's smallest colour laser printer<sup>2</sup> is also one of the world's most energy efficient<sup>9</sup>. Compact and low priced, it is ideal for home office and small business customers who want high-quality colour, with wireless and Ethernet connectivity.









#### Connect wirelessly to affordable colour<sup>1</sup>.

- Print from anywhere in the office and share on a network, using built-in wireless and Ethernet<sup>1</sup>.
- Save money, save space: this low-priced HP LaserJet is the world's smallest colour laser printer<sup>2</sup>.
- Print documents affordably.Get the same black cost per page as a black-and-white HP LaserJet printer<sup>3</sup>.
- Ensure professional, accurate results with bold text and smooth colour with HP ImageREt 2400 and Original HP cartridges with ColorSphere toner.

#### Set up quickly, and print from a mobile device<sup>4</sup>.

- Print from anywhere, anytime, with a smartphone, notebook PC or other mobile device, using HP ePrint<sup>4</sup>.
- Get back to business quickly install your printer in just a few minutes with just a few clicks.
- Simplify supplies maintenance order cartridges with HP SureSupply <sup>5</sup> and install them easily.
- Minimise maintenance with a printer designed for lasting performance.

#### Reduce your environmental impact.

- Conserve energy with Instant-on Technology, and save even more with HP Auto-On/Auto-Off Technology<sup>6</sup>.
- Conserve resources with the world's smallest colour laser printer.
- Get easy recycling cartridges returned through HP Planet Partners are recycled responsibly<sup>7</sup>.
- Print only the web content you need, neatly and accurately, with HP Smart Web Printing<sup>8</sup>.

#### 

- Save energy—HP Auto-On/Auto-Off Technology turns your printer on when you need it, and off when you don't<sup>1</sup>.
- Reduce energy use by up to 50% with Instant-on Technology<sup>2</sup>.
- Convenient cartridge recycling in over 49 countries<sup>3</sup>.
- ENERGY STAR® qualified
- 1 HP Auto-On and Auto-Off capabilities subject to printer settings

2 Energy savings based on HP testing using the ENERGY STAR® programme's Typical Electricity Consumption (TEC) method on HP Laserlet products with Instant-on Technology vs. top competitive models as of March 2009. Placer recycle over computer hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.

/ww.hp.com/ecosolutions

Ø

1 Built-in wireless and Ethernet connectivity are available on the HP LaserJet Pro CP1025nw only. Wireless performance is dependent upon physical environment and distance from access point, and may be limited during active VPN connections.

2 Based on personal colour printers as defined by IDC and shipping as of June 2010 as measured by volume (WXDXH) using manufacturers' specifications or as measured by operational "A4" size.

3 Compared with HP LaserJet Pro P1102/P1102W. Assuming customer is printing at least 30 percent of total pages in colour with content similar to the colour ISO/IEC 19798 test suite (www.iso.org/jtc1/sc28) and overall average job length of three pages. Yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors.

4 ePrint functionality available in Spring 2011. May require an Internet connection to the printer. Feature works with any Internet- and e-mail-capable device and requires a firmware upgrade. For details, www.hp.com/go/ePrintCenter.

- $^{5}$  Programme features and availability may vary by country. For more information, visit www.hp.com/learn/suresupply.
- $6_{\mbox{ HP}}$  Auto-On and Auto-Off capabilities subject to printer settings.

7 Programme availability varies. HP print cartridge return and recycling is currently available in more than 49 countries, territories and regions in Asia, Europe, and North and South America through the HP Planet Partners programme. For more information, visit www.hp.com/recycle.

 ${\bf 8}$  To use this feature, you need Microsoft Internet Explorer 6.0 or higher.

9 Energy consumed based on competitive TEC measurement results found at energystar.gov and eu-energystar.org for single-function colour laser printers as of June 2010. TEC based on mono pages in mono print speed. Individual product configuration and usage will affect power consumption.

## Ordering information

<b>Technical specification</b>	าร		Orde	ring information		
Print technology	Laser		CE913A	HP Color Laserlet Pro		
Print speed	Black (A4): Up to 16 ppm; Colour (A4): Up to 4 ppm			CP1025 Printer; Pre-installec introductory 500-page black cyan, magenta, yellow HL LaserJet print cartridges; CD containing device software and electronic documentation		
Processor	Processor Type: Custom RISC processor; Processor speed: CP1025: 266 MHz; CP1025nw: 400 MHz;					
Memory	CP1025: 8 MB DRAM; CP1025nw: 64 MB DRAM;					
Print resolution	Black: Up to 600 x 600 dpi Colour: Up to 600 x 600 dpi					
Print quality	HP ImageREt 2400					
Printer languages	Host-based			Documentation (Install Guide		
Typefaces/fonts	None (Host-based)			Support flyer, Warrant		
Duty cycle (monthly, A4)	Up to 15,000 pages			guide); power corc		
Recommended Monthly Page Volume	200 to 850			HP Color LaserJet Pr CP1025nw Printer Pre-installed introductor		
Print margins	top: 4.3 mm, left: 4.3 mm, right: 4.3 mm, bottom: 4.3 mm					
Media handling	<b>Input</b> Tray 1	Capacity Weight Size   sheets: 150; labels: 50; 60 to 176 g/m² (plain paper); up A4; A5; B5 (ISO, JIS); 76 x 127 to   transparencies: 50; postcards: 50; to 220 g/m² (glossy paper) 216 x 356 mm		500-page black, cyar magenta, yellow HP LaserJe print cartridges; CD containing device softwar and electroni		
	Duplex printing:	Manual (driver support provided)				
	Output:	Sheets: Up to 50. Envelopes: Up to 10. Transparencies: Up to 50	documentati			
Media types	Paper (bond, broc envelopes, cardsto	hure, colour, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), transparencies, labels, ck		Documentation (Install Guide, Support flyer, Warranty		
Control Panel	CP1025: 2 buttons (Cancel, Select); 7 LEDs (Attention, Ready, Yellow cartridge status, Magenta cartridge status, Cyan cartridge status); CP1025nw: 2 buttons (Cancel, Select); 8 LEDs (Attention, Ready, Yellow cartridge status, Magenta cartridge status, Cyan cartridge status, Black cartridge status, Black cartridge status, Wireless);			guide); power cord; USB cable		
Interface and connectivity	CP1025: 1 Hi-Speed USB 2.0; CP1025nw: 1 Hi-Speed USB 2.0; 1 Fast Ethernet 10/100Base-TX; 1 Wireless 802.11b/q/n;					
Network Capabilities	CP1025nw: Via built in Fast Ethernet 10/100Base-TX networking or Wireless 802.11b/g/n;					
Supported Network Protocols	CP1025nw: Via buill-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP:IP port 9100 Direct Mode, LPD (raw queue support only) Web Services Printing; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BooIP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv1, HTTP; 802.11: b/g/n, WPS, AdHoc, Infrastructure;					
Operating systems compatibility	32-bit (SP2 or high 32-bit and 64-bit; package); SUSE Li 8.04.2, 8.10, 9.0 8/9	Is supported on: Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit and 64-bit, Microsoft® Windows® XP ter); Driver only installs supported on: Microsoft® Windows® Server 2003 32-bit (SP3 or higher), Server 2008 Mac OS X v10.5.8, v10.6; Linpus Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 (supported with a pre-built nux (10.3, 11.0, 11, 11.1, 11.2), Fedora™ (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu® (8.04, 8.04.1, 4, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris® rww.hp.com/support/ljcp1020series (click Software & Driver Downloads)				



## **Technical specifications**

## Ordering information

Laser Printer Supplies HP 126A Black LaserJet Print

Average continuous Black Cartridge yield 1200 standard pages. Declared yield value in accordance with ISO/IEC 19798. HP 126A Cyan LaserJet Print

Cartridge

Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 1000 standard pages. Declared yield value in accordance with ISO/IEC 19798. HP 126A Yellow LaserJet Print Cartridge Average continuous composite Cyan/Yellow/Magenta Cartridge yield 1000 standard pages. Declared yield value in accordance with ISO/IEC 19798. HP 126A Magenta LaserJet Print Cartridge Average continuous composite

Network operating systems compatibilit	y Full software installs supported on: Windows® 7 32-bit and 64-bit, Windows Vista® 32-bit and 64-bit, Microsoft® Windows® XP 32-bit (SP2 or higher); Driver only installs supported on: Microsoft® Windows® Server 2003 32-bit (SP3 or higher), Server 2008 32-bit and 64-bit; Mac OS X v10.5.8, v10.6; Linpus Linux (9.4, 9.5), RED HAT Enterprise Linux 5.0 (supported with a pre-built	CE310A	
	package); SUSE Linux (10.3, 11.0, 11, 11.1, 11.2), Fedora™ (9, 9.0, 10, 10.0, 11.0, 11, 12, 12.0), Ubuntu® (8.04, 8.04.1, 8.04.2, 8.10, 9.04, 9.10, 10.04), Debian (5.0, 5.0.1, 5.0.2, 5.0.3) (supported by the automatic installer); HPUX 11 and Solaris® 8/9		
Minimum system requirements	Windows® 7, Windows Vista®: 1 GHz 32-bit(x86) or 64-bit(x64) processor, 1 GB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port; Microsoft® Windows® XP (32-bit) SP2: Pentium® 233 MHz		
	processor, 512 MB RAM (32-bit) or 2 GB RAM (64-bit), 200 MB free hard disk space, CD/DVD-ROM or Internet, USB or Network port, Mac OS X v10.5.8, v10.6; PowerPC G4, G5, or Intel® Core Processor; 256 MB RAM; 300 MB free hard disk space; CD/DVD-ROM or Internet; USB or Network port	CE311A	
Software	Windows: HP Installer/Uninstaller, HP Raster print driver, HP Toolbox, HP Help and Learn Center; Mac: HP Installer/Uninstaller, HP Raster print driver, HP Ink Widget, HP Utility		
Printer management	Windows®: HP Toolbox FX (default install); SNP Alerts (minimum install); HP Web Jetadmin (download); Mac: HP Utility		
Acoustics	Acoustic Power Emissions: 6.2 B(A)		
	Acoustic Power Emissions (ready): Inaudible		
	Acoustic Pressure Emissions: 49 dB(A)		
Power	Requirements: Input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz). Consumption: 295 watts (printing), 8 watts (ready), 3.1 watts (sleep), < 1 watt (auto-off), 0.2 watts (off); Typical Electricity Consumption (TEC): 0.925 kWh/Week	CE312A	
Dimensions (w x d x h)	Out of package: <b>CP1025:</b> 400 x 402 x 223 mm (with A4 media); <b>CP1025nw:</b> 400 x 402 x 223 mm (with A4 media); Packaged: <b>CP1025:</b> 498 x 298 x 387 mm; <b>CP1025nw:</b> 498 x 298 x 387 mm;		
Weight	Out of package: CP1025: 12.1 kg; CP1025nw: 12.1 kg; Packaged: CP1025: 13.4 kg; CP1025nw: 13.4 kg;		
Operating environment	Operating temperature: 15 to 32.5° C. Recommended operating temperature: 20 to 27° C. Operating humidity: 10 to 80% RH. Recommended operating humidity: 20 to 70% RH. Storage temperature: -20 to 40° C. Storage humidity: 10 to 95% RH. Noise level per ISO 9296: Sound power: LwAdó.2 B(A)	CE313A	
Security Management	CP1025nw: Password-protected network embedded Web server; SNMPv1 community password change, 802.11: WEP, WPA, WPA2;		
Product certifications	Safety certifications: IEC 60950-1: 2005 (International); EN 60950-1: 2006+A11 (EU); IEC 60825-1: 2007; GS License (Europe); EN 60825-1: 2007 (Class 1 Laser/LED Device); Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries		
	EMC certifications: CISPR 22: 2005+A1/EN 55022: 2006+A1 Class B, EN 61000-3-2: 2006, EN 61000-3-3: 1995+A1+A2, EN 55024: 1998+A1+A2, FCC Title 47 CFR, GB 9254-2008, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries		
Warranty	One-year, limited warranty, product exchange. Warranty and support options vary by product, country and local legal requirements.	CE314A	

7000 pages (colour) For a complete list of supplies, accessories and services, please refer tohttp://www.hp.com

#### Service & support

14000 pages (black)

Drum

Cyan/Yellow/Magenta Cartridge yield 1000 standard pages. Declared yield value in accordance with ISO/IEC 19798. HP 126A LaserJet Imaging

UM137E HP Care Pack, Exchange Service (standard turn around time), 3 years

UM133E HP Care Pack, Next Business Day Exchange Service, 3 years UM139E HP Care Pack, Return to Depot Exchange Service, 3 years (UM137E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK. UM133E: Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia. UM139E: Baltics, Bulgaria, Czech Republic, Dom Tom, EEM, Greece, Hungary, Israel, Malta, MEMA, Moldova, Poland, Romania, South Africa, Russia, Slovakia, Slovenia, Turkey)

Count on dependable support to create the best image possible. We can help you enhance your printing and imaging environment, protect your IT investment, and grow your business—with expert support that's affordable, personal, and tailored to your needs through HP Care Pack Services.

http://www.hp.com/uk



© Copyright 2010 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.