

# magicolor 4690MF



Save time, space, and money with the magicolor® 4690MF color laser all-in-one. This compact multitasker features professional-quality printing and copying at 25 ppm color and b&w. It also boasts enhanced scanning and 33.6 Kbps Super G3 fax functionality. Yet, its space-saving design easily fits into any size workspace. And this quiet workhorse won't disturb your office. Even while delivering bold two-sided prints the magicolor 4690MF keeps noise levels at a minimum so you can carry on business as usual. Time saving print/copy/scan/fax options and user friendly design make the magicolor 4690MF the perfect complement to any productive work environment.

# magicolor 4690MF

- ▶ ULTRA FAST 25 PPM PRINT AND COPY SPEED—COLOR AND B&W
- ▶ UP TO 120,000 PRINT-PER-MONTH DUTY CYCLE
- ▶ VIVID 2400 X 600 DPI-CLASS PRINT QUALITY
- ► AMAZING COLOR WITH SIMITRI® HD POLYMERIZED TONER
- ▶ SCAN TO EMAIL, SMB, FTP OR USB; NETWORK TWAIN
- ▶ 33.6 KBPS SUPER G3 FAX CAPABILITY
- ► 50-SHEET REVERSING AUTO DOCUMENT FEEDER FOR MULTI-PAGE COPIES & SCANS
- ▶ BUILT-IN AUTOMATIC DUPLEXER AND REVERSING AUTOMATIC DOCUMENT FEEDER FOR TWO-SIDED PRINTS, COPIES AND SCANS
- ► LOWER HEIGHT FOR INCREASED ACCESSIBILITY
- ▶ 850-SHEET MAX. PAPER CAPACITY WITH 500-SHEET OPTIONAL TRAY
- ▶ PAGESCOPE® UTILITIES FOR ADVANCED PRINTER MANAGEMENT







# **COMPACT MULTITASKER**

**Full function all-in-one.** The magicolor 4690MF prints, copies, faxes, even scans from one location. A one-product solution for your organization's essential business functions means less time and money spent maintaining separate machines and more time focusing on the important tasks at hand.

**Versatile office assistant.** The magicolor 4690MF easily satisfies the demands of a busy office by effortlessly transitioning between print, copy, scan or fax modes for flawless results.

# PRODUCTIVITY CENTER

Quick, quality color. Create bold prints, detailed scans and crisp faxes with the touch of a button. The magicolor 4690MF delivers prints and copies at 25 ppm—color and b&w. And with enhanced scanning and intuitive faxing features this streamlined workhorse will deliver high-quality results from the first page to the last.

**Economical and time saving.** The magicolor 4690MF comes equipped with an internal automatic duplexer and a 50-sheet reversing automatic document feeder. Two-sided printing delivers economical, high impact documents while a built-in RADF means less micro-managing and more productivity.

ENHANCED SCANNING. BY USING THE ADF OR FLATBED USERS CAN SCAN DOCUMENTS UP TO 8.5" X 14" DIRECTLY TO EMAIL, FTP, USB OR SMB.



OLLICK POWER SAVE RECOVERY, THE ALWAYS READY MAGICOLOR 4690MF WILL NEVER KEEP YOU WAITING, WITH A RETURN TIME FROM POWER SAVE MODE OF 50 SECONDS.



# FEATURES, OPTIONS & BENEFITS

Consolidate your office essentials. With a height of only 22.76 inches, the magicolor 4690MF seamlessly fits into any work environment. By combining four essential business functions—print, copy, scan and fax—into one compact solution, the space-saving magicolor 4690MF is also a cost-effective solution for today's busy professionals.

Quick and convenient copies. Equipped with a 50-sheet reversing automatic document feeder, the magicolor 4690MF provides timesaving, unattended copying. And the automatic duplexer allows users to make 2-sided copies from 1-sided originals at the click of a button. Users can also adjust lightness, density and resolution from the intuitive control panel for complete customization.

Scanning made easy. Scan in detailed 600 x 600 dpi quality directly to Email, SMB, FTP, and USB as JPEG, PDF. TIFF files with TWAIN and WIA compatibility. For added convenience, scan any document up to 8.5" x 14" from the flatbed glass or automatic document feeder. Choose text, photo, or combination to customize your scanned image for attention-demanding digital documents.

High-speed fax capabilities. The magicolor 4690MF stand-alone 33.6 Kbps Super G3 fax includes 220 speed dials, 20 group dials and up to 6 MB of fax memory. It also is equipped with an internal address book that can be accessed from the control panel for quick number retrieval.

Do not disturb design. The magicolor 4690MF features a low acoustic noise so it is perfectly at home on desktop or in a shared workspace. Even while delivering eye-catching, colorful copies and prints at 25 ppm color and b&w, this multitasker remains quiet while delivering high throughput.

User-friendly all-in-one. The magicolor 4690MF was designed with the user in mind. From preinstalled, ready-to-use supplies to an intuitive control panel, this all-in-one features effortless operation. Compatibility with all major operating systems, plus 10/100 Base T, USB 2.0 and USB 1.1 connectivity ensure you'll be up and running in no time.



EASY TO USE CONTROL PANEL A 20 CHARACTER BY 4 LINE DISPLAY IS EASY TO SEE AND USE. AN INTUITIVE MENU SYSTEM PLUS A SIMPLE HARD KEY LAYOUT MAKES LEARNING ALL THE FUNCTIONS OF THIS AIO FFFORTI ESS.







# magicolor 4690MF

GENERAL SPECIFICATIONS

#### PRINT

#### PRINT METHOD:

Electrophotographic Laser

#### PRINT SPEED\*:

Color: 25 ppm Monochrome: 25 ppm \*Exact print speed differs depending on system configuration, software application, driver and document complexity.

#### WARM-UP TIME:

50 seconds (sleep mode to ready)

#### FIRST-PAGE OUTPUT TIME:

Color: 18 seconds Monochrome: 18 seconds

## RESOLUTION:

2400 x 600, 1200 x 600, 600 x 600 dpi

### RECOMMENDED MONTHLY DUTY CYCLE:

120,000 prints

# COPY COPY SPEED:

Color: 25 cpm Monochrome: 25 cpm

# FIRST-PAGE OUTPUT TIME:

Color: 28 seconds Monochrome: 25 seconds

#### RESOLUTION:

600 x 600, 600 x 300 dpi

## COPY SETTINGS:

Density (7 Steps) Reduce/Enlarge (25 - 400%) Collate, Number of copies (1-99)
Quality (Text/Photo/Mix, Normal/Fine) Duplex, 2-in-1, 4-in-1, ID card copy, Poster copy, Clone copy

# **AUTOMATIC DOCUMENT FEEDER:**

50 sheets, up to 8.5" x 14

# SCAN\*

# SCANNER TYPE:

Automatic Document Feeder

#### SCAN SPEED:

300 dpi: approx. 2 sec/pg

600 dpi: approx. 4 sec/pg

# RESOLUTION:

600 x 600, 600 x 300 dpi

#### COLOR DEPTH:

#### SCAN BED (PLATEN) SIZE:

Up to 8.5" x 14"

#### SCAN DESTINATION:

Scan to Email (Ethernet), FTP, SMB, USB

#### SCAN DRIVERS:

TWAIN and WIA (Windows only)

#### SCAN UTILITIES:

LinkMagic (Windows only), PageScope Workware™ (optional)

# **AUTOMATIC DOCUMENT FEEDER:**

50 sheets, up to 8.5" x 14" (216 x 356 mm)

This product may contain mercury in the lamp used in the scanning unit. Please dispose of it according to local. state, or federal laws.

#### PC FAX

Send and receive digital faxes (PC fax modem required)

#### FΔX

#### FAX SPEED:

33.6 Kbps Super G3

### FAX RESOLUTION:

Standard (203 x 98 dpi) Fine (203 x 196 dpi) Super Fine (203 x 392 dpi)

#### FAX MEMORY:

6 MB

#### COMPRESSION:

MH/MR/MMR/JBIG

#### AUTO REDUCTION:

Yes

#### DIALING:

Speed Dials: 220

Group Dial: 20 groups; 50 stations/group Broadcast: 255 stations

# HARDWARE AND SOFTWARE CAPABILITIES

# PROCESSOR:

200 MHz

#### MEMORY:

256 MB DDR SDRAM on board

#### **OPERATING SYSTEM COMPATIBILITY:**

Windows® Vista Windows Server 2003 Windows XP

Windows 2000 Macintosh OS X (10.2+)

#### PRINTER MANAGEMENT:

PageScope Net Care PageScope Web Connection PageScope Network Setup

### COLOR SUPPORT:

Enhanced Automatic Image Density Control (eAIDC)

## HOST SYSTEM REQUIREMENTS

# WINDOWS 400 MHz Pentium II with 128 MB RAM

# 256 MB free disk space

CD-ROM/DVD drive

# MACINTOSH

Power PC G3 with 128 MB RAM 256 MB free disk space CD-ROM/DVD drive

### INTERFACE SUPPORT

Ethernet (10/100BaseTX) USB 2.0

USB 1.1 Host Port

#### ETHERNET PROTOCOLS TCP/IP. EtherTalk. IPX/SPX, UDP. IPP v1.1.

SNMP, HTTP/HTTPS, WSD

## PAPER HANDLING

#### STANDARD PAPER INPUT: 250-sheet cassette

100-sheet multipurpose tray

# OPTIONAL PAPER INPUT:

500-sheet lower feeder

### STANDARD PAPER OUTPUT:

250-sheet face-down output tray

#### AUTOMATIC DUPLEXER:

For two-sided printing

#### PAPER SIZES SUPPORTED:

100-sheet multipurpose tray:

Legal 4" x 6"

16K Executive Folio

Govt. Letter Govt. Legal

Kai 16, 32 Officio LIK Quarto SP Folio

Statement YOUKEL 6 A4. A5. A6 B5, B6

Custom Sizes: (W) 3.2"-8.5" to (L) 5.8"-14"

(W) 92-216 mm to (L) 148-356 mm Envelopes:

Monarch, Com 10, DL, B5 (ISO), C6, Choukei #3 Postcards:

Double, Japanese

#### 250-sheet lower feeder unit:

Letter 4"x6" 16K Executive Kai 16, 32 Govt. Letter UK Quarto Statement

Custom Sizes: (W) 3.2" - 8.5" to (L) 5.8" - 11.69" (W) 92-216 mm to (L) 148-297 mm

B5. B6

# 500-sheet optional lower feeder unit:

Legal Executive Govt. Legal B5

Duplexer: Letter Legal 16K Executive Folio Govt. Letter Govt. Legal Kai 16 Officio

SP Folio A4 В5

Custom Sizes:

(W) 7.17" - 8.5" to (L) 10.12" - 11.69" (W) 182-216 mm to (L) 257-297 mm

#### PRINTABLE AREA:

0.157" (4 mm) from all edges 8.19" (208 mm) maximum print width 13.7" (348 mm) maximum print length

# PAPER WEIGHTS:

Plain Paper: 16-24 lb. Bond (60-90 g/m²)

Thick Stock: 24-110 lb. Index (90-210 g/m²) via multipurpose Tray only Automatic Document Feeder:

Simplex: Up to 34 lb. Bond (35-128 g/m²) Duplex: Up to 34 lb. Bond (50-128 g/m²) Duplexer: 16-24 lb. Bond (60-90 g/m²)

#### PRINT MEDIA:

Plain Paper Recycled Paper Letterhead Thick Stock Glossy Stock Transparencies Laser Quality Labels Envelopes Postcards

#### PHYSICAL TYPF:

Tandem Full Color AIO

## DIMENSIONS (WXDXH):

21.22" x 23.23" x 22.76" (539 x 590 x 578 mm)

#### WFIGHT:

121 lbs. (55 kg) - w/ consumables

# ELECTRICAL POWER REQUIREMENTS:

100 VAC, 50/60 Hz 120 VAC, 50/60 Hz 220-240 VAC, 50/60 Hz

POWER CONSUMPTION: Average: 650 Watts Maximum: 1,250 Watts Max. Standby: 200 Watts Avg. Low Power Mode: 140 Watts or less Energy Saver: 25 Watts or less

# **ENERGY STAR COMPLIANT\*:**

\*The addition of some options, in some combinations. may cause the product to become non-compliant.

# **ENVIRONMENTAL**

# TEMPERATURE REQUIREMENTS:

Operating: 50° to 95° F (10° to 35° C)

### HUMIDITY:

Operating: 15% to 85% RH

## NOISE LEVELS:

Printing: <53.5 dB Standby: <39 dB Copying: <54.5 dB

# REGULATORY/SAFETY CONFORMITY:

UL. CUL. CSA. FCC-B. CDBH

CONSUMABLES\*: In-Box Toner: Cyan, Magenta, Yellow, Black (yield up to 3,000 pages @ 5% coverage) Replacement Toner: Cyan, Magenta, Yellow, Black (yield up to 4,000 or 8,000 pages @ 5% coverage) Imaging Unit: Cyan, Magenta, Yellow, Black

(yield up to 30,000 pages) Waste Toner Box "The stated life expectancy of each consumable is based on printing under specific operating conditions such as page coverage for a particular page size (5% coverage of letter/44). The actual consumables life will vary depending on the use and other printing variables including page

coverage, page size, media type, continuous or intermittent

# printing, and ambient temperature and humidity.

One-year on-site

KONICA MINOLTA

magicolor /

© 2008 KONICA MINOLTA BUSINESS SOLUTIONS

**U.S.A., INC.** All rights reserved. Reproduction in whole or in part without written permission is

prohibited. Konica Minolta and The essentials of

imaging are trademarks of KONICA MINOLTA

HOLDINGS, INC. magicolor and PageScope are

registered trademarks of KONICA MINOLTA BUSINESS TECHNOLOGIES, INC. Simitri is a reg-

istered trademark of KONICA MINOLTA BUSI-

NESS SOLUTIONS U.S.A., INC. All other brands

and product names are registered trademarks or

Design and specifications are subject to change

trademarks of their respective owners.

PAGESCOPE

KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive Ramsey, NJ 07446

without notice.

www.kmbs.konicaminolta.us www.kmbs.konicaminolta.us/solutions

Item #: 4690MFBRO