



5-Port Fast Ethernet Office Switch

Desktop Size, Metal, IEEE 802.3az (Energy Efficient Ethernet)
Part No.: **523301**

Easily add more computers or other Ethernet devices to your network

The Intellinet 5-Port Fast Ethernet Office Switch is perfect for the small and medium-size business looking for a durable switch that is reliable and easy to install. The metal case is more durable than a plastic enclosure, and is very appropriate for locations with potentially harsh environments, such as a warehouse, factory or wiring closet.

Green Ethernet Technology

More often than not, a network switch does not utilize all its ports at all times. Normally, when a computer, notebook, network printer or other network device is powered down, the switch continues to consume the same amount of power as if it were active. Now, thanks to the new energy efficient IEEE 802.3az technology, the Intellinet 10/100 Mbps switch detects link status to all connected devices and reduces the power usage of ports not in use. In addition, the Intellinet switch can adjust the level of power output based on the length of the network cable connected to a particular port. With the Intellinet Network Solutions Fast Ethernet Office Switch you will enjoy maximum network performance, but when things slow down it automatically scales back power usage to conserving energy and save money.

Versatile

The Fast Ethernet Office Switch connects up to five computers, servers, printers, switches or any other Ethernet devices at 10 or 100 Mbps over Ethernet cables, and works with any operating system.

Easy to Install and Maintain

The auto features of this switch make installation Plug and Play and hassle free. There is no configuration required, and you don't need to worry about using special cables for uplink ports, since each port is equipped with Auto MDI/MDI-X crossover.

Features:

- Five 10/100 auto-sensing ports - automatically detect optimal network speeds
- Supports any combination of 10 Mbps or 100 Mbps network devices
- Green Ethernet power-saving technology deactivates unused ports and adjusts power levels based on the cable length
- All RJ-45 ports with Auto-MDIX (auto uplink) support
- Supports NWAY auto-negotiation
- Store and forward switching architecture
- Full/half duplex operation
- Three-Year Warranty

Specifications:

Standards

- IEEE 802.3 (10Base-T Ethernet)
- IEEE 802.3u (100Base-TX Fast Ethernet)
- IEEE 802.3x (flow control, for full duplex mode)
- IEEE 802.3az (Energy Efficient Ethernet)

General

- Media support:
 - 10Base-T Cat3, 4, 5 UTP/STP RJ-45
 - 100Base-TX Cat5 UTP/STP RJ-45
- Packet filter/forwarding rate:
 - 148.800 pps (100 Mbps)
 - 14.880 pps (10 Mbps)
- Buffer memory: 48 kBytes
- MAC address table: 1024 entries
- Switch architecture: store and forward
- Certifications: FCC Class B, CE Mark

LEDs

- Power
- Link/TX
- Full/half duplex

Power

- External power adapter: 5 V, 600 mA

Environmental

- Metal housing
- Dimensions: 75 (L) x 121 (W) x 25 (H) mm (2.9 (L) x 4.7 (W) x 1.0 (H) in.)
- Weight: 420 g (0.9 lbs.)
- Operating temperature: 0° to 55°C (32° to 140°F)
- Operating humidity: 10% to 90% RH, non-condensing
- Storage temperature: -20° to 90°C (-4° to 194°F)

Package contents

- 5-Port Fast Ethernet Office Switch
- External power adapter
- User manual

