Fujitsu recommends Windows[®] 7.

Data Sheet Fujitsu LIFEBOOK T731 Tablet PC

The Versatile Office on the Go

The Fujitsu LIFEBOOK T731 is the ideal Tablet PC for frequent travelers. This fully-equipped 30.7 cm (12.1-inch) convertible notebook provides mobility and versatility on business trips. Its small form factor and a modular bay for extended battery runtime with a second battery enhance your flexibility. The solid magnesium display lid completes a package that guarantees convenient, productive working anywhere.

Unlimited pen or finger input

Either as notebook or Tablet PC, comfortable working in any situation.

 Bidirectional, rotatable, tiltable 30.7 cm (12.1 inch) display with dual digitizer and multiple-touch capability

Flexible working

- Increase your productivity and adapt the notebook to your particular way of work.
- Modular bay for an optional second hard disk drive, DVD or Blu-Ray Disc[™] drive, a second battery or an weight saver

Maximum connectivity

Stay connected wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

Optional embedded 3G/UMTS with GPS, WLAN and Bluetooth, USB 3.0

Highest Security

Protect your most valuable capital - your data.

Advanced Theft Protection (Intel® Anti Theft & Computrace®), integrated fingerprint sensor and optional integrated TPM module

Reliable companion

Efficient and ergonomic work in every situation, even for the most demanding of users.

 High-value magnesium lid, ShockSensor, O-Watt AC Adapter, ambient light sensor (ALS), optional webcam and anti-bacterial keyboard, Anytime USB Charge and port replicator







FUJITSU

Components

Processor	Intel® Core™ i7-2640M processor (2.8 GHz, 4 MB)
	Intel® Core™ i5-2520M processor (2.5 GHz, 3 MB)
	Intel [®] Core™ i5-2450M processor (2.5 GHz, 3 MB) *
	Intel® Core™ i3-2370M processor (2.4 GHz, 3 MB) *
	Intel® Core™ i3-2350M processor (2.3 GHz, 3 MB) *
	*Processor only for retail, SMB, education and government
Operating systems	
Operating system	Windows® 7 Professional 64-bit
i - y-/	Windows® 7 Home Premium 64-bit
Operating system compatible	Windows® XP Tablet PC Edition 2005
Operating system notes	Driver support for Microsoft [®] Windows [®] XP
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM
Base unit memory	LIFEBOOK T731
Supported capacity RAM (max.)	8 GB
Memory slots total	2
Memory slot type	DIMM (DDR3)
Hard disk drives (internal)	SSD SATA III, 128 GB, 2.5-inch
	SSD SATA, 128 GB, 2.5-inch
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. (Windows® XP optimized)
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
	SATA, 5400 rpm, 250 GB, 2.5-inch, S.M.A.R.T.
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.
Hard disk notes	ShockSensor for HDD shock protection
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.
	Accessible capacity may vary, also depending on used software.
	Up to 18 GB of HDD space is reserved for system recovery
	Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Atheros Minicard b/g/n
	Intel® Centrino® 6205 802.11 a/b/g/n
Vireless technologies	
Antennas	2x dual band for WLAN, 2x for UMTS (bundled to UMTS module), 1x for Bluetooth (on Bluetooth module)
NLAN notes	Import and usage according to country-specific regulations.
JMTS/GPS notes	Including GPS functionality
WiDi support	Yes (with Intel W-LAN)
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)
Bluetooth	Bluetooth 3.0
Display	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Standard anti-glare touchscreen, magnesium, 1280 x 800 pixel, 600:1, 200 cd/m
	30.7 cm (12.1-inch), TFT dual digitizer, (WXGA), Premium anti-glare touchscreen, magnesium, 1280 x 800 pixel, 500:1, 300 cd/m

Modulas hav entions	ad battag
Modular bay options	2nd battery 2nd batd liele drive (CATA II)
	2nd hard disk drive (S-ATA II)
	Blu-ray Disc™ Triple Writer
	DVD Super Multi
	Weight saver
Base unit	LIFEBOOK T731
General system information	
Chipset	Intel® QM67
Chipset notes	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i7 processor, Intel W-LAN 6205 & TPM module
BIOS features	BIOS Flash EPROM
	BIOS based on Phoenix SecureCore
Display	
Display notes	Optional Standard or Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Digitizer	Dual Digitizer plus capacitive multi-touch screen with dedicated 5-finger gestures
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Graphics	
TFT resolution (HDMI)	up to 1920 x 1200
TFT resolution (VGA)	up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200
Max. resolution external display	1920 x 1200 / true color / 85 Hz
Graphics brand name	Intel® HD Graphics or HD Graphics 3000 (depending on CPU)
Graphics features	DirectX® 10.1 support - for stunning 3D graphics and shading effects
Graphics notes	Shared memory depending on main memory size and operating system
	3D accelerator
Interfaces	
Memory card slots	1 (SD/SDHC/SDXC/MS/MSPro)
ExpressCard slots	1 (54 mm supported)
SIM card slot	1 (usable only with 3G/UMTS)
USB 3.0 total	1 (with Anytime USB Charge functionality)
USB 2.0 total	2
FireWire (IEEE1394)	1
VGA	1
НДМІ	1
Ethernet (RJ-45)	1
DC-in	1
Audio: line-in / microphone	1
Audio: line-out / headphone	1
Internal microphones	2
Docking connector for Port Replicator	1
Kensington Lock support	1
Wired communication	

LAN

Built-in 10/100/1000 MBit/s Intel® 82579 LM

Keyboard and pointing devices	
	Spill-resistant keyboard or optional anti-bacterial spill-resistant keyboard
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 3 mm
	Fingerprint sensor
	Status LED
	Application buttons
	Tablet Pen
	Touch-screen Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel
Multimedia	
Audio type	On board
Audio codec	Realtek ALC269
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Camera	Optional: Built-in webcam, 2.0 megapixel
Power supply	
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter
	19 V / 120 W (6.32 A), 110 V - 240 V (AC Input) , 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
AC adapter	19 V / 80 W (4.22 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery options	Li-Ion battery 6-cell, 6200 mAh, 67 Wh
	Li-Ion battery 6-cell, 5800 mAh, 63 Wh
1st battery	Li-Ion battery 6-cell, Optional 67 Wh (6.200mAh battery) or 63 Wh (5.800mAh battery) mAh
2nd battery (optional)	Li-Ion battery 6-cell, 3800 mAh, 41 Wh
Battery features	Dynamic charge supported (rapid charge)
Runtime 1st battery	up to 10:40 h
Runtime 1st + 2nd battery	up to 16:50 h
Battery charging time	~ 180min (6.200mAh) ~240min (5.800mAh)
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers
,	mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product
	comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower
	and may vary depending on product model, configuration, application and power management settings. The battery
	capacity slightly decreases with every charging cycle and over the lifetime.
Power consumption	
Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=c7663376-4b98-42bc-b211-a78b8b49d69a
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	297 x 233 x 39 mm (incl. foot) mm
Weight	From 1.8 kg
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

Additional Software	
Additional software (preinstalled)	Adobe® Reader®
ч ,	Drivers & Utilities DVD (DUDVD)
	Microsoft® Office Starter 2010 (32-bit)
	Nero Essentials (burning software)
	EasyGuide online user documentation
	Tablet Button Utility
	Norton Internet Security (incl. Firewall) 60 days version
	Display Manager
	Security Application Panel
	Microsoft [®] Touch Pack for Windows [®] 7
	Auto Rotation Utility
	Fujitsu Recovery (Hard Disk Based Recovery)
	Plugfree Network
	Power Saving Utility
	ShockSensor Utility
	CyberLink YouCam
	Fujitsu Technology Solutions Launch Center
	Fujitsu Infinity Lounge
	Microsoft [®] Office Starter: reduced-functionality Word and Excel [®] only, with advertising. No PowerPoint [®] or Outlook [®] .
	Buy Office 2010 to use the full-featured software.
Additional software (optional)	Drivers & Utilities DVD (DUDVD)
Additional Software (optional)	UMTS connection manager (optional with UMTS)
	DVD playback software
	Recovery DVD (Windows [®] 7)
an tala	
Manageability	
Manageability technology	DeskUpdate Driver management
	PXE 2.1 Boot code
	Wake up from S5 (off mode)
	Intrusion switch (optional)
	Intel® Standard Manageability
	WoL (Wake on LAN)
Manageability software	DeskView Client
	DeskView Instant BIOS Management
	DeskView Integration for Symantec Management Platform
DeskView components Supported standards	Inventory Management
	BIOS Management
	Driver Management
	Security Management
	Alarm Management
	WMI
	PXE
	BootP (made4you)
Manageability link	http://ts.fujitsu.com/manageability
Security	
System protection	Kensington Lock support
Audit proof protection	Advanced Theft Protection (Intel® Anti Theft & Computrace®)
	Norton Internet Security (incl. Firewall) 60 days version
	Write protect option for the Flash EPROM
	Control of all USB interfaces
	User and supervisor BIOS password
	Optional: Trusted platform module (TPM 1.2)
Access protection	Integrated Fingerprint Sensor
	Hard disk password
	OmniPass security software
	User and supervisor BIOS password
	Optional: Access protection via external SmartCard reader

Compliance	
Product	LIFEBOOK T731
Germany	GS (only for Premium anti-glare touchscreen display)
Europe	CE
	СВ
	EN 60601-1-2:2007 evaluated for use in environment with medical application (optional)
	CE!
	IT-Eco-Declaration
	Nordic Swan
USA/Canada	cUL
Global	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	RoHS
	WEEE
	WiFi certified Wireless LAN modules
	ENERGY STAR® 5.0
	EPEAT® Gold (dedicated regions)
	MIL-STD-810G
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/
Port Replicator interfaces (optiona	al)
DC-in	1
Power on switch	1
Audio: headphone	1
USB 2.0 total	4
VGA	1
DVI	1
Ethernet (RJ-45)	1
Kensington Lock support	1
Warranty	
Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (depending on country)
Maintenance and Support Services	
Recommended Service	3 years, Collect and Return Service, where available: On-site Service
Spare Parts availability	5 years
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)



The combination of our Port Replicator and AC adapter is the perfectOrder Code:docking solutions for the LIFEBOOK Series and CELSIUS Mobile workstation\$26391-F794-L310- our professional notebooks - to simplify your mobile life. In the office or athome it takes just a second to attach your notebook to the Port Replicatorand get connected to your peripherals.Second to attach your notebook

Port Replicator



Flexibility, expandability, desktop replacement, investment protection – to Order Code: name just a few benefits of Fujitsu docking options. In the office or at home S26391-F927-L100 it takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse, for example. Your workplace is simple and tidy while you are ready to work with your notebook.

2nd battery



With a second battery you can maximize the working time of your notebook Order Code: and work wherever you want for a whole working day. Just put the 2nd S26391-F777-L200 battery into the modular bay and enjoy truly mobile working – free from the power socket!

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK T731, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK T731, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2012-07-25 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions