Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu STYLISTIC Q584 Tablet PC

Your Resistant Tablet With Best Viewing Comfort

The FUJITSU tablet PC STYLISTIC Q584 enables highly mobilized roles to stay productive by providing numerous special features. Its semi-ruggedized, lightweight design and toughened glass with superhigh 25.7 cm (10.1 inch) WQXGA display resolution deliver durability in every working situation. Optional 4G/LTE ensures reliable connectivity and enterprise-grade security features guarantee data security. Fill in forms and enter data using a pen or your finger, or take advantage of the optional dockable keyboard and cradle for more convenient working.

Slim & semi-rugged design

Ensure complete business continuity and protect your tablet from all the environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust and without any component damage.

Slim, white with silver design—only 640 g and all the durability needed to overcome obstacles. Waterproof (tested for IPX5/7/8 specifications), dustproof (tested for IP5X specification), resistant to alcohol-based wipes and with a durable chemically strengthened glass display, MIL-STD tested

Enterprise ready

Windows 8.1 Professional operating system for multitasking, security and compatibility.

 Seamless deployment in commercial environments; Easily connect with and use established Windows-based applications

User experience and connectivity

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

 Front/rear webcams, integrated Wi-Fi, Bluetooth and optional embedded 4G/LTE, WLAN, GPS, optional Near Field Communications (NFC), full USB 3.0 port and optional extension cables via microUSB, convenient dockable keyboard and cradle option

Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display

Super-high resolution display supporting pen and finger touch input, data entry via pen-based handwriting recognition or onscreen keyboard with predictive text, up to 10 hours of battery runtime, USB3.0 + microUSB

Security

Protect your company data against unauthorized third-party access

■ Fingerprint sensor, embedded TPM and Advanced Theft Protection option, optional SmartCard Shell or Functional Shell for VESA mount available







Components

Operating system preinstalled	Windows 8.1			
Operating system	Windows 8.1 Pro			
Operating system compatible				
Base unit memory	STYLISTIC Q584 Wate	erproof STYLISTIC Q584 SmartCard		
Supported capacity RAM	4 GB			
Memory slot type	LPDDR3-1067 (1066MHz)			
Memory notes	Disclaimer: Up to 1 GB may not be available with 32-bit operating systems due to system resource requirements if system is preinstalled with 4 GB RAM			
Hard disk drives (internal)	SSD mSATA, 128 GB SSD mSATA, 64 GB			
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Up to 20 GB of HDD space is reserved for system recovery Accessible capacity may vary, also depending on used software.			
Antennas	2x dual band WLAN/BT, 2x UMTS, 1x GPS for dedicated module, 1x NFC for dedicated module			
Bluetooth	Bluetooth 4.0			
Integrated WLAN	WLAN 802.11 a/b/g/n	MITSUMI DWM-W095A		
WLAN notes	,	Import and usage according to country-specific regulations.		
UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.			
NFC	optional			
3G/4G (optional)	UMTS Sierra Wireless EM8805 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) LTE Sierra Wireless EM7305 w/ GPS (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s) NO NFC			
	NFC			
Display				
Base unit	STYLISTIC Q584 Waterp	proof STYLISTIC Q584 SmartCard		
Processor	Intel® BayTrail-T™ SoC	C, Quad Core Intel® Atom™ Processor Z3770 (2.4 GHz), 2 MB,		
Chipset	Intel® BayTrail-T™ SoC			
BIOS features	BIOS Flash EPROM Unified Extensible Fire	mware Interface (UEFI)		
Waterproof	IPX5 / 7 / 8	No		
Dustproof	IP5X			
S26391-K399-V100 STYLISTIC Q584 Waterproof				
Display	25.7 cm (10.1-inch), I	IPS dual digitizer, (WQXGA), 2560 x 1600 pixel, 800:1, 400 cd/m²		
Display notes	toughened glass, anti fingerprint surface			
Sensors	3-axis Accelerometer Compass Gyroscope Ambient Light Sensor	· .		
Aspect ratio	Proximity 16:10			
Aspect ratio Brightness - typical	400 cd/m ²			
Contrast - typical	800:1			

Page 2 / 6

S26391-K399-V100 STYLISTIC Q584				
Waterproof				
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger mul	ti-touch screen		
Ambient light sensor	Integrated			
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight			
Viewing angle (h/v) - typical	160°/160°			
Base unit	STYLISTIC Q584 Waterproof	STYLISTIC Q584 SmartCard		
TFT resolution (HDMI)	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory		
Max. resolution external display	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory		
Max. resolution display port	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory	up to 1080p (1920 x 1080 pixel) via cradle or optional cable accessory		
Graphics features	DirectX® 11 support Open GL® 3.2	DirectX® 11 support Open GL® 3.2		
Memory card slots	1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)	1 MicroSD (SD up to 2GB / SDHC up to 32GB / SDXC up to 64GB)		
SmartCard slot	0	1		
SIM card slot	1 (MicroSIM)	1 (MicroSIM)		
USB 3.0 total	1	1		
Micro USB 2.0	1	1		
VGA	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory		
HDMI	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory		
Ethernet (RJ-45)	via optional cradle or optional adapter cable accessory	via optional cradle or optional adapter cable accessory		
OC-in	1	1		
Audio: line-in / line-out	1	1		
nternal microphones	2 (digital)	2 (digital)		
Docking connector for Port Replicator	1	1		
Audio type				
Audio codec	Realtek ALC5642			
Audio features	2x internal microphones			
Audio notes	Super high quality Stereo speakers (2 x 0.7 W)			
Camera	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light			
AC Adapter				
AC adapter	12V / 36W (3A)			
Rated voltage range	100 V - 240 V (AC Input)			
Rated frequency range	50 Hz - 60 Hz			
Ist battery	Lithium Polymer battery 3-cell, 38 Wh, 9900 mAh			
Runtime 1st battery	10h			
Battery charging time	3.8h (tbd)			
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lowe and may vary depending on product model, configuration, application and power management settings. The batter capacity slightly decreases with every charging cycle and over the lifetime.			
Dimensions (W x D x H)	267.0 x 180.8 x 9.9 mm / 16.0 mm	267.0 x 180.8 x 16.0 mm		
Weight	from 640g	from 660 g		
Operating ambient temperature	Running: 5 - 35 °C; Packed -15 - 60 °C			
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)			
Security software	·			

Page 3 / 6 www.fujitsu.com/fts/tabletpc

McAfee Internet Security and Antivirus Software (60 days trial version) Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Intel® SBA (manageability suite for local administration) Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery) Additional software (optional) UMTS connection manager (optional with UMTS)				
CyberLink YouCam (webcam software) Intel® SBA (manageability suite for local administration) Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Intel® SBA (manageability suite for local administration) Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Fujitsu LIFEBOOK Application Panel Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Power Saving Utility Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Fujitsu Display Manager Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Fujitsu Plugfree Network (network management utility) Fujitsu System Manager (Tablet Button Utility) Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Fujitsu DeskUpdate (Driver and Utility tool) Microsoft Push Button Recovery (Hard Disk Based Recovery)				
Microsoft Push Button Recovery (Hard Disk Based Recovery)				
<u> </u>				
Additional cottware (ontional) IIMIS connection manager (ontional with IIMIS)				
Drivers & Utilities DVD (DUDVD)				
Recovery DVD				
Manageability technology DeskUpdate Driver management				
	PXE 2.1 Boot code PXE boot supported (only in Windows Server 2012 / 2012 R2 environment due to EFI x86 support)			
Wake up from S5 (off mode)				
Intel® Standard Manageability				
WoL (Wake on LAN)				
Manageability software DeskView Client				
DeskView Instant BIOS Management				
DeskView Integration for Symantec Management Platform				
DeskView components Inventory Management				
BIOS Management Driver Management				
Security Management				
Alarm Management				
Manageability link http://www.fujitsu.com/fts/manageability				
Physical Security				
System and BIOS Security Computrace® enabled BIOS Trusted Platform Module (TPM 2.0)				
User Security BIOS security BIOS security				
Integrated Fingerprint Sensor Integrated Fingerprint Sensor	nsor			
User and supervisor BIOS password User and supervisor BIOS	•			
Integrated SmartCard slot				
Product STYLISTIC Q584				
Europe CE!				
EN 60950				
Global IT-Eco-Declaration				
RoHS (Restriction of hazardous substances)				
WEEE (Waste electrical and electronic equipment) Russia GOST				
Russia GOST Compliance link http://globalsp.ts.fujitsu.com/sites/certificates				
Cradle				
DC-in 1 (12V) 1 (12V)				
USB 2.0 total 3				
VGA 1 (max. resolution 1920x	1080 pixel)			
HDMI 1				
HDMI text (max. resolution 1920x10	(max. resolution 1920x1080 pixel)			
Ethernet (RJ-45) 1 (10/100), supports PXE	, WoL			
Warranty				
Warranty Terms & Conditions http://support.ts.fujitsu.com/warranty				

Warranty	
Maintenance and Support Servi	ces - the perfect extension
Recommended Service	9x5, Response Time: Next Business Day
Service Wehlink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

	Order Code: S26391-F1193-L10
	Order Code: S26391-F1193-L11
	Order Code: S26391-F1193-L12
	Order Code: S26391-F1193-L13
Vireless Notebook Mouse VI410	 Order Code: S26381-K464-L100



into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.

Mobile Bluetooth **Communication Speaker**



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so S26391-F7128-L700 you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code:

In-Earphone Stereo



These earphones ensure the best acoustic experience with an excellent inear tiny metallic design. They are equipped with 3 different interchangeable S26391-F7139-L6 silicon ear plugs for optimal wearing comfort and with a wired volume control for easy access to your controls. The 3.5mm audio jack makes these earphones the best companion for your notebook, PC or portable multimedia device.

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q584, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu STYLISTIC Q584, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/tabletpc

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/qlobal/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-12-16 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions