THE LENOVO® THINKCENTRE® M78 DESKTOP A RELIABLE BUSINESS MACHINE WITH POWERFUL PERFORMANCE

The Lenovo ThinkCentre M78 is performance-oriented with features that speed-up processing and enhance user experience. Work faster with AMD next generation accelerated processing unit (APU) with up to $23\%^1$ CPU performance and $200\%^1$ graphic performance. Save time by starting the desktop faster with reduced Windows[®] start-up time.

Support performance with better IT management using DASH 1.1, which provides features to manage system health and power usage remotely. Protect your desktop against data theft and network security risks by controlling unauthorized use of USB storage devices using the option to disable USB ports. Secure applications, electronic transactions and online communication with TPM 1.2 hardware-based security to encrypt data and key information like passwords and digital certificates.

Run the desktop cool and quiet with the AMD Intelligent Cooling Engine. Use energy intelligently with the latest desktop power manager and 92% power efficiency PSU². Optimize power utilization with the desktop being Cisco EnergyWise certified. Offering the performance, simplified IT management and power-saving features that you need, the M78 is a smart choice for your eco-system.







WHAT WE OFFER

SALIENT FEATURES

NEXT-GENERATION PERFORMANCE

The ThinkCentre® M78 is built for optimized performance with modern computing technology:

- + AMD Next Generation APU up to $23\%^1$ CPU and $200\%^1$ graphic performance enhancement
- Three Independent Display optional 2nd DisplayPort connector to support multitasking
- + Rapid Boot HDD Accelerator starts up Windows PC by up to 30% faster
- Native USB 3.0 transfer data 10 times faster than USB 2.0

GREEN COGNIZANCE

The ThinkCentre M78 offers energy-saving and eco-friendly computing with:

- Up to 92% efficient PSU²
- ENERGY STAR 5.2 certification
- UL Environment Gold
- EPEAT[®] Gold Certification
- Latest Desktop Power Manager
- Cisco EnergyWise certification

SERVICE

OFFERINGS

Lenovo® offers a comprehensive portfolio of award-winning services to support and protect your ThinkCentre investment. Succeed with substance and let Lenovo's Service support you all the way.

PRIORITY TECHNICAL SUPPORT⁴

Makes your priority, our priority. 24x7 priority call routing to advanced-level technicians, electronic incident tracking and escalation management services.

WARRANTY UPGRADES - ONSITE AND NEXT BUSINESS DAY

Maximizes PC uptime and productivity by providing convenient, fast repair service at your place of business.

WARRANTY EXTENSIONS (1-TO-5 YEARS TOTAL DURATION)

This fixed-term, fixed-cost service helps accurately budget for PC expenses, protect your valuable investment and potentially lower the cost of ownership over time.

KEEP YOUR DRIVE

Retain your drive if it should happen to fail, giving you the peace of mind to know that your valuable data is secure.

ASSET TAGGING

Systems come equipped with a professional, flexible asset tag based on your exact specifications. PCs are easily identifiable and trackable right out of the box.

BETTER MANAGEABILITY

The ThinkCentre M78 desktop manageability is made easy with:

- AMD Intelligent Cooling Engine select between best acoustic and best thermal stability
- DASH 1.1 onboard more managed security
- USB ports disable defend against data theft
- TPM 1.2 encrypted data cannot be read on other PCs



RECOMMENDED SERVICES

Lenovo Services EXTENDED WARRANTY 2 YEAR (TOTAL DURATION)

¹ Comparing AMD A10-5700 APU with Phenom™ II X4 B97 Processor

² Special bid only

³ Emerging market only

- ⁴ Not available in all regions
- ⁵ Speed varied by processor





SOFTWARE

OFFERINGS

SUPPORTED OPERATING SYSTEMS

- Genuine Windows[®] 7 Ultimate 32 bit (include SP1)² (English only)
- Genuine Windows[®] 7 Ultimate 64 bit (include SP1)² (English only)
- Genuine Windows[®] 7 Professional 32 bit (include SP1)
- Genuine Windows[®] 7 Professional 64 bit (include SP1)
- Genuine Windows[®] 7 Home Premium 32 bit (include SP1)
- Genuine Windows[®] 7 Home Premium 64 bit (include SP1)
- Genuine Windows® 7 Home Basic 32 bit (include SP1)³
- Genuine Windows® 7 Starter 32 bit (include SP1)²
- Genuine Windows® XP Professional SP3 (Downgrade from Windows[®] 7 Professional 32 bit)² (English and Japanese only)

SUPPORTED THINKVANTAGE TOOLS

- Rescue and Recovery[®]
- Product Recovery
- Password Manager
- System Update
- Lenovo[®] Desktop Power Manager
- Lenovo Message Center Plus
- View Management Utility
- Communication Utility
- · Lenovo Solution Center

OPTIONS AND ACCESSORIES



ThinkVision[®] LT2323p Monitor (3024-HC1)

- 23-inch WLED monitor supporting 1920 x 1080 resolution
- · DisplayPort, DVI, VGA monitor ports
- Four USB 2.0 ports

Note: For DisplayPort attachment, requires the Lenovo DisplayPort to DisplayPort Monitor Cable (OA36537)



Lenovo DisplayPort to DisplayPort Monitor Cable (OA36537)

Attach a DisplayPort monitor to system's or graphics card DisplayPort monitor port.



Lenovo AMD 7450 1GB DisplayPort, DVI Graphics Card (0A36538)

- · View more data with additional monitors
- Boost graphics performance



ThinkCentre Extend Arm (57Y4352)

- Improve viewing comfort using tilt adjustment or pivot for portrait or landscape viewing
- Extend forward or collapse backward to move monitor

PRE-LOADED APPLICATIONS

- SimpleTap
- Microsoft[®] Office 2010 Trial Version
- Microsoft ® Live
- Evernote
- Norton™ Internet Security 2012 30-days trial
- Adobe® Acrobat Reader® 10
- · Adobe® Flash Player®
- . Skype™
- Symantec VeriSign Identity Protection
- Corel[®] Burn Now Lenovo Edition
- Corel[®] DVD Movie Factory[®] Lenovo Edition
- InterVideo WinDVD 10



ThinkVision LT2252p Monitor (2572-MB6)

- 22-inch monitor supporting 1680 x 1050 resolution
- DisplayPort, DVI, VGA monitor ports

Note: For DisplayPort attachment requires the Lenovo DisplayPort to DisplayPort Monitor Cable (OA36537)



Lenovo DisplayPort to DVI Monitor Cable (45J7915) Lenovo DisplayPort to VGA Monitor Cable (57Y4393)

Attach a DVI digital monitor or VGA analog monitor to system's or graphics card DisplayPort monitor port



Lenovo Ultraslim Plus Wireless Keyboard and Mouse (0A34032)

· Eliminate USB cables



- Lenovo USB Soundbar (0A36190)
- · Add stereo audio sound
- Attaches to selected Lenovo ThinkVision monitors Powered by USB port eliminates the external AC
- power adapter





SYSTEM

SPECIFICATIONS

Processor	• AMD A10-5700 4C/FM2/3.4GHz/HD7660D/
	4M DX11/65W APU • AMD A8-5500 4C/FM2/3.2GMhz/HD7560D/
	4M DX11/65W APU
	 AMD A8-5500B 4C/FM2/3.2GMhz/HD7560D/ 4M DX11/65W APU
	• AMD A6-5400B 2C/FM2/3.6GHz/HD7540D/
	1M DX11/65W APU
	 AMD A4-5300 2C/FM2/3.4GHz/HD7580D/ 1M DX11/65W APU
	• AMD A4-5300B 2C/FM2/3.4GHz/HD7480D/
One metting Country	1M DX11/65W APU
Operating System	Genuine Windows® 7 Ultimate 32 bit (include SP1) (English Only)²
	Genuine Windows® 7 Ultimate 64 bit (include SP1) (English Only)²
	Genuine Windows® 7 Professional 32 bit (include SP1)
	Genuine Windows® 7 Professional 64 bit (include SP1) Genuine Windows® 7 Home Premium 32 bit (include SP1)
	Genuine Windows® 7 Home Premium 32 bit (include SP1) Genuine Windows® 7 Home Premium 64 bit (include SP1)
	Genuine Windows® 7 Home Basic 32 bit (include SP1) ³
	Genuine Windows® 7 Starter 32 bit (include SP1) ²
	Genuine Windows® XP Professional SP3 (Downgrade from Windows® 7 Professional 32 bit)
	(English and Japanese only) ²
Chipset	AMD A75
Memory	Up to 32GB 1600 MHz⁵ DDR3 (DIMM)
Integrated Graphics	AMD Radeon™ IGP
Network Controller	Integrated 10M/100M/1000M Gigabit Ethernet ⁷
Discrete Graphics	AMD Radeon™ HD7350 (DVI+DP)
	AMD Radeon™ HD7450 (DVI+DP) NVIDIA® Quadro® NVS300 (DVI+DVI)²
	NVIDIA® Quadro® NVG605 (DVI+DP)
Storage	HDD
	Serial-ATA III 250GB/320GB/500GB/1TB (7200rpm)
	Opal 250GB (7200rpm)²
	SSD
	128GB
I/O (Input/Output)	(2) USB 2.0
Ports – Front	 Microphone Headphone
	(2) Internal High Speed USB 2.0
I/O (Input/Output)	(4) USB 3.0
Ports – Rear	(2) USB 2.0
	(1) VGA
	 (2) Display Port (1 standard, 1 optional) (1) PS/2⁵
	(1) RJ45
	(1) Microphone
	(1) Audio Line in
	(1) Audio Line out
	(1) Parallel Port ⁶

Expansion Slot	Tower
•	(1) PCI-e x16 Full Height
	(1) PCI-e x1 Full Height
	(2) PCI Full Height
	SFF
	(1) PCI-e x16 Low Profile
	(1) PCI-e x1 Low Profile
	(2) PCI Low Profile
Optical Drive	Tower
	DVD-ROM/DVD Recorder Rembo
	SFF
	DVD-ROM/DVD Rembo
	Slim ODD DVD ROM
	DVD Recorder Slim ODD Rembo
Security	Tower
	TPM
	USB Disable/Enable
	Security Slot
	Raid ² 0,1
	Computrace Support
	Kensington Slot/Intrusion Switch ⁶ /Padlock Loop
	SFF
	Kensington Slot/Intrusion Switch ⁶
Wireless	2*2 802.11b/g/n (WLAN and Bluetooth®)
Connection ⁸	1*1 802.11b/g/n
Power Supply	Tower
rower Supply	450W 92% Efficiency Auto-sensing ²
	· · · · · ·
	280W 85% Efficiency Auto-sensing
	280W 70% Efficiency Manual
	SFF
	240W 92% Efficiency Auto-sensing ²
	240W 85% Efficiency Auto-sensing
	240W 70% Efficiency Auto-sensing
Chassis Dimension	(W X D X H)
Without Handler/	Tower
Rubber Stand/	365mm x 412mm x 175mm
External I/O	(14.4" x 16.2" x 6.9")
	SFF
	011
	97mm x 368mm x 333mm
With Handler/	97mm x 368mm x 333mm
With Handler/ Rubber Stand/	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1")
Rubber Stand/	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm
	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower
Rubber Stand/	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9")
Rubber Stand/	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF
Rubber Stand/	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm
Rubber Stand/ External I/O	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm (3.9" x 15" x 13.3")
	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm (3.9" x 15" x 13.3") Tower
Rubber Stand/ External I/O	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm (3.9" x 15" x 13.3")
Rubber Stand/ External I/O	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm (3.9" x 15" x 13.3") Tower 12.5kg (27.6lbs)
Rubber Stand/ External I/O	97mm x 368mm x 333mm (3.8" x 14.5" x 13.1") Tower 414.5mm x 442.3mm x 175mm (16.3" x 17.4" x 6.9") SFF 99.7mm x 381.1mm x 339mm (3.9" x 15" x 13.3") Tower

6 Optional

⁷ The term "10/100/1000" or "Gigabit" Ethernet indicates compliance with IEEE standard 802.3a/b for Gigabit Ethernet and does not connote actual operating speed of 1 GB/s. For high-speed transmission, connection to a Gigabit Ethernet server and network infrastructure is required.

⁸ Varied by different configurations



 $(\& SYC^a \pm^a \ll^{\mathsf{TM}} - CY^- CY^- a_{-1} \to a^{\circ} & \text{``} SYC^a \pm^a \ll^{\mathsf{TM}} - CY^- CY^- a_{-1} \to a^{\circ} \to \mathsf{TM} \\ \end{cases}$

 ©2012 Lenovo. All rights reserved.

 Availability: Offers, prices, specifications and availability may change without notice. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC, 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks or Lenovo, the Lenovo log. Rescue and Recovery, ThinkStation, ThinkVantage and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Core, Core Inside, Xeon and Xeon Inside are registered trademarks of Intel Corporation in the U.S. and other countries. Other company, product and service

 Company, product and service
 WW/WW/DS/Q2-13/29947

 Nist Lenovo.com/safecomputing periodically for the latest information on safe and effective computing.



