

SmartRack 9U Wall-Mount Rack Enclosure Cabinet

MODEL NUMBER: SRW9U









Description

The SRW9U 9U Wall-Mount Rack Enclosure Cabinet is designed to integrate wall-mounting, easy equipment access, and cable management in IT network applications with limited floor space. Ventilated front door and side panels allow generous airflow to keep equipment operating safely. Adjustable rack rails with square mounting holes accommodate up to 9U of standard 19" rackmount equipment. Supports up to 200 lbs of equipment. A sturdy wall-mount bracket allows the cabinet to quickly be hung on the wall.

Features

- 9U wall-mounted enclosure
- Adjustable mounting depths up to 17" by 2 front vertical rackmount rails
- · Ventilated front door and side panels for increased airflow
- · Locking, reversible front door
- · Locking, removable side panels
- Fully assembled for quick installation
- Meets all enclosure requirements towards PCI DSS (Payment Card Industry Data Security Standard) Compliance

Highlights

- Designed for IT and education environments where equipment needs to be secure and out of the way
- 9U with adjustable front vertical rackmount rails
- Locking, reversible front door and locking, removable side panels
- Fully assembled for quick installation
- Meets all enclosure requirements towards PCI DSS (Payment Card Industry Data Security Standard)
 Compliance

Applications

IT network environments with limited floor space and classrooms where equipment needs to be secure and out of the way of students.

Package Includes

- SRW9U Wallmount Rack Enclosure
- (18) M6 screws
- (18) M6 cage nuts
- (18) M6 washers
- (2) Keys
- Owner's Manual

Specifications

PHYSICAL	
Installed whole system maximum rack depth (inches)	16.5
Installed whole system maximum rack depth (cm)	41.9
Installed whole system minimum rack depth (inches)	3
Rack Height	9U



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Shipping Dimensions (HWD/in)	22.6 x 26.4 x 20.5	
Shipping Dimensions (HWD/cm)	57.40 x 67.06 x 52.07	
Shipping weight (lbs)	38.4	
Shipping weight (kg)	17.41	
Unit Dimensions (in.)	19.88 x 23.63 x 17.78	
Unit weight (lbs)	35	
Unit weight (kg)	15.875	
Unit Dimensions (cm)	50.49 x 60.02 x 45.16	
Color	Black	
Style	Wall Mounted	
Weight Capacity - Stationary (lbs)	200	
Weight Capacity - Stationary (kg)	90.7	
Cable Access Hole Measurement (inches)	9.812 x 2.35 (l x w)	
SPECIAL FEATURES		
Grounding lug	Front and Back door frames	
CERTIFICATIONS		
Certifications	EIA-310-E	
NOM (Mexico)	Tested to NOM (Mexico)	
Approvals	RoHS	
WARRANTY		
Product Warranty Period (Worldwide)	5-year limited warranty	

Related Items

Optional Products

Model Number	Description	Qty.
SRFANWM	Wall-Mount Roof Fan Kit, 120V (2 high-performance fans; 5-15P plug)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at: http://www.tripplite.com/sku/SRW9U.



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Specifications are subject to change without notice. Photos may differ slightly from final products.