

DELL S Series S2417DG computer monitor LED display (S2417DG)

60.452 cm (23.8 ") 60.47 (2560x1440), TN, 160°/170°, 16.7M, 1000: 1, 350 cd/m2, 33W



Price details:

Price excl. VAT: 406.03 €

Eco fees: 0.41 €

VAT 21 %: 85.35 €

Product details:

Product code: S2417DG

EAN: 5397063744978

Manufacturer: DELL

PDF generated on: 2 March, 2018



491.79 €

* VAT included

Supreme performance. Superior gameplay.

Game like the pros with high-performance visuals.

Undistorted graphics

No matter how fast you're moving, you'll be able to see gameplay with crisp clarity thanks to the fastest refresh rate (165 Hz) and NVIDIA® G-Sync¹. No screen tearing, no stuttering and no ghost images means there is nothing to get in the way of your performance.

Responsive and on-point

There's no place for lag in a boss fight. Experience swift and real-time gameplay with a rapid, 1-millisecond panel response time.

Double the pixels. Enhance your experience.

Picture every detail in stunning clarity with QHD (2560x1440) resolution. A stellar 3.68 million pixels - nearly twice as many as Full HD - means that you see the game as developers intended.

Panoramic perfection.

The ultrathin bezel lets you enjoy a seamless dual or multi-monitor setup for your battle station. And with the power to customize your settings or delve into 3D, you get an ultimate, tailor-made gaming experience.

- Get gaming faster: Preset modes for RPG, FPS or RTS let you find the optimal visual setting and customize with a click. Plus, with such an easy setup, you can spend more time gaming and less time reconfiguring your settings.
- Immerse yourself like never before: Enter a new dimension of realism in 3D games with optional NVIDIA® 3D glasses

Get comfortable. Game longer.

All-night gaming sessions can be stressful, but with these convenient and thoughtful designs, you can get comfortable and game to your true potential.

Exactly how you like it

Tilt, pivot, swivel and adjust your monitor to just the right position for ergonomic comfort and enhanced game play.

Keep your eyes on the prize

A flicker-free screen optimizes eye comfort so you can keep gaming and keep pwning.

Convenient switching

Changing between systems is now easier than ever. The wide range of connectivity ports lets you switch from PC gaming to your secondary gaming console without rearranging your cords.

Main specifications:

Display

Display diagonal:	23.8 "
Display brightness:	350 cd/m ²
Display resolution:	2560 x 1440 pixels
Response time:	1 ms
Display:	LED
HD type:	2K Ultra HD
Display technology:	TN
Supported graphics resolutions:	2560 x 1440
Contrast ratio (typical):	1000:1
Viewing angle, horizontal:	170 °
Viewing angle, vertical:	160 °
Display number of colours:	16.78 million colours
Native aspect ratio:	16:9
Display surface:	Matt
Display diagonal (metric):	60.47 cm
Pixel pitch:	0.2058 x 0.2058 mm
Color gamut:	82 %
Pixel density:	123 ppi
Screen shape:	Flat screen

Multimedia

Built-in speaker(s):	N
Built-in camera:	N
TV tuner integrated:	N

Design

Colour of product:	Black
--------------------	-------

Performance

NVIDIA G-SYNC:	Y
----------------	---

Thin Client

Thin client installed:	N
------------------------	---

Ports & interfaces

Built-in USB hub:	Y
DVI port:	N
HDMI ports quantity:	1
USB hub version:	USB 3.0 (3.1 Gen 1)
USB upstream port type:	USB Type-B
Number of upstream ports:	1
USB Type-A downstream ports quantity:	4
DisplayPorts quantity:	1
Audio output:	Y

Ergonomics

Cable lock slot:	Y
VESA mounting:	Y
Height adjustment:	Y
On/off switch:	Y
VESA mounting interfaces:	100 x 100 mm
Swivelling:	Y
Swivel angle range:	-45 - 45 °
Tilt adjustment:	Y
Tilt angle range:	-5 - 21 °
Height adjustment:	130 mm
Pivot:	Y
Pivot angle:	-90 - 90 °

Power

Power consumption (standby):	0.3 W
Power consumption (typical):	33 W
AC input voltage:	100-240 V
Power consumption (max):	70 W

Operational conditions

Operating temperature (T-T):	0 - 40 °C
Storage temperature (T-T):	-20 - 60 °C
Operating relative humidity (H-H):	10 - 80 %
Storage relative humidity (H-H):	5 - 90 %
Operating altitude:	0 - 5000 m

Non-operating altitude:	0 - 12192 m
Certificates	
Certification:	RoHS
Weight & dimensions	
Width:	540.4 mm
Depth:	55.8 mm
Height:	322.7 mm
Weight:	3780 g
Width (with stand):	540.4 mm
Depth (with stand):	180 mm
Packaging data	
Package weight:	8230 g
Packaging content	
Stand included:	Y
Cables included:	AC
Manual:	Y
Quick start guide:	Y
Technical details	
Active display area (W x H):	526.85 x 296.35 mm
No flickering:	Y

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.