



Scan and save with a Mac or PC and now Android or iOS. "Go PC-less!"



shaping tomorrow with you

Simple, Fast & Powerful! Accelerate yourself with ScanSnap iX500!

Scan directly to mobile devices

Quickly bypass the computer to scan an image enhanced PDF or JPEG file directly to an iOS or Android mobile device or tablet.*

Built-in GI microprocessor

A dual-core CPU-mounted "GI" processor performs the intelligent image enhancement responsible for great looking images with dramatically faster results and more sophisticated connectivity:

- Image processing: Automatic corrections and image output
- Supports WI-FI: WPS (WI-FI Protected Setup) wireless LAN (IEEE802.11b/g/n)
- Supports USB 3.0

Scan via Wi-Fi to computer

Scan via Wi-Fi to a single computer (Windows or Mac). This allows for flexible scanner placement, which can free-up valuable desk space.

Advanced paper feeding system

Inheriting the superior paper feeding technology of our professional-grade scanners, iX500 achieves exceptional feeding reliability using "Separation Roller" technology to minimize jams and multi-feeds.

Ultrasonic multi-feed detection

For additional security and peace-of-mind, iX500 uses sound-waves to help ensure each page is scanned.

Quick Menu saves time!

The ScanSnap Quick Menu for PC and Mac automatically pops up after scanning to provide you a variety of ways to be immediately productive with your scans. It can be easily customized to display just your favorites, present a recommendation, and even display custom profiles.









Accelerated Searchable PDF creation

Making PDF files searchable at the point of scanning is a great way to keep them instantly accessible and now you can create a searchable PDF at nearly the same speed as a standard PDF.



Scan there! ScanSnap Folder

Scan to virtually any application or web service that can open, insert or attach a PDF or JPEG file from your Windows® computer.



Runs on Windows® & Mac OS X computers And now iOS and Android mobile device and tablets

Easy One-button PDF creation Just stack in the paperwork and press the scan button

Handles a stack of documents Load up to 50 sheets in the automatic document feeder

Scans both sides of each page at the same time

Images are automatically straightened and cropped with blank sides removed

Fast and reliable document scanning

Scans up to 25 pages per minute with advanced paper handling

Scans business cards to oversized documents

With carrier sheet, scans A3 documents, photos, and much more

ScanSnap iX500 Deluxe model

For Windows[®] users, Rack2-Filer Smart is a feature-rich scanning and content viewing application incorporating an ultra-intuitive bookcase and binder interface that gives users a familiar and enjoyable interaction with their scanned paperwork. Magic Desktop is designed to organize scans from ScanSnap as well as memos and images from mobile devices and upload your information to Facebook.

iOS



Scan to Cloud

convenient way to scan directly to your existing Evernote, Dropbox, Google Docs, SugarSync and Salesforce accounts.

platforms, computers and devices, iX500 provides a

For the ultimate in accessibility to your scans across multiple



Organize business cards

Scan, store, and edit business card information with the bundled CardMinder software for Mac and PC and even export data into other applications like Outlook, Address Book, Excel and Salesforce.



About Fujitsu Canada

Fujitsu Canada, Inc. provides a complete portfolio of business technology services, computing platforms, and industry solutions. Fujitsu platform products are based on integrated document management and imaging systems, as well as scalable, reliable and high-performance server, storage, software, point-of-sale, and mobile technologies. Fujitsu combines its renowned platform offerings with a full suite of onshore, near shore and offshore system integration, outsourcing, and datacenter services covering applications, operations, infrastructure, customer service, and multi-vendor lifecycle services. Fujitsu provides industry-specific solutions for retail, manufacturing, healthcare, government, education, financial services, and telecommunications sectors.

For more information, please see: http://solutions.ca.fujitsu.com/





General Spec	ifications					
Product Name/Part Number		ScanSnap iX500/PA03656-B002, ScanSnap iX500 Deluxe/PA03656-B012				
Scanner Type		Automatic Document Feeder (ADF), Duplex Scanning				
Scanning Modes		Colour, Grayscale, Monochrome, Automatic Detection (colour / grayscale / monochrome ³ detection)				
Image Sensor		Colour CIS (Contact Image Sensor) x 2 (front / back)				
Light Source		3 colour LED (Red / Green / Blue)				
Auto Mode ²		Simplex or Duplex, 25 pages per minute (ppm)				
Scanning Speed (A4 portrait)1	Normal Mode	Colour & Grayscale 150 dpi, Monochrome 300 dpi, Simplex/Duplex, 25 ppm				
	Better Mode	Colour & Grayscale 200 dpi, Monochrome 400 dpi, Simplex/Duplex, 25 ppm				
	Best Mode	Colour & Grayscale 300 dpi, Monochrome 600 dpi, Simplex/Duplex, 25 ppm				
Excellent Mode ³		Colour & Grayscale 600 dpi, Monocl	hrome 1200 dpi, Simplex/Duplex, 7 ppm			
Normal Mode without Carrier Sheet		A4, A5, A6, B5, B6, Business Card, Post Card, Letter, Legal and Custom Size. Max: 8, SX 14.17 in. (216 X 360 mm), Min: 2 X 2 in. (50.8 X 50.8 mm) ³ . Automatically recognizes document size.				
size	Normal Mode with Carrier Sheet ³	Use of a Carrier Sheet permits the scanning of A3, B4, 11 x 17 in. and photographs as well as the document sizes listed above				
	Long Paper Scanning ^{3, 4}	34 inches in length (863 mm)				
Multi-feed detection		Supported (Standard) ultrasonic multi-feed detection sensor				
Paper Weight (Thickness)		 11 to 56 lb (40 to 209 g/m²) A8 Size: 34 to 56 lb (127 to 209 g/m²) Cards: (ISO7810 ID-1 type conforming) can be used. (thickness 0.76 mm or less) Embossed card : useable (Landscape only) 				
Paper Chute Capacity ⁵		Maximum 50 sheets (A4 (letter size) at 21 lb or 80 g/m ²)				
Interface		USB 3.0 (USB 2.0 / USB 1.1 Compatible) ⁶				
	Observed standards	IEEE802.11b / IEEE802.11g / IEEE802.11n				
	Communication mode	Infrastructure mode				
Wi-Fi Interface ⁷	Frequency ⁸	2.412 GHz to 2.462 GHz / 2.412 GHz to 2.472 GHz				
interface	Communication distance	Indoors, 50 m (Recommended: indoors, within 25 m) *May vary depending on the surrounding environment and the access point to be connected				
	Security ⁹	WPA-PSK (TKIP / AES), WPA2-PSK (TKIP / AES), WEP (64-bit / 128-bit)				
Easy installation		WPS2.0 supported (button / PIN code)				
Power Requirement		AC 100 to 240 V, 50 / 60 Hz				
	USB connected	Operating Mode	20 W or less			
Power	USB connected	Standby Mode	1.6 W or less (Wi-Fi Switch Off)			
Consumption	Wi-Fi connected	Operating Mode	20 W or less			
		Standby Mode	2.5 W or less			
Operation Envi	in a mark	Temperature	41 to 95 °F (5 to 35 °C)			
орегастоп спи	ionnenc	Relative humidity	20 to 80 % (No Condensation)			
Dimensions (W	/ x D x H)10	11.5(W) x 6.2(D) x 6.6(H) in. (292 x 159 x 168 mm)				
Device Weight		6.62 lb (3.0 kg)				
Environmental	Compliance	ENERGY STAR® compliant / RoHS ¹¹				
Driver		Specific driver: Windows®: Does not support Twain/ISIS® Mac OS: Does not support Twain				
Limited Warranty		1 year limited exchange warranty. For full details visit http://solutions.ca.fujitsu.com/warranty/scanner/				
Convice Options		Eutended auchan an warrantu available				

Service Options Extended exchange warranty available 1: Scanning speeds may vary due to the system environment used. 2: Documents measuring 5.8 inches (148 mm) in length or less are scanned in "Best Mode", while
other documents are scanned in "Better Mode". 3: Only Computer connection. 4: ScanSnap XSOU is capable of scanning documents that exceed A4 size in length. ScanSnap XSOU sports the scanning of longer documents in all modes exceept in "Excellent Mode". 5: Nationum capacity varies depending upon paper weight. Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. 7: Only Android" // OS in case of

6. Some compares so not recognize the scannaps when it is connected to a bud so plot. In this case, preserve a dub 2 or provide the scanner is connected by USB. B: Values depends on Country. 9: EEEB02.1X Authentications on supported. To: Excluding the stacker and other external attachments. 11: PFU LIMITED, a Fujitsu company, has determined that this product meets RoHS requirements (2002/95/EC).

Software	Windows®	Mac OS		
Driver 12, 13	ScanSnap Manager V6.0	ScanSnap Manager V6.0		
	ScanSnap Organizer V5.0	-		
	CardMinder™ V5.0	CardMinder™ V5.0		
	ABBYY FineReader for ScanSnap™ 5.0	ABBYY FineReader for ScanSnap™ 5.0		
Applications	-	ABBYY FineReader Express Edition for Mac 8.3		
	Scan to Microsoft® SharePoint® 3.4	-		
	Adobe® Acrobat® X Standard	-		
	Evernote for Win 4.5	Evernote for Mac 3.3		
12: Twain or ISS® appli		j, PDF and searchable PDF) generation. These functions are operable w		

ScanSnap Manager (ScanSnap specific driver)

Fujitsu and the Fujitsu logo are trademarks or registered trademarks of Fujitsu Limited. ABBYY™ FineReader™ Engine ®2011 ABBYV. OCR by ABBYV, ABBY and FineReader are trademarks of ABBYY. Adobe, Acrobat are either registered trademarks or tradenames of Adobe Systems Incorporated in Canada and/or other countries. Evennote is a registered trademark of trademark of Evennote Corporation. Google, Google Docs, Android and Google Play are registered trademarks or trademarks of Google Inc. Intel, Pentium, and Intel Core are registered trademarks or trademarks of Intel Corporation in Canada and other countries. ISIS® is a registered trademark of EMC Corporation in Canada. Mac, Mac OS, OS X, IPad, IPhone and App Store are trademarks of Apple Inc. Microsoft, Windows, Windows Vista, Excel, PowerPoint, SharePoint and Internet Explorer are either registered trademarks or trademarks of Microsoft Corporation in Canada and/or other countries. Word is the product of Microsoft Corporation in Canada. Salesforce and Salesforce CRM are registered trademarks or trademarks of salesforec.com, inc. in Canada and other countries. ScanSnap, ScanSnap Iogo, ScanSnap Manager, ScanSnap Organizer, CardMinder and Rack2-Filer are registered trademarks or trademarks of PFU LIMITED in Japan. Wi-Fi Protected Setup are trademarks of the respective companies.

The statements provided herein are for informational purposes only and may be amended or altered by Fujitsu Canada, Inc. without notice or liability. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice. Copyright ®2013 Fujitsu Canada, Inc. All rights reserved. FCI 13.0794.

FUJITSU CANADA, INC.

155 University Avenue, Suite 1600 Toronto, Ontario M5H 3B7 Telephone: 1-800-263-8716 Website: http://www.fujitsu.ca Have a question? Email us at: AskFujitsu@ca.fujitsu.com http://www.fujitsu.com/ca/en

Included item	s	1 Cafeta Dava - 1		 10-125 	iles Caracteriste Maria	
1 ScanSnap		1 Safety Precautions 1 Rack2-Filer Smart with Magic Setup DVD_POM Desktop (Bundled with				
1 AC Cable		1 Setup DVD-ROM Desktop (Bundled with 1 Adobe® Acrobat® DVD-ROM (PC Only) ScanSnap iX500 Deluxe Only)				
1 AC Adapte			,	ly) ·		
	(USB 3.0 Supported)	1 ScanSnap Carrie	er Sheet			
Consumables		· · ·				
Description Model Number		Remarks				
Roller Set PA03656-0001		1		one year. (For Scan	1 1	
Cleaner F1 PA03950-0352		100 ml bottle. F	or use on the Brak	e roller and Pick rol	ler	
Cleaning cloths	aning cloths CG90000-120001		ns) For use with F1	cleaner on Brake ro	ller and Pick roller	
	lifetimes are for 21 lb. (80 g/m2) A	4 sized documents. Then	efore, appropriate replac	ement lifetimes may vary	r from other document ty	
Windows®						
Compatible operating systems		Windows® 8 (32-bit / 64-bit)	Windows® 7 (32-bit / 64-bit)	Windows Vista® (32-bit / 64-bit)	Windows® XP (32-bit)	
Driver/ Application ^{14, 15}	ScanSnap Manager V6.0	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	ScanSnap Organizer V5.0	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	CardMinder™ V5.0	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	ABBYY FineReader for ScanSnap™ 5.0	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	Scan to Microsoft®	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	SharePoint® 3.4	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	Adobe® Acrobat® X Standard ¹⁸	Supported	Supported	Supported ¹⁶	Supported ¹⁷	
	Evernote for Win 4.5	Supported ¹⁹	Supported	Supported ¹⁶	Supported ¹⁷	
	CPU ²⁰	Intel® Core™ 2 Duo 2.2 GHz or higher (Recommended: Intel® Core™ i5 2.5 GHz or higher)				
Hardware	Memory Capacity ²⁰	64-bit: 2 GB or more (Recommended: 4 GB or more) 32-bit: 1 GB or more (Recommended: 4 GB or more)				
Requirements	Display	1,024 × 768 pixels or higher 800 x 600 pixels or more				
	Disk Capacity ²¹	4,010 MB free hard disc space for installation				
	DVD-ROM Drive	Required for installation				
	USB Port ^{20, 22}	USB3.0 ²³ / USB2.0 / USB1.1				

14: This product supports Microsoft* Windows*. 15: Please refer to the ScanSnap Website for latest support information. 15: For use with Service pack 2 or higher. 17: For use with Service pack 3 or higher. 18: Bequires intermet Explore? To later; or, Fieldow 2.5 or later; 0.5: Fleadow 2.5 or later; 0.5: Fleadow 2.5 or late; 0.5: Fleadow 2.5: or late; 0.5: or la

Mac OS					
Compatible operating systems		Mac OS x v10.8	Mac OS X v10.7	Mac OS X v10.6	
Driver/ Application ^{24, 25}	ScanSnap Manager V6.0	Supported	Supported ²⁶	Supported ²⁷	
	CardMinder™ V5.0	Supported	Supported ²⁶	Supported ²⁷	
	ABBYY FineReader for ScanSnap™ 5.0	Supported	Supported ²⁶	Supported ²⁷	
	ABBYY FineReader Express Edition for Mac 8.3	Supported	Supported ²⁶	Supported ²⁷	
	Evernote for Mac 3.3	Supported	Supported ²⁶	Supported ²⁷	
Hardware Requirements	CPU ²⁸	Intel® Core™ 2 Duo 2.2 GHz or higher (Recommended: Intel® Core™ i5 2.5 GHz or higher)			
	Memory Capacity ²⁸	2 GB or more (Recomme	ended: 4 GB or more)		
	Display	1,024 × 768 pixels or mo	ore		
	Disk Capacity	2,090 MB free hard disc	space for installation		
	DVD-ROM Drive	Required for installation			
	USB Port ^{28, 29}	USB3.030 / USB2.0 / USB1	1.1		

24: This product supports Mac operating systems. 25: Please refer to the ScanSnap Website for latest support information. 26: Recommended: 10.7.4 or later 27: Recommended: 10.6.8 or later 28: Scanning speeds may dop if recommended (PU, memory capacity and USB 1.1 requirements are not met. 29: ScanSnap operates on both USB 2.0 and USB 3.0 without any difference in performance. 30: Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. * System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

Rack2-Filer Smart V1.0 / Magic Desktop V1.0^{31, 32, 33} System Requirements

(Bundled with	ScanSnap	iX500 Deluxe	only)			
Compatible operating systems			Windows [®] 8 (32-bit / 64-bit) ³⁴	Windows [®] 7 (32-bit / 64-bit) ³⁵	Windows Vista® (32-bit / 64-bit) ³⁶	Windows® XP (32-bit) ³⁷
	CPU		Intel® Pentium® 4 1.8 GHz or higher (Recommended: Intel® Core™ 2 Duo 2.2 GHz or higher)			
	Memory c	apacity	2 GB or more (Recommended: 4 GB or more)			
Hardware Requirements	Display		1,024 x 768 pixels or higher			
		System drive ³⁸	-	64-bit: 2 GB or more –		-
	Disk		-	32-bit: 850 MB or more		
	Capacity	Installation drive	1GB or more disc space* for each software *Additional space is required for the data created by Rack2-Filer Smart and Magic Desktop			
Supported scanners			ScanSnap iX500, S1500, S1500M, S1300i, S1300, S1100			
Supported mobile devices OS Application		iPad series, iPhone series (4 or later), iPod touch series (4th generation or later)				
		OS	iOS 4.3 or later			
		Application	Rack2-Filer Smart for iOS1.1.0 or later			

31: This product only supports Microsoft[®] Windows[®] 32: Please refer to the the Rack2-Filer Smart Website and the Magic Desktop Website. 33: When installing Magic Desktop, Internet connection is required. 34: Rack2-Filer Smart and Magic Desktop runs as a desktop application. 35: For use with Service pack 1 or higher. 37: For use with Service pack 2 or higher. 37: For use with Service pack 3 or higher. 38: This is the free capacity required when .NET Framework 4 is not installed.

	5 Carrier Sheets Intended for ScanSnap iX500, S1500, S1500M, S510, S510M, S500 and S500M
A03951-0651	Intended for ScanSnap iX500, S1500, S1500M, S510, S510M, S500 and S500M
A	03360-0013

documents with weights of 1/2 gim/2 of ress. They also support the scanning of foldeed documents that are as large as large as 21 to 279 mm. This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws, ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.