HP PageWide Pro 477dn, 477dw, 577dw, 577z Multifunction Printer



HP PageWide Pro is faster¹ than any color MFP in its class, for an exceptional value².

Ultimate value and speed—HP PageWide Pro delivers the lowest total cost of ownership and fastest speeds in its class.^{1,2} Get quick two-sided scanning, plus best-in-class security features and energy efficiency.^{3,4}

Dynamic security: Cartridges with non-HP chips might not work today or in the future. Learn More: http://www.hp.com/go/learnaboutsupplies



HP PageWide Pro 477dn Multifunction Printer



HP PageWide Pro 477dw Multifunction Printer



HP PageWide Pro 577dw Multifunction Printer



HP PageWide Pro 577z Multifunction Printer

Professional color, breakthrough total cost

- Results you expect and lasting value—breakthrough total cost of ownership, the lowest in its class.²
- Print professional-quality color on a variety of papers—perfect for office use.
- Print 4x more pages than standard cartridges with Original HP PageWide extra-high-yield cartridges (for 500 series models).⁷
- Spend less time and budget on scheduled maintenance with streamlined HP PageWide Technology.⁸

The fastest MFP in its class¹

- Wait less, do more with unmatched speeds¹—up to 70 ppm (for 500 series models)—and the fastest first-page printing in its class.⁵
- Get fast two-sided scanning directly to email and the cloud with this LDAP-enabled MFP.9
- Manage tasks from a 4.3-inch (10.9 cm) touchscreen. Print Microsoft® Word and PowerPoint® files from USB.⁶
- Print from your mobile device with Wi-Fi Direct® and NFC touch-to-print technology—no network needed (all models except 477dn).^{10,11}

Proven technology. Superior energy efficiency.4

- Minimize downtime with HP PageWide Technology that delivers reliable performance businesses demand.
- Conserve with HP PageWide Technology—designed to use less energy than any MFP in its class.⁴
- Print up to 13,000 color pages and up to 17,000 black-and-white pages—and go longer between replacements (for 500 series models).⁷
- Get professional-quality color documents and the performance you expect with Original HP PageWide cartridges.

Best-in-class security and management features³

- Help protect your investment and extend capabilities as your needs grow with a portfolio of solutions. 12
- Help ensure the security of confidential information. Enter a PIN at the device to retrieve your print job.
- Regulate color use and reduce printing costs with HP Color Access Control.¹³
- Help keep your printer secure—from boot up to shutdown—with secure boot and secure code integrity validation.

1 Comparison based on manufacturers' published specifications of fastest available color mode of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at hp.com/go/printerspeeds 2 Total cost of ownership comparison based on 90,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail prices for hardware and supplies, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, long-life consumables of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims and hp.com/go/learnaboutsupplies ³ Best-in-class security and fleet management claim based on comparison of built-in features of all color business printers \$300–\$800 USD and MFPs \$400–\$1000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at hp.com/qo/ printersecurityclaims 4 Energy claim based on TEC data reported on energystar.gov. Data normalized to determine energy efficiency of majority of in-class business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewideclaims 5 Comparison based on manufacturers' published specifications of first page out from ready and sleep mode of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Subject to device settings. Actual results may vary. Learn more at https://doi.org/brinterspeeds Feature works with Microsoft® Word and PowerPoint® 2003 and later. Only Latin language fonts are supported. Tyleld based on ISO 2471 cartridge yields for HP 976Y Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 976Y Extra High Yield Original PageWide Cartridges compared with HP 970 series Original PageWide cartridges. Extrahigh-yield cartridges are compatible only with HP PageWide Pro 500 series MFPs and printers. Learn more at hp.com/go/learnaboutsupplies a Less scheduled maintenance based on 150,000 pages printed, and published comparisons of majority of in-class color laser printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims 9 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see hpconnected.com 10 Mobile device needs to be connected directly to the signal of a Wi-Fi Direct[®] supported MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wi-Fi Direct is a registered trademark of Wi-Fi Alliance[®]. For details, see https://px.com/go/mobileprinting 1 Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile devices, see hp.com/go/nfcprinting 12 Additional workflow solutions available through HP's software and third-party partner program. For solution details, visit hp.com/qo/qsc 13 HP Color Access Control available only on HP PageWide Pro devices with a 4.3-inch touchscreen. Learn more at hp.com/go/pagewidebusiness

Product walk around: MFP 577z

- 50-sheet single-pass, two-sided automatic document feeder (ADF)
- Intuitive 4.3-inch (10.9 cm) color touchscreen with
- 3 Easy-access USB port for convenient USB document
- Wi-Fi Direct⁵/NFC touch to-print⁶ 4
- Front door access to easy-to-replace print cartridges
- 50-sheet multipurpose tray with long paper extension
- 500-sheet main input tray 2
- Flatbed scanner up to legal-size paper
- 300-sheet output bin
- 10 Built-in wireless networking7
- 11 Built-in automatic two-sided printing
- 12 500-sheet trays 3, 4 and mobile cart
- 13 Hi-Speed USB 2.0 port (for connecting third party devices)
- 14 Hi-Speed USB 2.0 printing port
- 15 Ethernet network port, 10/100Base-TX
- 16 Fax connection ports

Series at a glance

HP PageWide Pro 577z Printer shown







Model	477dn/dw	577dw	577z
Functions	Print, scan, copy, fax	Print, scan, copy, fax	Print, scan, copy, fax
Print speed in ppm (black/color, letter/A4) ⁸	Up to 40 Professional Up to 55 GO mode	Up to 50 Professional Up to 70 GO mode	Up to 50 Professional Up to 70 GO mode
Print cartridge options (maximum page yields)	High-yield (X) cartridges (10,000 black/7,000 color) ⁹	Extra-high-yield (Y) cartridges (17,000 black/13,000 color) ¹⁰	Extra-high-yield (Y) cartridges (17,000 black/13,000 color) ¹⁰
Control panel display	4.3-inch (10.9 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen	4.3-inch (10.9 cm) color touchscreen
Print input capacity (standard/optional)	550/1,050 ¹²	550/1,550 ¹²	1,550 ¹²
Duty cycle (pages per month) ¹³	Up to 50,000	Up to 80,000	Up to 80,000
Security, manageability, and extensibility features	√	√	√
Print Microsoft Word and PowerPoint files from USB ¹⁴	√	√	√
Wi-Fi Direct ⁵ and NFC touch-to-print ⁶	dw model only	√	√

⁶ A NFC touch-to-print capabilities available with 377, 477, 552, and 577 series models only. Requires a compatible NFC-printing-enabled mobile device. For a list of compatible NFC-printing-enabled mobile hp.com/go/nfcprinting ⁷ Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. ⁸ Printing speed measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see <u>hp.com/go/printerclaims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Print speeds are up to 55 ppm, letter/A4 for the HP PageWide Pro 452 and 477 series; up to 70 ppm, letter/A4 for the HP PageWide Pro 552 and 577 series. 9 HP 976X High Yield Original PageWide cartridges are not included in printer purchase; purchase separately. Comparison on ISO 24711 cartridge yields for HP 970 series High Yield Original PageWide Cartridges compared with HP 976 series Original PageWide Cartridges are compatible only with HP PageWide Pro 400 and 500 series MFPs and printers. Learn more at hp.com/go/learnaboutsupplies 10 Yield based on ISO 24711 cartridge yields for HP 976Y Extra High Yield Original PageWide Cartridges, which are not included in printer purchase; purchase separately. Comparison based on ISO 24711 cartridge yields for HP 976Y Extra High Yield Original PageWide Cartridges. Extrahigh-yield cartridges are compatible only with HP PageWide Pro 500 series MFPs and printers. Learn more at hp.com/go/learnaboutsupplies 12 Printing up to 1,550 sheets with additional paper input trays 3, 4 and mobile cart included with the 577z model only, please purchase separately for 552dw and 577dw model, not compatible with 377dw, 477dn/dw and 452dw models. 13 Duty cycle is defined as the maximum number of pages per month of imaged output. 14 Feature available with 477, 552, and 577 series models only. Feature works with Microsoft® Word and PowerPoint® 2003 and later. Only Latin language fonts are supported.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Installation Service with Network Setup: Installation services that include onsite installation and network setup of printing product.

Next Business Day Onsite Repair: Makes an HP technician available at customers' premise the next business day, if the issue cannot be resolved remotely.

For care pack availability visit: hp.com/go/cpc













Top Features

Count on exceptional value and the results businesses need—print professional-quality color documents for the lowest total cost of ownership in its class.²

Best-in-class print speeds,¹ fast printing from sleep mode, and single-pass, two-sided scanning keep productivity on track. Documents are ready fast, so there's less waiting.

Minimize interruptions and downtime with efficient, reliable performance. Conserve resources and use less energy than laser printers,⁴ with HP PageWide Technology designed for today's busy office.

Help protect your fleet, data, and documents with best-in-class security and fleet management features.³ Help secure important information and get the tools you need to work efficiently and confidently.

Accessories	
D3Q23A	HP PageWide Pro 500-sheet Paper Tray
P0V04A	HP PageWide Pro 2x500-sheet Paper Tray and Stand (only for 577dw, included in 577z model)
Supplies	
F6T80AN	HP 972A Black Original PageWide Cartridge (~3500 pages)
LOR86AN	HP 972A Cyan Original PageWide Cartridge (~3000 pages)
LOR89AN	HP 972A Magenta Original PageWide Cartridge (~3000 pages)
LOR92AN	HP 972A Yellow Original PageWide Cartridge (~3000 pages)
F6T84AN	HP 972X High Yield Black Original PageWide Cartridge (~10,000 pages)
LOR98AN	HP 972X High Yield Cyan Original PageWide Cartridge (~7000 pages)
L0S01AN	HP 972X High Yield Magenta Original PageWide Cartridge (~7000 pages)
LOSO4AN	HP 972X High Yield Yellow Original PageWide Cartridge (~7000 pages)
LORO8A	HP 976Y Extra High Yield Black Original PageWide Cartridge (~17000 pages) (577dw,z)
LOR05A	HP 976Y Extra High Yield Cyan Original PageWide Cartridge (~13000 pages) (577dw,z)
LORO6A	HP 976Y Extra High Yield Magenta Original PageWide Cartridge (~13000 pages (577dw,z)
LOR07A	HP 976Y Extra High Yield Yellow Original PageWide Cartridge (~13000 pages) (577dw,z)

Services

HP PageWide Pro 477dn/dw Printer

U8ZW6E	HP 2 year Next Business Day PageWide Pro X477 Hardware Support
U8ZW7E	HP 3 year Next Business Day PageWide Pro X477 Hardware Support
U8ZW8E	HP 4 year Next Business Day PageWide Pro X477 Hardware Support
U8ZW9E	HP 5 year Next Business Day PageWide Pro X477 Hardware Support
U8ZX6E	HP 3 year Next Business Day Exchange PageWide Pro X477 Service
U8A01E	HP Network Installation OfficeJet/PageWide Pro X47x-X57x Service

HP PageWide Pro 577dw/z Printer

III Tagewide 110 377	dW/Z11IIItCI
U8ZU1E	HP 2 year Next Business Day PageWide Pro 577 Hardware Support
U8ZU2E	HP 3 year Next Business Day PageWide Pro 577 Hardware Support
U8ZU3E	HP 4 year Next Business Day PageWide Pro 577 Hardware Support
U8ZU4E	HP 5 year Next Business Day PageWide Pro 577 Hardware Support
U8ZV1E	HP 3 year Next Business Day Exchange PageWide Pro 577 Service
U8A01E	HP Network Installation OfficeJet/PageWide Pro X47x-X57x Service

¹ Comparison based on manufacturers' published specifications of fastest available color mode of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding other HP PageWide products, and products with 1% or lower market share using market share as reported by IDC as of Q3 2015. HP PageWide speeds based on General Office mode and exclude first page. Learn more at <u>hp.com/go/printerspeeds</u> ² Total cost of ownership comparison based on 90,000 pages, manufacturers' published specifications for page yields and energy use, manufacturers' suggested retail prices for hardware and supplies, cost per page based on ISO yield with continuous printing in default mode with highest-available-capacity cartridges, long-life consumables of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pagewideclaims and hp.com/go/learnaboutsupplies ³ Best-in-class security and fleet management claim based on comparison of built-in features of all color business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015, excluding products with 1% or lower market share using market share as reported by IDC as of Q3 2015. Learn more at hp.com/go/pintersecurityclaims *Energy claim based on TEC data reported on energystargov. Data normalized to determine energy efficiency of majority of in-class business printers \$300-\$800 USD and MFPs \$400-\$1000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewideclaims \$400-\$1000 USD as of November 2015; market share as reported by IDC as of Q3 2015. Actual results may vary. Learn more at hp.com/go/pagewideclaims

HP PageWide Pro 477dn, 477dw, 577dw, 577z Multifunction Printer

Technical specifications AiO functions	HP PageWide Pro 477dn MFP Printer (D3Q19A) HP PageWide Pro 477dw MFP Printer (D3Q20A) HP PageWide Pro 577dw MFP Printer (D3Q21A) HP PageWide Pro 577z MFP Printer (K9Z76A) Print, copy, scan, fax					
Ouplex print options	Automatic (standard)					
Print speed ¹	ISO speed: Up to 40 pp		ISO speed: Up to 50 ppm blac			
	Maximum, letter: Up to 5		Maximum, letter: Up to 70 ppm b			
First page out Print resolution	Black (ready): As fast as 6.59(&Color (ready): As fast as 5.59(&Color (ready): As fast as 6.59(&Color (ready): As fast as 6.59					
Print resolution	Black (Dest): Up to 1200 x 1200 optimized api from 600		esentation matte, and HP Brochure Matte) Color (best): Up to red Photo Papers)	3 2400 x 1200 optimized api from 600 x 600 input api		
Print cartridges number			van, magenta, yellow)			
Mobile printing capability ²	HP ePrint, HP Mobile Apps, Android Plug-in, HP ePrint, HP Mobile Apps, Google Cloud Print v2, Apple AirPrint**, Mopria-certified, Android Plug-in, Windows 8/10, Windows 10 Mobile, Chromebook					
	Windows 8/10, Windows 10 Mobile,					
Borderless printing	Chromebook		No			
itandard print languages			HP Postscript Level 3 emulation			
Printer management			r Resource Kit; HP Utility (Mac), HP JetAdvantage Security Ma			
Printer smart software features			w, automatic two-sided printing, print multiple pages per sh eral Office/Professional/Presentation/Maximum dpi print m			
			: HP and third party extensibility solutions; wireless (except			
Scan type/technology		Type: Flatbed, ADF; Technolo	gy: Contact Image Sensor (CIS)			
ican speed		Duplex: Up to 26	ipm (mono & color)			
ican resolution			00 dpi; Optical: Up to 1200 dpi			
can file format	Scan File Type supported by Software: Bitmap (.bmp), IPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TiFF (.tif)					
ican input modes	Front panel applications: Copy, Scan to E-mail with LDAP e-mail address lookup, Scan to Network Folder, Scan to USB, Scan to Sharepoint, Scan to Computer with SW. Client applications: EWS, HP Scan App, Compatible with USB. Castrian and Bowlet.					
can ciza mavimum	with HP Capture and Route Flatbed, ADF: 8.5 x 14 in					
can size maximum						
wain version it depth/Grayscale levels	Version 1.9 Bit Depth: 24-bit (color); 8-bit (gray); Grayscale: 256					
it depth/Grayscale levels igital sending standard features	Scan-to E-mail with LOAD omail address lookup: Sca	· · · · · · · · · · · · · · · · · · ·	3-bit (gray); Grayscale: 256 ; Scan-to Computer with SW; Fax Archive-to Network Folder	Fay Archive to E-mail: Fay to Computer: Fooble/		
igitat seriuriy stallualu leatules	Scan-to E-mait with EDMP emait address (OOKUP); SCA		; Scan-to computer with SW; Fax Archive-to Network Folder ess Control; Native Authorization & authentication	, rax micrive to E-mail, rax-to computer, Endote/		
Copy speed ³	Maximum, letter: up to 55 cpm black and color; Lase		Maximum, letter: up to 70 cpm black and color; La	ser comparable: Up to 50 cpm black and color		
opy resolution		Black (text and graphics): Up to 600 dpi;	Color (text and graphics): Up to 600 dpi			
lax. no. of copies			99 copies			
opier resize		25 t	0 400%			
opier settings	ID Copy; Resize; Quality; Lighter/Darker; Two-sided copy		eview with Crop and rezise; Enhancements; Enable/Disable of	opy; Enable/Disable copy color; Color Access Control;		
	+		enticatrion; Set as New Defaults			
ax speed			per page			
ax resolution			ayscale: 203 x 196 dpi (8-bit grayscale); Color (fine): 200 x 2			
ax features			etection supported: Yes; Fax forwarding supported: Yes; Jun C interface supported: Yes, HP Software support provided	k barrier supported: Yes, requires Caller ID;		
ax smart software features			Macintosh, visit hp.com/support to download the latest soft	ware		
tandard connectivity			J-11 modem port/phone line; 802.11 b/g/n Station, 802.11			
etwork capabilities	Standard (built-in Ethernet)	32.0 Device, 1 Ethernet 10/100 base-17 network, 2 K.	Standard (built-in Ethernet and WiFi 802.11b/g/n)	b/g Access Foline (except 47 / diffilodet)		
/ireless capability	No		Yes			
Memory speed	110	1	28 MB			
Outy cycle (monthly)4	Up to 50,000 pages; Recommended month		Up to 80,000 pages; Recommended mon	thly page volume:5 1000 to 6000 pages		
Paper handling	op to object pages it to be in the interest in	y page votamen	ap to object pages indeptining	nny page votanie		
Input		500-sheet input tray, 50-sheet multi-purpose tray; to	vo 500-sheet accessory input trays (only for 577z model)			
Output			e-down output bin			
Media type	Plain paper (light, intermediate, mid-weight, heavy, e	extra heavy, prepunched, recycled, bond, other inkjet p	lain paper), photo (glossy, gloss, soft gloss, satin, matte, oth	ner inkjet photo), envelopes, labels, cards, specialty		
			hure, Hagaki, greeting cards, other inkjet specialty paper)			
Media weight			lb (card); Tray 2: 16 to 32 lb (plain paper); 33 to 66 lb (photo			
Media sizes custom	110	• • • • • • • • • • • • • • • • • • • •	33 to 66 lb (photo); 32 to 48 lb (brochure); 90 to 110 lb (car 3.5 x 11.7 in; Optional Tray 3: 4.0 x 8.3 in to 8.5 x 14 in	u)		
Dimensions (W x D x H)	20.9 x 16.0 x 18.4 in Max:	·	20.9 x 16.0 x 18.4 in Max: 31.6 x 27.3 x 18.4 in (with	20.9 x 16.0 x 43.4 in Max: 31.6 x 27.3 x 43.4 in		
AITIEI ISIOI IS (W X D X II)	20.9 x 16.0 x 16.4 III Mdx. :	31.0 X 27.3 X 10.4 III	MP tray down w/extenion out, main tray extended.	(with MP tray down, main tray extended, output		
			output tray extension in legal position)	tray extension in legal position, Max		
			output tray extension in tegat position)	tray extension in legal position, Max width=Printer, Max depth=rear base to		
Voight		20-7-7		width=Printer, Max depth=rear base to		
-	IID Dagoklido Dro Multifuration District IID 0724 C		with duplexer	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in)		
-	HP PageWide Pro Multifunction Printer; HP 972A Setup Setup (Van PageWide Cartridge: HP 972A Setup Mag	Black PageWide Cartridge (~3000 pages); HP 972A	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup B	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu		
-	Setup Čyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide;	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord;	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu ride Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMS (for software, Windows an		
Vhat's in the box ⁶	Setup Cyan PageWide Cartridge; HP 972A Setup Mag	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide).	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup B Cyan PageWide Cartridge; HP 972A Setup Magenta PageW (CMY composite ~2000 pages); pwer cord; phone cord; Mac printer drivers.	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu ride Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMS (for software, Windows an		
Vhat's in the box ⁶ Varranty features	Setup Ćyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Ma	Black PageWide Cartridge (+3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu Jide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide).		
What's in the box ⁶ Warranty features Compatible operating systems	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Ma Window	Black PageWide Cartridge (+3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, cone-year technical phone support, chat, and e-mail tan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hpi	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu /ide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide).		
What's in the box ⁶ Warranty features Compatible operating systems Compatible network operating	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY Composite ~1500 pages); power CO-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac 05 X V10.1111	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r.cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, cone-year technical phone support, chat, and e-mail an, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Editio	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu ride Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standard		
What's in the box ⁶ Warranty features Compatible operating systems Compatible network operating	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows S	Black PageWide Cartridge (+3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support vs 10, Windows 8, Windows 7, Mac OS Xv10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 2	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Edition, 2bit 86-6)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu jide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standarc -bit), Windows Small Business Server 2008 (64-bit),		
What's in the box ⁶ Warranty features Compatible operating systems Compatible network operating	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Ma Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows S Windows 2008 Server Re (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.19 Maverick imall Business Server 2003 (32bit & 64-bit), Windows is Edition, 64-bit), Windows Small Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Window	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; cone-year technical phone support, chat, and e-mail an, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition) Windows Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu jide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standard -bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Servicer ver 4.0/4.5, Windows Server 2008 Terminal Services,		
What's in the box ⁶ Warranty features Compatible operating systems Compatible network operating	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.11 I Edition, Enterprise Edition, 32bit & 64-bit), Windows S Windows 2008 Server R2 (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Citrix &	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support vs 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Naverick install Business Server 2003 (32bit & 64-bit), Windows Edition, 64-bit), Windows Small Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Window App, Citrix (Print): Xen Server 5, 6, Ken Desktop 5.5, (if	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (fMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition, 32bit &6 Windows Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser fix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) tack PageWide Cartridge (-3500 pages); HP 972A Setu (de Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar-bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server 4.0/4.5, Windows Server 2008 Terminal Services (Parminal Services).		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMV Composite + 1500 pages); power CD-ROMs (for software, Windows and Me Windows Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows S Windows 2008 Server RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Citrix Xe Linux For more information, see high!	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 5, Mindows 1, Cord Capitan, OS X v10.9 With Peature Release 3, Window App, Clitrk (Print): Xen Server 5.6, Xen Desktop 5.5, Cilp.neb, SAP (For more information, see http://www.hp.c.	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpl s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows Server (2012, Windows Cluster (Windows Server S Server 2003 Terminal Services with Citrix Presentation Ser trix XenApp 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0/ om/go/Sap/drivers). UNIX (For more information, see http:)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMS (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standard Services), Windows Small Business Server 2008 (64-bit), Windows Servide Windows Servide Windows Servides), Windows Servides (Windows Servides), Windows Servides), Windows Servides, Windows Servides, Windows Servides, Windows Servides, Servides, Windows Servides, Servides, Windows		
What's in the box ⁴ Varranty features Compatible operating systems Compatible network operating systems	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Max Mindows 10, Windows 10, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows Sower Servier Ref (Standard Edition, Enterprise 2008 R2), Windows 2008 Server Ref (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Citrix Xe Linux (For more information, see hplip PC Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r. cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support so 10, Windows 8, Windows 7, Mac OS X v10.11 EL Capi EL Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick imall Business Server 2003 (32bit & 64-bit), Windows is feltition, 64-bit), Windows Small Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Window nApp, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit pnet), SAP (For more information, see http://www.hp.c. le hard disk space, CD-ROM/DVD drive or internet connex	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, Sone-year technical phone support, Chat, and e-mail an, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition 2018 Server 2012, Windows Cluster (Windows Server 2 S Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0 non/go/Sap/drivers), UNIX (For more information, see http:// tion, USB port, Internet Explorer. Windows Vista* (32-bit only	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu ride Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar -bit), Windows Small Business Server 2008 (64-bit), 08 R2), Windows Terminal Services (Windows Serve ver 4.0/4.5, Windows Server 2008 Terminal Services, pen Enterprise Server 6.5 (Novelli Print support only), (www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.11 L Edition, Enterprise Edition, 32bit & 64-bit), Windows SWindows 2008 Server R2 (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Clitrix Ker Linux (For more information, see hplig PC Windows 10, 18, 18, 17, 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32bit & 64-bit), Windows 5, Mall Business Server 2011, h Citrix, Metaframe XP with Feature Release 3, Window App., Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cip.net), SAP (For more information, see http://www.hp.c. leh ard disk space, CD-ROM/DVD drive or Internet come? XP SP3 or higher (32-bit only): any Intel® Pentium® II, C	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpl s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows Server (2012, Windows Cluster (Windows Server S Server 2003 Terminal Services with Citrix Presentation Ser trix XenApp 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0/ om/go/Sap/drivers). UNIX (For more information, see http:)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu dide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standarr, bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, pen Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unismodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or laternet connecti		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (MY Composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X V10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows S Windows 2008 Sever RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Utrix Xet Linux (For more information, see high Linux (For more information, see high Linux (For more information, see high Linux (For more information, see Server 10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 5, Mall Business Server 2011, b Citrix Metaframe XP with Feature Release 3, Window App, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit p.neb, SAP (For more information, see http://www.hpx. leh hard disk Space, CD-ROM/DVD drive or Internet connex VXP SP 30 r higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8, Mac Apple® OS X v10.11 El Capitan, OS	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Edition, 2008 Server (Standard Edition, Enterprise Edition, 32bit & 64 Windows Server 2012, Windows Cluster (Windows Server 2 S Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http:/ ction, USB port, Internet Explorer. Windows Vista® (32-bit only electrom® or 233 MHz compatible processor, 550 MB available t	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standare, -bit), Windows Small Business Server 2008 (64-bit), 08 R2), Windows Terminal Services (Windows Server ever 4.0/4, S, Windows Server 2008 Terminal Services, oen Enterprise Server 6.5 (Novell iPrint support only), /www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or land disk space, CD-ROM/DVD drive or Internet connection quired; USB		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Warranty features Warranty features Warranty features Warranty features Warranty features Warranty features	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (MY Composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X V10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows S Windows 2008 Sever RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Utrix Xet Linux (For more information, see high Linux (For more information, see high Linux (For more information, see high Linux (For more information, see Server 10, 10, 10, 10, 10, 10, 10, 10, 10, 10,	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 5, Edition, 64-bit), Windows 5 mall Business Server 2011, h Citrix Metaframe XP with Feature Release 3, WindownApp, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit pnet), SAP (For more information, see http://www.hpx.ble hard disk space, CD-ROM/DVD drive or Internet conner % XP SP3 or higher (32-bit only): any Intel® Pentium® It, Capitan, OS (15 to 30° C); Non-operating humidity range: 5 to 90% if	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; ; one-year technical phone support, chat, and e-mail tan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition, 32bit & 64 Windows Server 2012, Windows Cluster (Windows Server 5 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0) om/go/Sap/drivers), UNIX 'For more information, see http:/ tion, USB port, Internet Explorer. Windows Vista* (32-bit only eleron® or 233 MHz compatible processor, 850 MB available I X v10.10 Yosemite, OS X v10.9 Mavericks; 1 GB HD; Internet	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standare, -bit), Windows Small Business Server 2008 (64-bit), 08 R2), Windows Terminal Services (Windows Server ever 4.0/4, S, Windows Server 2008 Terminal Services, oen Enterprise Server 6.5 (Novell iPrint support only), /www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or land disk space, CD-ROM/DVD drive or Internet connection quired; USB		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements Environmental ranges Energy efficiency compliance	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMV composite ~1500 pages); power CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac 05 X V10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows 5 Windows 2008 Sever RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Windows Server 2008 Terminal Services with Unidows Server 2008 Terminal Services with Unidows Server 10, 81, 8, 7:32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows USB port, Internet Recommended operating temperature: 59 to 86° Fi	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 EI Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32bit & 64-bit), Windows Small Business Server 2011, 6 Citrix Metaframe XP with Feature Release 3, Window App, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit p.nep.), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit p.nep.), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit p.nep.), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit p.nep.), SAP (For more information): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 EI Capitan, OS (15 to 30° Q; Non-operating humidity range: 5 to 90% Acoustic power	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 0S X v10.9 Mavericks, Linux (hpl s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition) 5 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0) com/go/sap/drivers), UNIX (For more information, see http:// ction, USB port, Internet Explorer. Windows Vista* (32-bit only electron* or 233 MHz compatible processor, SSo MB available to Xv10.10 Yosemite, 0S X v10.9 Mavericks; 1 GB HD; Internet re XH; Operating hurnidity range: 20 to 80% RH; Storage Temper TAR* qualified emissions* 7 6.9 B(A)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+2Sin) lack PageWide Cartridge (~3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standarc -bit), Windows Small Business Server 2008 (64-bit), 08 R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, pen Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, (D-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or Internet connectic squired; USB rature Range: -40 to 60° C (-40 to 140° F);		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements Environmental ranges Chergy efficiency compliance kooustic	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Max Mindows 10, Windows 8, Windows 7, Mac OS X V10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows 2008 Server R2 (Standard Edition, Enterprise 2008 Server R2 (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Unit of Composition of Composition (Composition of Composition of	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 5, Edition, 64-bit), Windows 5, Edition, 64-bit), Windows 5, Edition, 64-bit), Windows 5 mall Business Server 2011, h Citrix Metaframe XP with Feature Release 3, WindownApp, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cit Desktop 5	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows Server 2012, Windows Cluster (Windows Server 5 Server 2013 Terminal Services with Citrix Presentation Ser rix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0; om/go/Sap/drivers), UNIX (For more information, see http:/ tion, USB port, Internet Explorer. Windows Vista*; (32-bit only eleron* or 233 MHz compatible processor, 850 MB available f Xv10.10 Yosemite, 05 X v10.9 Mavericks; 1 GB HD; Internet: RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR* qualified emissions? 6.9 B(A) (A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu //de Cartridge, HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standard -bit), Windows Small Business Server 2008 (64-bit), Osb R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, ene Enterprise Server 6.5 (Novell iPrint support only), //www.hp.com/go/unismodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or Internet connectic quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle)		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Winimum system requirements Environmental ranges Charge efficiency compliance Accustic	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Mk. Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows SWindows 2008 Server Rer (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Ferminal Services with Windows Server 2008 Terminal Services with Windows Server 2008 Terminal Services with Unitor Kirk Xet Linux (For more information, see hplip PC Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8, Windows USB port, Internet Recommended operating temperature: 59 to 86° Fit Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power S	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge, HP 972A Setup Yellow roord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 EL Capit EL Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32bit & 64-bit), Windows Edition, 64-bit), Windows Small Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Window App, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cilp.net), SAP (For more information, see http://www.hpc. let hard disk space, CD-ROM/DVD drive or Internet conner XP SP3 or higher (32-bit only): any Intel® Pentium® IL, cernet Explorer 8; Mac Apple® OS X v10.11 EL Capitan, OS (15 to 30® C); Non-operating hundity range: 5 to 90% ENERGY S Acoustic power to 10, 10 of 10 of 10 of 20 o	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; One-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition, SUB Server (Standard Edition, Enterprise Edition, 32bit &6. Windows Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http:// cition, USB port, Internet Explorer. Windows Vista®: (32-bit only eleron® or 233 MHz compatible processor, 550 MB available If Xv10.10 Yosemite, 05 Xv10.9 Mavericks; 1 GB HD; Internet tr RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.5 B(A) (A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB 0 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Power onsumption®	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu fulde Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMS (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, been Enterprise Server 6.5 (Novelli Print support only), (www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connectif quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle)		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements Environmental ranges Conserve of the compliance Coustic	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Mk. Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows SWindows 2008 Server Rer (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Ferminal Services with Windows Server 2008 Terminal Services with Windows Server 2008 Terminal Services with Unitor Kirk Xet Linux (For more information, see hplip PC Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8, Windows USB port, Internet Recommended operating temperature: 59 to 86° Fit Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power S	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r. cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32bit & 64-bit), Windows 5, Mar Blusiness Server 2003 (32bit & 64-bit), Windows 5, Mar Blusiness Server 2011, b (Citrix Metaframe XP with Feature Release 3, Window App., Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p.net), SAP (For more information, see http://www.hp.cite/brint): Xen Server 5, 6, Xen Desktop 5.5, Cit p.net), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p.net), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p.net), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p.net), SAP (For more information, see http://www.hp.citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Citrix (Print): Xen Server 5, 6, Xen Desktop 5, Citrix (Print): Xen Server 6, Citrix (Print): Xen Server 6, Xen Desktop 5, Citrix (Print): Xen Server 6, Citrix (Print): Xen Server 6, Citrix (Print): Xen Server 6, Citrix (Print): Xen Ser	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Carridge; HP 972A Setup Magenta PageW (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, ; one-year technical phone support, chat, and e-mail tan, 0S X v10.9 Mavericks, Linux (hpl s, Windows 2003 Server (Standard Edition, Enterprise Editio 2008 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition) 5 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0) com/go/sap/drivers), UNIX (For more information, see http:// ction, USB port, Internet Explorer. Windows Vista*; 32-bit only eleron* or 233 MHz compatible processor, 850 MB available to Xv10.10 Yosemite, 0S X v10.9 Mavericks; 1 GB HD; Internet re XH. Operating humidity range; 20 to 80% RH; Storage Tempe TAR® qualified emissions* 6.9 B(A) (A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB(VAC (+/-10%), 50/60 Hz (+/-3 Hz); Power onsumpton* sumpton (TEC) number; 0.833 kWh/Week (477dn, 477dv);	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu fulde Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, been Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connectinguired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 10		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements Environmental ranges Energy efficiency compliance kooustic	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Mk. Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows SWindows 2008 Server Rer (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Ferminal Services with Windows Server 2008 Terminal Services with Windows Server 2008 Terminal Services with Unitor Kirk Xet Linux (For more information, see hplip PC Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8, Windows USB port, Internet Recommended operating temperature: 59 to 86° Fit Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power S	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.0 Yosemite, OS X v10.9 Maverick small Business Server 2003 (32bit & 64-bit), Windows 5, Edition, 64-bit), Windows 5, Windows 1, Windows 5, Windows 1, Windo	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; cone-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition, 32bit & 64 Windows Server 2012, Windows Cluster (Windows Server 5 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0/ com/go/sap/drivers), UNIX 'For more information, see http:/ ction, USB port, Internet Explorer. Windows Vista*; 132-bit only eleron® or 233 MHz compatible processor, 850 MB available I X V10.10 Yosemite, 05 X v10.9 Mavericks; 1 GB HD; Internet: RH: Operating humidity range: 20 to 80% RH; Storage Temper TAR® qualified emissions? 6.9 B(A) (A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB(A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 87 dB(A) (ADF color copying)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standars- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Serve ver 4.0/4.5, Windows Server 2008 Terminal Services, psen Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unixmodelscripts) , 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connecti quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle)		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance Acoustic Power Display Software included	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Mk. Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows Sowindows 2008 Server Ref (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Formial Services with Windows Server 2008 Terminal Services with Windows Server 2008 Terminal Services with Utrix Xe Linux (For more information, see hplip PC Windows 9 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows Windows Properties of the Recommended operating temperature: 59 to 86° Fit Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power S watts (Ready), 4.8 watts	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge, HP 972A Setup Yellow roord; phone Cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 EL Capit EL Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick Guall Business Server 2003 (32bit & 64-bit), Windows 2 Edition, 64-bit), Windows Small Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5.6, Xen Desktop 5.5, Cip. pnet), 5AP (For more information, see http://www.hpc. lehard disk space, CD-ROM/DVD drive or Internet conners XP SP3 or higher (32-bit only): any Intel® Pentium® IL, Cernet Explorer 8: Mac Apple® OS X v10.11 EL Capitan, OS (15 to 30° C). Non-operating humidity range: 5 to 90% (15 to 30° C): Non-operating humidity range: 5 to 90% (25 to 90%). Sevent Space (25 to 90%) (26 to 90%) (27 to 90%	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition, 32bit & 6- Windows Server 2012, Windows Cluster (Windows Server 2 S Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0) com/go/sap/drivers), UNIX (For more information, see http:// citon, USB port, Internet Explorer. Windows Vista®: (32-bit only eleror® or 233 MHz compatible processor, 585 MB available I X v10.10 Yosemite, 05 X v10.9 Mavericks, 1 GB HD; Internet tr 84* Operating hundlity range; 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (ADC Color copying), 45 dB(A) (ADF color scanning), 45 dB) (OVAC (-1-10%), 50/60 Hz (+/- 3 Hz); Power onsumption.® sumption (TEC) number: 0.839 kWh/Week (477dn, 477dw); spibics), IR touchscreen	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); IP 972A Setr ide Cartridge; HP 972A Setr installation guide; CD-ROMS (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standa- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server ever 4.0/45, Windows Server 2008 Terminal Services her Enterprise Server 6.5 (Novel Irbrit support only, Neww.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connect quired; USB rature Range: -40 to 60°C (-40 to 140°F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 1 1.09 kWh/Week (577z)		
Weight What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance Accustic Power Display Software included Security management	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Machine Composite ~1500 pages); power CD-ROMs (for software, Windows and Machine Composite Composi	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r. cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capit El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick imall Business Server 2003 (32bit & 64-bit), Windows 5, Mat Business Server 2003 (32bit & 64-bit), Windows 5, Mat Business Server 2011, h Citrix Metaframe XP with Feature Release 3, Window App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cip. p.et), SAP (For more information, see http://www.hp.cike.hard disk space, CD-ROM/DVD drive or Internet come? XP SP3 or inferior (32-bit on)): any Intel® Periot Come (15 to 30° C); Non-operating hundity range; 5 to 90% (15 to 30° C); Non-operating hundity range; 5 to 90% (15 to 30° C); Non-operating hundity range; 5 to 90% (15 to 30° C); Ward Apple® OS X v10.11 El Capitan, OS (15 to 3	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; cone-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition 2008 Server (Standard Edition, Enterprise Edition, 32bit & 64 Windows Server 2012, Windows Cluster (Windows Server 5 Server 2003 Terminal Services with Citrix Presentation Ser trix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/0/ com/go/sap/drivers), UNIX 'For more information, see http:/ ction, USB port, Internet Explorer. Windows Vista*; 132-bit only eleron® or 233 MHz compatible processor, 850 MB available I X V10.10 Yosemite, 05 X v10.9 Mavericks; 1 GB HD; Internet: RH: Operating humidity range: 20 to 80% RH; Storage Temper TAR® qualified emissions? 6.9 B(A) (A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB(A) (ADF color copying), 45 dB(A) (ADF color scanning), 45 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 85 dB(A) (ADF color scanning), 47 dB(A) (ADF color copying), 87 dB(A) (ADF color copying)	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setti dide Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows ar and User's Guide). ip.net) n, 32bit & 6d-bit), Windows 2003 Server R2 (Standar L-bit), Windows Small Business Server 2008 (6d-bit), Obs R2), Windows Terminal Services (Windows Serve ver 4.0/4.5, Windows Server 2008 Terminal Services, pen Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unixmodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connecti squired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 10 1.09 kWh/Week (577z)		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems Winimum system requirements Environmental ranges Energy efficiency compliance Acoustic Dower Display Software included	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (MV composite + 1500 pages); power CD-ROMs (for software, Windows and Me CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows 5 Windows 2008 Server RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Citrix & West Composition (For Services) with Citrix & Windows 2008 Terminal Services with Citrix & For more information, see high PC Windows* 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows USB port, Internet (Built-in) Universal Power 5 watts (Ready), 4.8 watts **Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power Supply type: Internal (Built-in) U	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32blt 8 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, b Citrix, Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p. net), 5AP (For more information, see http://www.hp.c. lich hard disk space, CD-ROM/DVD drive or Internet Condew XP SP3 or higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 El Capitan, OS (15 to 30° C): Non-operating humidity range: 5 to 90% ENERGY 5 Acoustic power tomo/color printing), 54 dB(A) (ADF mono copying), 54 dE upply; Power supply required: Input voltage: 100 to 24 (Sleep), 0.2 watts (Manual-Off); Typical electricity com (Sep), 10,2 watts (Manual-Off); Typical electricity com (SEP), 11,5, LEAP, and PEAP); Pre-Shared Unused protocol and service disablement; Yesylange 10 authentication (Cap)—TLS, LEAP, and PEAP); Pre-Shared (Subelment); Syslags; Sign	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition, 208 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser irix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http://cion, USB port, Internet Explorer. Windows Vista® (32-bit only eleron® or 233 MHz compatible processor, 850 MB available! Xv10.10 Yosemite, 05 Xv10.9 Mavericks; 1 GB HD; Internet re RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (A)DF color copying), 45 dB(A) (ADF color cosumption% publics), IR touchscreen .0.839 kWh/Week (477dn, 477dw); aphics), IR four .0.840 kWheel .0.840 kWh0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages): IP 972A Sety ide Cartridge; PP 972A Sety installation guide; CD-ROMS (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standa- bit), Windows Small Business Server 2008 (64-bit), 1008 R2), Windows Server 2008 Terminal Services wer 4.0/45, Windows Server 2008 Terminal Services her Enterprise Server 6.5 (Novell Pirnt support only, 1008 (1975), Windows Server 2008 Terminal Services wer 4.0/45, Windows Server 2008 Terminal Services ard disk space, CD-ROM/DVD drive or later terminal Services ard disk space, CD-ROM/DVD drive or Internet connect quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 1 1.09 kWh/Week (577z) Over TLS; WPA2-Enterprise wired; 802.1x wireless unfiguration; Control panel lock; Password protect EV ad authorization access control, native color access		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems Compatible network oper	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (CMY composite ~1500 pages); power CD-ROMs (for software, Windows and Mk. Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows Sow Windows 2008 Server Re (Standard Edition, Enterprise 2008 Rever Re (Standard Edition, Enterprise 2008 Ferver Re (Standard Edition, Enterprise 2008 Ferver Re (Terminal Services with Urinx Xet Linux (For more information, see hip). PC Windows® 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows Windows Prover Standard St	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32blt 8 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, b Citrix, Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p. net), 5AP (For more information, see http://www.hp.c. lich hard disk space, CD-ROM/DVD drive or Internet Condew XP SP3 or higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 El Capitan, OS (15 to 30° C): Non-operating humidity range: 5 to 90% ENERGY 5 Acoustic power tomo/color printing), 54 dB(A) (ADF mono copying), 54 dE upply; Power supply required: Input voltage: 100 to 24 (Sleep), 0.2 watts (Manual-Off); Typical electricity com (Sep), 10,2 watts (Manual-Off); Typical electricity com (SEP), 11,5, LEAP, and PEAP); Pre-Shared Unused protocol and service disablement; Yesylange 10 authentication (Cap)—TLS, LEAP, and PEAP); Pre-Shared (Subelment); Syslags; Sign	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup E Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers, one-year technical phone support, chat, and e-mail tan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, Linux (hp) s, Windows 2003 Server (Standard Edition, Enterprise Edition 008 Server (Standard Edition, Enterprise Edition, Salti & 64 Windows 2003 Terminal Services with Citrix Presentation Ser virs XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6/6.5/07 om/go/sap/drivers), UNIX (For more information, see http:// tion, USB port, Internet Explorer. Windows Vistes; (32-bit on) eleron® or 233 MHz compatible processor, 850 MB available fx Xv10.10 Yosemite, OS Xv10.9 Mavericks; 1 GB HD; Internet ref XH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (MOF color copying), 45 dB(A) (ADF color scanning), 45 dBI 0 VAC (+1-10%), 50/60 Hz (+/-3 Hz); Power onsumption? sumption (TEC) number: 0.839 kWh/Week (477dn, 477dw); sphics,) IR tourbscreen staller and PS driver; HP Participation Study; IRIS OCR	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages): IP 972A Sety ide Cartridge; PP 972A Sety installation guide; CD-ROMS (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standa- bit), Windows Small Business Server 2008 (64-bit), 1008 R2), Windows Server 2008 Terminal Services wer 4.0/45, Windows Server 2008 Terminal Services her Enterprise Server 6.5 (Novell Pirnt support only, 1008 (1975), Windows Server 2008 Terminal Services wer 4.0/45, Windows Server 2008 Terminal Services ard disk space, CD-ROM/DVD drive or later terminal Services ard disk space, CD-ROM/DVD drive or Internet connect quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 1 1.09 kWh/Week (577z) Over TLS; WPA2-Enterprise wired; 802.1x wireless unfiguration; Control panel lock; Password protect EV ad authorization access control, native color access		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems Compatible network oper	Setup Cyan PageWide Cartridge; HP 972A Setup Mag PageWide Cartridge (MV composite + 1500 pages); power CD-ROMs (for software, Windows and Me CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows 5 Windows 2008 Server RC (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Citrix & West Composition (For Services) with Citrix & Windows 2008 Terminal Services with Citrix & For more information, see high PC Windows* 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows USB port, Internet (Built-in) Universal Power 5 watts (Ready), 4.8 watts **Acoustic pressure emissions: 56 dB(A) (m Power supply type: Internal (Built-in) Universal Power Supply type: Internal (Built-in) U	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32blt 8 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, b Citrix, Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p. net), 5AP (For more information, see http://www.hp.c. lich hard disk space, CD-ROM/DVD drive or Internet Condew XP SP3 or higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 El Capitan, OS (15 to 30° C): Non-operating humidity range: 5 to 90% ENERGY 5 Acoustic power tomo/color printing), 54 dB(A) (ADF mono copying), 54 dE upply; Power supply required: Input voltage: 100 to 24 (Sleep), 0.2 watts (Manual-Off); Typical electricity com (Sep), 10,2 watts (Manual-Off); Typical electricity com (SEP), 11,5, LEAP, and PEAP); Pre-Shared Unused protocol and service disablement; Yesylange 10 authentication (Cap)—TLS, LEAP, and PEAP); Pre-Shared (Subelment); Syslags; Sign	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition, 208 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser irix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http://cion, USB port, Internet Explorer. Windows Vista® (32-bit only eleron® or 233 MHz compatible processor, 850 MB available! Xv10.10 Yosemite, 05 Xv10.9 Mavericks; 1 GB HD; Internet re RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (A)DF color copying), 45 dB(A) (ADF color cosumption% publics), IR touchscreen .0.839 kWh/Week (477dn, 477dw); aphics), IR four .0.840 kWheel .0.840 kWh0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (~3500 pages); HP 972A Setu fide Cartridge; HP 972A Setup Yellow PageWide Cartridge installation guide; CD-ROMs (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Server 2008 Terminal Services (Windows Server 2008 Terminal Services (Windows Serve ver 4.0/4.5, Windows Server 2008 Terminal Services pen Enterprise Server 6.5 (Novell Print support only), (www.bp.com/go/unixmodelscripts) , 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or Internet connecti quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 11 1.09 kWh/Week (5772)		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems Compatible network oper	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge (MY composite + 1500 pages); power CD-ROMs (for software, Windows and Me CD-ROMs (for software, Windows and Me CD-ROMs (for software, Windows and Me Windows 10, Windows 8, Windows 7, Mac OS X v10.111 Edition, Enterprise Edition, 32bit & 64-bit), Windows 2008 Server (Standard Edition, Enterprise 2008 R2), Windows 2003 Server Terminal Services with Windows Server 2008 Terminal Services with Clirux Windows Server 2008 Terminal Services with Clirux Windows Server 2008 Terminal Services with Clirux Por Windows Pool, 81, 8, 7: 32-bit or 64-bit, 2 GB availab Internet connection, USB port, Internet Explorer 8. Windows USB port, Internet Explorer 8. Windows Pool (SE) P	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32blt 8 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, b Citrix, Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p. net), 5AP (For more information, see http://www.hp.c. lich hard disk space, CD-ROM/DVD drive or Internet Condew XP SP3 or higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 El Capitan, OS (15 to 30° C): Non-operating humidity range: 5 to 90% ENERGY 5 Acoustic power tomo/color printing), 54 dB(A) (ADF mono copying), 54 dE upply; Power supply required: Input voltage: 100 to 24 (Sleep), 0.2 watts (Manual-Off); Typical electricity com (Sep), 10,2 watts (Manual-Off); Typical electricity com (SEP), 11,5, LEAP, and PEAP); Pre-Shared Unused protocol and service disablement; Yesylange 10 authentication (Cap)—TLS, LEAP, and PEAP); Pre-Shared (Subelment); Syslags; Sign	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition, 208 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser irix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http://cion, USB port, Internet Explorer. Windows Vista® (32-bit only eleron® or 233 MHz compatible processor, 850 MB available! Xv10.10 Yosemite, 05 Xv10.9 Mavericks; 1 GB HD; Internet re RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (A)DF color copying), 45 dB(A) (ADF color cosumption% publics), IR touchscreen .0.839 kWh/Week (477dn, 477dw); aphics), IR four .0.840 kWheel .0.840 kWh0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu fulde Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows ar and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Serve ver 4.0/4.5, Windows Server 2008 Terminal Services, ben Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unismodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or Internet connecti quired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 10 1.09 kWh/Week (5772) I over TLS; WPA2-Enterprise wired; 802.1x wireless and authorization access control, native color access M authorization access control, native color access		
What's in the box ⁴ Warranty features Compatible operating systems Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems In immum system requirements Compatible network operating systems Compatible network oper	Setup Cyan PageWide Cartridge: HP 972A Setup Mag PageWide Cartridge; CNC composite ~1500 pages); power CD-ROMs (for software, Windows and Machine Composite ~1500 pages); power CD-ROMs (for software, Windows and Machine Composite ~1500 pages); power String Composite	Black PageWide Cartridge (~3000 pages); HP 972A enta PageWide Cartridge; HP 972A Setup Yellow r cord; phone Cord; installation guide; ac printer drivers, and User's Guide). One-year, on-site warranty, service and support ws 10, Windows 8, Windows 7, Mac OS X v10.11 El Capi El Capitan, OS X v10.10 Yosemite, OS X v10.9 Maverick mall Business Server 2003 (32blt 8 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, a Cittion, 64-bit), Windows 5 mall Business Server 2011, b Citrix, Metaframe XP with Feature Release 3, Windows App, Citrix (Print): Xen Server 5, 6, Xen Desktop 5.5, Cit p. net), 5AP (For more information, see http://www.hp.c. lich hard disk space, CD-ROM/DVD drive or Internet Condew XP SP3 or higher (32-bit only): any Intel® Pentium® II, Cernet Explorer 8; Mac Apple® OS X v10.11 El Capitan, OS (15 to 30° C): Non-operating humidity range: 5 to 90% ENERGY 5 Acoustic power tomo/color printing), 54 dB(A) (ADF mono copying), 54 dE upply; Power supply required: Input voltage: 100 to 24 (Sleep), 0.2 watts (Manual-Off); Typical electricity com (Sep), 10,2 watts (Manual-Off); Typical electricity com (SEP), 11,5, LEAP, and PEAP); Pre-Shared Unused protocol and service disablement; Yesylange 10 authentication (Cap)—TLS, LEAP, and PEAP); Pre-Shared (Subelment); Syslags; Sign	with duplexer HP PageWide Pro Multifunction Printer; HP 972A Setup Cyan PageWide Cartridge; HP 972A Setup Magenta PageV (CMY composite ~2000 pages); power cord; phone cord; Mac printer drivers; one-year technical phone support, chat, and e-mail tan, 05 X v10.10 Yosemite, 05 X v10.9 Mavericks, Linux (hpi s, Windows 2003 Server (Standard Edition, Enterprise Edition, 208 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server (Standard Edition, Enterprise Edition, 32bit & 6 Windows 2003 Server 2012, Windows Cluster (Windows Server 2 Server 2003 Terminal Services with Citrix Presentation Ser irix XenApps 6.0, Citrix XenApp 6.5, Novell Netware 6(6.50) com/go/sap/drivers), UNIX (For more information, see http://cion, USB port, Internet Explorer. Windows Vista® (32-bit only eleron® or 233 MHz compatible processor, 850 MB available! Xv10.10 Yosemite, 05 Xv10.9 Mavericks; 1 GB HD; Internet re RH: Operating humidity range: 20 to 80% RH; Storage Tempe TAR® qualified emissions? 6.9 B(A) (A)DF color copying), 45 dB(A) (ADF color cosumption% publics), IR touchscreen .0.839 kWh/Week (477dn, 477dw); aphics), IR four .0.840 kWheel .0.840 kWh0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWheel .0.840 kWh/Weel .0.840 kWheel .0.840 kWh/Weel .	width=Printer, Max depth=rear base to extended input tray, Max height=Printer+25in) lack PageWide Cartridge (-3500 pages); HP 972A Setu fulde Cartridge; HP 972A Setup Yellow PageWide Cartrid installation guide; CD-ROMs (for software, Windows an and User's Guide). ip.net) n, 32bit & 64-bit), Windows 2003 Server R2 (Standar- bit), Windows Small Business Server 2008 (64-bit), 008 R2), Windows Terminal Services (Windows Server ver 4.0/4.5, Windows Server 2008 Terminal Services, ben Enterprise Server 6.5 (Novell Print support only), (www.hp.com/go/unismodelscripts)), 2 GB available hard disk space, CD-ROM/DVD drive or ard disk space, CD-ROM/DVD drive or internet connectinguired; USB rature Range: -40 to 60° C (-40 to 140° F); A) (ADF mono scanning), Inaudible (idle) 100 watts (Maximum), 70 watts average (Printing), 10 1.09 kWh/Week (5772) I over TLS; WPA2-Enterprise wired; 802.1x wireless and authorization access control, native color access M authorization access control, native color access		

¹With ink installed, no media in trays. ² Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption in Sleep modes depends on customer network switch capability, user configuration and network activity. ³ Speed specifications have been updated to reflect current industry testing methods. ⁴ Based on standard ITU-T test image #1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory. ⁵ 150 speeds measured using ISO/IEC 24734. Excludes first page or first spage or first see fig. 0 test pages. For details see https://px.com/go/printerclaims No heating or fusing warm up time required ¹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. ⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁹ All HP media listed as compatible with the printer in the HP DesignJet Printing Supplies Compatibility Guide, regardless of weight, may be used

To learn more, visit <u>hp.com</u>

© Copyright 2015-2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

