HP Officejet Pro 8610/8620 e-All-in-One



Professional color for up to 50% lower cost per page—and 50% lower energy—than lasers

Print eye-catching color marketing materials for up to 50% lower cost per page than lasers.¹ Cruise through high-volume printing tasks and help keep business moving with easy mobile printing³ and convenient NFC touch-to-print technology.²



HP Officejet Pro 8610 e-All-in-One



HP Officejet Pro 8620 e-All-in-One

Professional color for less than lasers¹

- Look professional with every page, using Original HP pigment inks for vibrant, durable prints.⁹
- Count on a better value for frequent printing with Original HP high-capacity individual ink cartridges.⁵
- Set the pace for success with fast printing speeds—up to 21 ppm black-and-white and 16.5 ppm color (only for OJ 8620).¹⁰
- Attract new customers with borderless, double-sided marketing materials that help your business stand out.

Print on your terms

- Print with just a touch from your NFC-enabled smartphone and tablet (only for OJ 8620).²
- Enable secure wireless printing from your mobile device—no router or access to local network required.⁴
- Easily print photos, documents, and more when you're on the go, using HP ePrint.³
- Share all your printer has to offer, office-wide, using 10/100 Ethernet connectivity—it's that simple.

Set a new pace for productivity

- Easily manage all your tasks and access apps⁷—just tap and swipe the 4.3-inch touchscreen (only for OJ 8620).
- Print two-sided pages fast—up to 10 pages per minute (ppm) black-and-white and 9 ppm color (only for OJ 8620).¹⁰
- Breeze through multipage documents with automatic two-sided scanning and the 50-page auto document feeder (only for OJ 8620).
- Depend on a printer with an up to 30,000-page monthly duty cycle—the perfect fit for reliable color printing.

Increased business efficiency

- Transform your workflow—quickly scan the documents you need at speeds up to 14 images per minute (only for OJ 8620).¹¹
- Scan-to-e-mail, network folders, and the cloud—LDAP directory lookup easily locates your email destination. $^{\rm 6}$
- Make copies more efficiently with CopySmart solutions, including printing a one-sided copy of a two-sided ID.
- Keep a close watch, even from afar—centrally monitor and control printers with HP Web Jetadmin.⁸

¹ Cost-per-page claim compares the majority of color laser MFPs <US\$500, August 2013; for details, see hp.com/officejet. Officejet Pro ISO yield with highest-capacity cartridges based on continuous printing; see hp.com/go/learnaboutsupplies² Mobile device must support near field communications-enabled printing. For more information, see hp.com/go/mbileprinting² Check your compatible device's official app store for download availability. Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be requires separately purchased service contract f-or mobile devices. Check with service provider for coverage and availability in your area. Learn more at hpconnected.com⁴ Mobile device must be connected directly to the Wifr network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer. ⁵ Compared with HP 950XL High Yield Black Original Ink Cartridge and HP 951XL High Yield Color Original Ink Cartridges. For more information, see hp.com/go/learnaboutsupplies. High-capacity cartridges not included; please purchase separately. Value compared with estimated street price of standard-capacity HP 950/951 ink cartridges. Actual pricing may vary. ⁴Requires a wireless access point and an Internet connection to the printer. Services require registration. Printable availability varies by country, language, and agreements. ⁷ Requires a wireless access point and an Internet connection to the printer. Services require registration. Printable availability varies by country, language, and agreements. and my require a firmware upgrade. Not all Printables can be set up for automatic delivery and not for all printer models. For details, visit hp.co

HP Officejet Pro 8610/8620 e-All-in-One

1

2

3

4

7

- 1 50-sheet ADF (8620 model)
- 2 Plate glass color scanner handles up to 216 x 297 mm (8.5 x 11-inch) paper
- 3 10.9 cm (4.3-inch) touchscreen color graphic display (8620 model)
- Easy access USB port to print from and save scans 4 to a flash drive
- 150-sheet output tray 5
- 6 250-sheet input tray
- 7 Automatic two-sided printing
- 8 600 MHz processor, 128 MB RAM
- 9 Integrated 802.11b/g/n wireless networking
- 10 RJ-11 fax modem ports (2)
- 11 Ethernet network port for easy sharing
- 12 Hi-Speed USB 2.0 printing port
- 13 Power connection

HP Officejet Pro 8620 e-All-in-One shown



Front view



Back view

Series at a glance





Model	HP Officejet Pro 8610 e-All-in-One	HP Officejet Pro 8620 e-All-in-One
Part number	A7F64A	A7F65A
Functions	Print, copy, scan, fax, web	Print, copy, scan, fax, web
Print speed (letter/A4) ¹	Up to 19 ppm black, up to 14.5 ppm color	Up to 21 ppm black, up to 16.5 ppm color
Control panel	6.75 cm (2.65-inch) color touchscreen	10.9 cm (4.3-inch) color touchscreen
Print input capacity	250	250
ADF input capacity	35	50
Mobile printing capability	HP ePrint, Apple AirPrint™, HP wireless direct printing	HP ePrint, Apple AirPrint™, HP wireless direct printing, NFC touch-to-print²
Other features	Not applicable	Legal size glass scanning bed

¹After first page; see hp.com/go/inkjetprinter for details. Print speed may vary depending on the type of output.² Touch-to-print capability is standard on the HP Officejet Pro 8620 e-All-in-One only. Mobile device must support near field communications-enabled printing. For more information, see hp.com/go/mobileprinting

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs.

HP Care Pack Services provide comprehensive suite of protection services designed to keep HP Hardware and software up and running so employees can stay productive.

Business Priority Next Day Exchange:

Support technician will arrange the shipment of a replacement printer to customer business site to arrive the next business day. Cost of shipping included in Care Pack.

Business Priority Next Day Onsite

Exchange: Support technician will arrange shipment of a replacement printer along with a visit from an HP Authorized Representative to install and exchange the device at customer business site.

For care pack availability visit: <u>hp.com/go/cpc</u>











Top Features

Showcase your business, and make a professional impression with high-quality color printing for up to 50% lower cost per page than lasers.¹

Print from your smartphone, tablet, and notebook across the office or on the go.³ It's simple and direct—even without a network—using wireless options or NFC touch-to-print technology.^{2,3,4} Use Ethernet for wired connectivity.

Handle more tasks without slowing down. Help enable business growth with an e-all-in-one you can count on to be easy to use for every task.

Make the most of your workday with smart features that help build office efficiency. Create quick scans and send them where they need to go—directly at your e-all-in-one.⁵ Centrally monitor and control printers from afar with HP Web Jetadmin.⁶

Supplies		
CN049AL	HP 950 Black Officejet Ink Cartridge (~1,000 pages)	
CN050AL	HP 951 Cyan Officejet Ink Cartridge (~700 pages)	
CN051AL	HP 951 Magenta Officejet Ink Cartridge (~700 pages)	
CN052AL	HP 951 Yellow Officejet Ink Cartridge (~700 pages)	
CN045AL	HP 950XL Black Officejet Ink Cartridge (~2,300 pages)	
CN046AL	HP 951XL Cyan Officejet Ink Cartridge (~1,500 pages)	
CN047AL	HP 951XL Magenta Officejet Ink Cartridge (~1,500 pages)	
CN048AL	HP 951XL Yellow Officejet Ink Cartridge (~1,500 pages)	
Services		
UZ346E	HP 2 year Service Plan w/Return to Depot Support for OJ Pro PHA	
UZ345E	HP 3 year Service Plan w/Return to Depot Support for OJ Pro PHA	
UZ347PE	HP 1 year Post Warranty Service Plan w/Return to Depot Support for OJ Pro PHA	
HC346PE	HP 1 year User Assistance Service for Printers	

¹ Cost-per-page claim compares the majority of color laser MFPs <US\$500, August 2013; for details, see <u>hp.com/officejet</u>. Officejet Pro ISO yield with highest-capacity cartridges based on continuous printing; see <u>hp.com/go/learnaboutsupplies</u>² Touch-to-print capability is standard on the HP Officejet Pro 8630 e-All-in-One only. Mobile device must support near field communications-enabled printing. For more information, see <u>hp.com/go/mobileprinting</u>³ Check your compatible device's official app store for download availability. Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at <u>hpconnected.com</u>⁴ Mobile device must be connected directly to the WFi network of a wireless a wireless performance is <u>dependent</u> on physical environment and distance from the access point in the printer. ⁵ Requires a wireless access point and an Internet connection to the printer. Services may require registration at <u>hpconnected.com</u>. Availability varies by country, language, and agreements. ⁶ HP Web Jetadmin is free and can be downloaded at <u>hp.com/go/webjetadmin</u>

HP Officejet Pro 8610/8620 e-All-in-One

Technical specifications	HP Officejet Pro 8610 e-All-in-One (A7F64A)	HP Officejet Pro 8620 e-All-in-One (A7F65A)	
AIO functions	Print, copy, scan, fax, web; AiO mult		
Duplex print options	Automatic (stan		
Print speed ¹	ISO speed: Up to 19 ppm black, Up to 14.5 ppm color Maximum, A4: Up to 31 ppm black, Up to 31 ppm color	ISO speed: Up to 21 ppm black, Up to 16.5 ppm color Maximum, A4: Up to 34 ppm black, Up to 34 ppm color	
irst page out	Black (ready): As fast as 12 sec; Colo		
Print resolution	Black (best): Up to 1200 x 1200 optimized dpi on plain paper from 600 x 600 input dpi; Color (best): Up to 400 x 1200 optimized dpi on HP Advanced Photo Paper from 1200 x 1200 input dpi		
Print technology			
rint cartridges number	4 (1 each black, cyan, magenta, yellow)		
10bile printing capability ²	HP ePrint, Apple AirPrint™, Android OS Enablement Printing, Mopria™-certified		
Borderless printing	Yes, up to 210 x 297 mm (8.5 x 11 in)		
Standard print languages	HP PCL3 GUI, HP PCL 3 Enhanced		
Printer management	HP Web Jetadmin; Embedded Web server		
Printer smart software features	Orientation: Portrait/Landscape; Print on Both Sides: None/Flip on Long Edge/Flip on Short Edge; Pages per Sheet: 1, 2, 4, 6, 9, 16 (i.e. N-up printing); Quality Settings: Draft/Normal/Best; Color: Black & White/Color; Printing Shortcuts; Print in Grayscale: Off/High Quality Grayscale/Black Ink Only; Pages Per Sheet Layout: Right then Down/Down then Right/Left then Down/Down then Left; Borderless Printing: Off/On; Preserve Layout: Yes/No; Booklet: None/Booklet-Left Binding/Booklet-Right Binding; Pages to Print: Print All Pages/Print Odd Pages Only/Print Even Pages Only; Print in Max DPI: No/Yes; Page Borders: Off/On		
ican type/technology	Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)		
ican speed	Duplex: Up to 6 ipm (200 ppi, b&w), up to 6 ipm (200 ppi, color)		
can resolution	Hardware: Up to 1200 x 1200 dpi; Optical: Up to 1200 dpi		
can file format		Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	
can input modes	Front-panel scan, copy, fax,		
can size maximum	Flatbed: 216 x 280 mm; ADF: 215 x 355 mm	Flatbed: 216 x 356 mm; ADF: 215 x 355 mm	
wain version	Version 1.9		
it depth/Grayscale levels	Bit Depth: 24-bit; Gra	iscale: 256	
igital sending standard features	Scan-to-e-mail; Fax Arch	ve to E-mail	
opy speed ³	ISO speed: Up to 13 cpm black, Up to 11 cpm color Maximum, A4: Up to 31 cpm black, Up to 31 cpm color	ISO speed: Up to 14 cpm black, Up to 13 cpm color Maximum, A4: Up to 34 cpm black, Up to 34 cpm color	
opy resolution	Black (text and graphics): Up to 600 dpi; Colo	(text and graphics): Up to 600 dpi	
lax. no. of copies	Ut to 99 copies		
opier resize	25 to 400%		
opier settings	25 to 400% Copies; Two-Sided; Lighter/Darker; HP Copy Fix; ID Copy; Resize; Quality, Paper Size; Paper Type; Collate; Margin Shift; Crop; Copy Preview; Tray Select; Enhancements		
ax speed			
ax resolution	Black(standard): 203 x 98 dpi; Black and White(fine): 203 x 196 dpi, 256 levels of gray; Black Photo Grayscale: 203 x 196 dpi, 256 levels of gray; Color (fine): 200 x 200 dpi; Color (standard): 200 x 200 dpi		
ax features	Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed sending: Yes; Distinctive ring detection supported: Yes; Fax forwarding supported: Yes; Junk barrier supported: Yes, requires Caller ID; Maximum speed dialing numbers: Up to 99 numbers; PC interface supported: Yes, HP Software support provided		
ax smart software features	Digital Fax - Fax to Mac/Fax to PC is available with Windows and Macintosh	(Please use: hp.com/support to download the latest software)	
	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/a/n; 2 PU-11 modern ports		
tandard connectivity	1 USB 2.0; 1 Host USB; 1 Ethernet; 1 Wireless	302.11b/g/n; 2 RJ-11 modem ports	
letwork capabilities	Standard (built-in Ethernet,		
letwork capabilities Nireless capability	Standard (built-in Ethernet, 1 Yes	viFi 802.11b/g/n)	
letwork capabilities Vireless capability Aemory/Processor speed	Standard (built-in Ethernet, 1 Yes 128 MB/600 N	VIFI 802.1 1b/g/n) IHz	
letwork capabilities Vireless capability Aemory/Processor speed Duty cycle (monthly) ⁴	Standard (built-in Ethernet, 1 Yes	VIFI 802.1 1b/g/n) IHz	
letwork capabilities Vireless capability Aemory/Processor speed Duty cycle (monthly) ⁴ Paper handling	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly	VFF 802.11b/g/n) /Hz page volume:* 250 to 1,500 pages	
letwork capabilities Wireless capability demory/Processor speed Duty cycle (monthly) ⁴ apper handling Input	Standard (built-in Ethernet, Yes 128 MB/500 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional	VIFI 802.1 1b/g/n) IHz page volume: ⁴ 250 to 1,500 pages 250-sheet input tray	
Network capabilities Wireless capability Memory/Processor speed Duty cycle (monthly) ⁴ Paper handling	Standard (built-in Ethernet, v Yes 128 MB/GOD V Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet output Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pap	VIFI 802.11b/g/n) IHz page volume: ⁴ 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, I 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure I 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure	
letwork capabilities Vireless capability Jemory/Processor speed buty cycle (monthly) ⁴ aper handling Input Output	Standard (built-in Ethernet, v Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outpu Plain paper; Thick plain paper, HP Bright White Paper, G HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HB Prochure Paper, Paper, Glossy, Other photo papers, Plain f	VIFI 802.11b/g/n) IHz page volume: ⁵ 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochu agaki, Inkjet hagaki, Photo hagaki	
letwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly) ⁴ Paper handling Input Output Media type Media weight	Standard (built-in Ethernet, 1 Yes 128 MB/600 h Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outpr Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other Specialty papers, Other Greeting Cards, HP Brochure Paper Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Baper, Glossy, Other Orochure papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to	VIFI 802.11b/g/n) IHz Page volumes ⁴ 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochu gapki, Inkjet Hagaki, Photo hagaki 90 g/m ² (envelope); 163 to 200 g/m ² (card)	
letwork capabilities Vireless capability Aemory/Processor speed Jupty cycle (monthly) ⁴ Paper handling Input Output Media type Media sizes custom	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray, Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper Paper, Glossy, Other photo papers, Other specialty papers, Other brochure papers, Plain 60 to 105 g/m² (plain); 220 to 280 g/m² (plain); 280 g/m² (pla	VIFI 802.11b/g/n) (Hz page volume: ² 250 to 1,500 pages 250-sheet input tray it tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochu agaki, Inkjet hagaki, Photo hagaki 90 g/m² (enredpe); 163 to 200 g/m² (card) rmm (3 x 5 to 8.5 x 14 in)	
letwork capabilities Vireless capability Atemory/Processor speed Juputy cycle (monthly) ⁴ Taper handling Input Output Media type Media sizes custom ADF capacity	Standard (built-in Ethernet, 1 Yes 128 MB/000 h Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet output Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, 0 HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other photo papers, Other specialty papers, Other brochure papers, Plain 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to 61 tray 1: 76.2 x 127 to 215.9 x 355.6 35-sheets	VIFI 802.11b/g/n) IHz page volume: ⁴ 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochu agaki, Inkjet hagaki, Photo hagaki 90 g/m² (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet	
ietwork capabilities Vireless capability Iemory/Processor speed utyr cycle (monthly)* aper handling Input Output Output Media type Media weight Media sizes custom ADF capacity Vimensions (W x D x H)	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Uther Inkjet Papers, 0 HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other photo papers, Other Specialty papers, Other brochure papers, Plain 60 to 105 g/m² (plain); 220 to 280 g/m² (p	VIFI 802.11b/g/n) IHz page volumes* 250 to 1,500 pages 250-sheet input tray it tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure agaki, Inkjet hagaki, Photo hagaki 0 g/m* (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 314 mm (with duplexer installed, output tray extended to Legal)	
letwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly) ⁴ Paper handling Input Output Output Media type Media weight Media sizes custom ADF capacity Vimensions (W x D x H)	Standard (built-in Ethernet, 1 Yes 128 MB/GoD V Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet output Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjer Papers, HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Paper, Glossy, Other photo, Papers, Other Specialty papers, Other Greeting Cards, HP Brochure Paper, Glossy, Other brochure papers, Plaint 60 to 105 g/m² (plaint); 220 to 280 g/m² (photo); 75 to Tray 1: 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer)	VIFI 802.11b/g/n) HI-z page volume: ⁴ 250 to 1,500 pages 250-sheet input tray tt tay ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, rr 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochu agaki, Inkjet hagaki, Photo hagaki 90 g/m² (envelope); 163 to 200 g/m² (card) mm (3 × 5 to 8.5 × 14 in) 50-sheet 499.3 × 468.9 × 314 mm (with duplexer installed, output tray folded up) Max; 499.3 × 647.5 × 314 mm (with duplexer) 12.98 kg (with duplexer)	
letwork capabilities Vireless capability Aemory/Processor speed Vuty cycle (monthly) ⁴ Paper handling Input Output Media type Media type Media sizes custom ADF capacity Vinensions (W x D x H) Veight	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Uther Inkjet Papers, 0 HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other photo papers, Other Specialty papers, Other brochure papers, Plain 60 to 105 g/m² (plain); 220 to 280 g/m² (p	VIFI 802.11b/g/n) Htz page volume: ⁴ 250 to 1,500 pages 250-sheet input tray ti tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, HP Tri-fold Brochure and Fiyer Paper, Matte, HP Tri-fold Brochure agaki, Inkjet haadki, Photo hagaki 90 g/m² (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray rextended to Legal) 12.98 kg (with duplexer) e (~1,000 pages); HP 951 Setup Cyan Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge;	
letwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly) ⁴ Paper handling Input Output Output Media type Media sizes custom ADF capacity Nimensions (W x D x H) Velight Vhat's in the box ⁴	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper Paper, Glossy, Other Orochure Papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1: 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartrid;	VIFI 802.11b/g/n) IHz page volumes* 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It agaal, Inkjet hagaki, Photo hagaki gg/m* (envelope); 163 to 200 g/m* (card) mm (3 x 5 to 8.5 x 14 in) 00-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 467.5 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 314 mm (with duplexer installed, output tray extended to Legal) 12.98 kg (with duplexer) (r. (cetting Started Guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide)	
Aetwork capabilities Wireless capability Aemory/Processor speed Unput syce (monthly)* Paper handling Input Output Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Uther Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Pape Paper, Glossy, Other brochure papers, Plain 60 to 105 g/m² (plain); 220 to 280 g/m² (plain); 220 g/m² (plain); 2	VIFI 802.11b/g/n) Htz page volume: ⁴ 250 to 1,500 pages 250-sheet input tray ti tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, HP Tri-fold Brochure and Fiyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure agaki. Inkjet haadki. Photo hagaki 90 g/m² (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Mas: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) 12.98 kg (with duplexer) te (~1,000 pages); HP 951 Setup Cyan Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; r; Getting Started Guide; CD-ROMs (för software, Windows and Mac printer drivers, and User's Guide) sport; business hour phone support within warranty period pports 32-bit only, Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux (For more information,	
letwork capabilities Vireless capability Aemory/Processor speed Unty cycle (monthly)* Paper handling Input Output Media veight Media sizes custom ADE capacity Vinnensions (W x D x H) Veight Vhat's in the box* Varranty features compatible operating systems	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other brochure papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1: 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 667.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~700 pages); power cort; Phone cord; Setup post One-year limited hardware warranty; 24-hour, 7 days a week Web suj Windows 8.1, Windows 7, Windows 7, Windows X, Windows X, Pierja Y or higher (32-bit only): ⁵ S	VIFI 802.11b/g/n) Htz page volume: ¹ 250 to 1,500 pages 250-sheet input tray tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Fiyer Paper, Matte, HP Tri-fold Brochure Paper, Matter, HP S1 Stup S, L, 49, S49, S40, S40, S40, S40, S40, S40, S40, S40	
Aetwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly)* Paper handling Input Output Media type Media veight Media sizes custom ADF capacity Nimensions (W x D x H) Veight Vhat's in the box* Warranty features Compatible operating systems Compatible network operating Systems	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outpu Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Baper, Glossy, Other brochure papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1 : 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg: HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~700 pages); power cord; Phone cord; Setup powers Windows 8.1, Windows 8, Windows 7, Windows Vista, Windows XVF31 'az-bit and 64-bit), Windows Vista (32-bit Linux (For more information, see hplipopensource.com/hplp-web/index.html). Operating System Support (Enterprise Windows 2003 Server R2 (32-bit and 64-bit), Windows 2003 Server G23-bit and 64-bit), Windows S003 Server G32-bit and 64-bit), Word Nex Server G32-bit and 64-bit), Word Nex Server Support (Enterprise Windows 2003 Server R2 (32-bit and 64-bit). Operating System Support (Enterprise Windows 2003 Server R2 (32-bit and 64-bit). Operating System Support (Enterprise Windows 2003 Server R2 (32-bit and 64-bit). Operating System Support (Pint river only): Novel Netware 6, 65, 0, Open En	VIFI 802.11b/g/n) IHz page volumes* 250 to 1,500 pages 250-sheet input tray It tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure agaki, Inkjet hagaki, Photo hagaki gg/m* (envelope); 163 to 200 g/m* (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 467.5 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 467.5 x 314 mm (with duplexer installed, output tray folded up) file (r 1.000 pages); HP 951 Steup Qran Officejet Ink Cartridge; HP 951 Steup Magenta Officejet Ink Cartridge; rr, Getting Started Guide; CD-ROMs (for software, Windows and Mac printer drivers, and User's Guide) pport; 32-bit only; Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux (For more information, p-web/index Lhm1) and 64-bit), Windows XP (32-bit) (Professional and Home Edition); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; instalt only, Windows 2003 Server (32-bit and 46-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), instalt only, Windows 2003 Server (32-bit and 94-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2008 Server 82 (64-bit) (Standard Edition, erprise Server 6.5, Novell IPrint, Citrix, Citrix XenApps 6.0, Xen Server 5.6, Xen Desktop 5.5, Cluster Support vievices, Windows Server 2008 Terminal Services with Citrix XenApp S0M/CVD or internet, LSR; Windows VSta 800 MHz 32-bit (468) or 64-bit (K64) processor, 2 GB available hard S1M zeompatible processor, 7 S0 MB available hard disk space, Internet Edited Fore-Fore, CD-PAM/VOV or Internet	
Aetwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly)* Paper handling Input Output Media viget Media viget Media sizes custom ADF capacity Nimensions (W x D x H) Velight Vhat's in the box* Narranty features Compatible operating systems Compatible network operating Systems Ainimum system requirements	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray, Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Uther Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cark, HP Brochure Paper Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cark, HP Brochure Paper Paper, Glossy, Other brochure papers, Plain 1 60 to 105 g/m ⁴ (plain); 220 to 280 g/m ² (plain); 250 to 215.9 x 355.6 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-AlL-in-One Printer, Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg: Comp-year limited hardware waranty; 24-hour, 7 dys ave week Web sug Windows 8.1, Windows 8, Windows 7, Windows Vista, Windows XP (SP3)* or higher (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 2003 Server (23-bit and 64-bit), Standard Edition, Enterprise Edition), Mindows 2003 Server and 54-bit (Standard Edition, Enterprise Edition), Windows 2003 Server Terminal Services with Citrix Presentation 4.5, Windows 2008 Server 2020.1 Deperting System Support (Print river enty): Novel Netware 6, 65, Open Enterprise Edition), Windows 2003 Server 201.0 Derating System Support (Print river Nets/armex PA with Feature Terminal Services with Citrix Presentation 4.5, Windows XP (SP3) 2-bit and	VIFI 802.11b/g/n) Htz page volumes ¹ 250 to 1,500 pages 250-sheet input tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Pagei, Nigtl Pagei, Photo Pagei, Pioto Pioto Pagei, Pioto Pioto Pagei, Pioto Pagei, Pioto Pagei, Pioto Pagei, Pioto	
Aetwork capabilities Vireless capability Aemory/Processor speed Juty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Nimensions (W x D x H) Weight What's in the box* Viarranty features Compatible operating systems Compatible network operating Systems Alinimum system requirements Environmental ranges	Standard (built-in Ethernet, 1 Yes 128 MB/600 1 Up to 30,000 pages; Recommended monthly 250-sheet input tray, Optional 150-sheet outpu Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cark, HP Brochure Paper Paper, Glossy, Other photo papers, Other specialty papers, Other Socialty, HP Rochure Paper, Nain 60 to 105 g/m² (plain); 220 to 280 g/m² (plain); 220	VIFI 802.11b/g/n) IHz page volumes* 250 to 1,500 pages 250-sheet input tray It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, It ray ard Stock, HP Premium Plus Photo Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure agaki, Inkjet Hagaki, Photo hagaki gg // (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 467.5 x 314 mm (with duplexer installed, output tray extended to Legal) 12.98 kg (with duplexer) gott 32-bit Develope); HP 951 Setup Officiejt Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; HP 951 Setup Orano Esupport within warranty period pports 32-bit Only, Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux (For more information, p-web/index.html) and 64-bit, Windows 2003 Server (32-bit and 4-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2003 Server (32-bit 0: Swith Oran's resentation Server A 0., Windows 2003 Server S0, Nene Server A 20.8 Terminal Services with Citrix XenApp X0M/DVD or Internet, USB; Windows Vista: 800 MHz 32-bit (x68) or 64-bit (x64) processor, 750 MB available hard disk space, Internet Explorer 6, C1-R0M/DVD or Internet ricks: 1.66 available hard disk space; hternet connection; C0-Abit M/DVD or Internet S07; Non-operating humidity range: Zb to 75% RH	
Output Media type Media weight Media sizes custom	Standard (built-in Ethernet, 1 Yes 128 MB/600) Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Baper, Glossy, Other for Chure Papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1: 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~700 pages); power cort; Phone cord; Setup post Undows 8.1 (32-bit and)64-bit), Windows 7, Windows 7, Windows 7 (32-bit and)64-bit), Windows 8, Size-bit and 64-bit), Windows 7, 22-bit and 64-bit), Windows 8, 32-bit and 64-bit), Windows 7, 32-bit and 64-bit), Windows 2003 Server R2 (32-bit and 64-bit), Windows 2003 Server Terminal Services with Citrix Presentation 45, Windows 2003 Server R2 (VIFI 802.11b/g/n) Htz page volumes ¹ 250 to 1,500 pages 250-sheet input tray it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Pagek, Inkjet hagaki, Photo Pagek, Photo Pagek, Inkjet hagaki, Photo Pagek, Photo Photo Pagek, Photo Pagek, Photo Pagek, Photo Pagek, Photo Pagek, Photo Pagek,	
Network capabilities Wireless capability Memory/Processor speed Duty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Marranty features Compatible operating systems Compatible network operating systems Minimum system requirements Environmental ranges Energy efficiency compliance	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outpu 150-sheet outpu Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Caras, HP Brochure Paper, Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Caras, UP Brochure Paper, Baper, Glossy, Other brochure papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1 : 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg: HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~700 pages); power cort; Phone cord; Setup pone Windows 8.1 (Windows 8, Windows 7, Windows Yita, Windows X (SP3)* or higher (32-bit and); Ss see hplipopensource.com/hplip-web/index.html). Operating System Support (Enterprise Windows 2003 Server R (32-bit and 64-bit), Windows 2003 Server G12-bit and 64-bit), Windows 2003 Server Terminal Services with Citrix Metaframe XP with Feature Terminal Services with Citrix Metaframe XP wi	VIFI 802.11b/g/n) Htz page volume* 250 to 1,500 pages 250-sheet input tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, r 180g, Glossy, HP Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP Tri-fold Brochure Pagek, Matte, HA Dri-fold Brochure Pagek, Matte, HA Dri-fold Brochure Pagek, Matte, HA Dri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HA Dri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HA Dri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HD Tri-fold Brochure Pagek, Matte, HD S 150 z00 g/m* (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) Max: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray folded up) 12.99 kg (with duplexer) te (~1.000 pages); HP 951 Setup Cyan Officejet Ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; r; Gettig Started Guide; CD-ROMS för software, Windows and Mac printer drivers, and User's Guide) port; business hour phone support within warranty period port; business hour phone support within warranty period ports 32-bit only, Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9, inux (For more Information, p-web/index.html) and 64-bit), Windows 2003 Server (32-bit and 64-bit, SP1 and SP2) (Standard Edition, Enterprise Edition), -bit, SP1 and SP2) (Standard Edition, Enterprise Edition), Windows 2003 Server Terminal Services with Citrix Presentation Server 4.0, Windows 2003 Server 35, X no Destip S.5, X Nose Differs Support, Release 3, Windows 2003 Server Terminal Services with Citrix Presentation Server 4.0, Windows 2003 Server 35, X no Destip S.5, X Nose Differs Support, Release 3, Windows 2003 Server Terminal Services with Citrix Presentation Server 4.0, Windows 2003 Server 35, X no Destip S.5, X Nose Differs Support, Release 3, Window	
Network capabilities Nireless capability Memory/Processor speed Juty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Joimensions (W x D x H) Neight Nhat's in the box* Narranty features Compatible operating systems Compatible network operating systems Ninimum system requirements Environmental ranges Energy efficiency compliance Acoustic Power	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outp Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Cards, HP Brochure Paper, Bean T 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1: 76.2 x 127 to 215.9 x 355.6 499.3 x 668.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg HP 951 Setup Yellow Officejet Ink Cartridge: composite yield (~700 pages); power cort; Phone cord; Setup post One-year limited hardware warranty; 24-hour, 7 days a week Web su Windows 8.1 (32-bit and 64-bit); Windows 7, Windows Vista, Windows 7 (32-bit and 64-bit); Windows 8, Sore Supp Office; Com/hpip-web/index.html). Operating System Support (Nindows Sever 20.2-bit and 64-bit); Windows 2003 Server R2 (32-bit and 91-bit); Super Support (Nind Kris page: Roto 05, Sore 10.0, Nindows 2003 Server R2 (32-bit and 91-bit); Sundard Edition, Enterprise Edition), Windows 2003 Server R2 (32-bit and 91-bit); Sundard Services with Citrix Presentation 4.5, Windows 2003 Server R2 (32-bit and 92-bit); Wind	VIFI 802.11b/g/n) Htz page volume: ¹ 250 to 1,500 pages 250-sheet input tray it tray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, it ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, Matte, HP Tri-fold Brochure agaki. Inkjet haadi, Photo hagaki 90 g/m² (envelope); 163 to 200 g/m² (card) mm (3 x 5 to 8.5 x 14 in) 50-sheet 499.3 x 468.9 x 314 mm (with duplexer installed, output tray rolded up) Max: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray rolded up) Max: 499.3 x 468.9 x 314 mm (with duplexer installed, output tray extended to Legal) 12.98 kg (with duplexer) e (-1.000 pages); HP 951 Setup Cyan Officejet ink Cartridge; HP 951 Setup Magenta Officejet Ink Cartridge; tri; Gettig Started Guide; CD-R0Ms (for software, Windows and Mac printer drivers, and User's Guide) upport; business hour phone support within warranty period pports 32-bit only, Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; Linux (For more information, p-web/ndex.html) install only, Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.6, v 10.7, v 10.8 or v 10.9; rervices, Windows 2003 Server Terminal Services with Citrix XenApp OV/DVD or Interme, USB; Windows VISta: BOM Mays 52.0 https://statto.stip.Statto.stol, Windows 2003 Server 75.0 MB available hard disk space; Internet Septore 6, CD-R0M/DVD or Intermericks: 1GB available hard disk space; Internet connection; CD-R0M drive; USB O/F). Non-operating humidity range: 2 to 59% RH laihffed Acoustic pressure emissions: 6 -9 B(A) (printing at 22 ppm); Accustic pressure emissions: 6	
Aetwork capabilities Wireless capability Aemory/Processor speed Juty cycle (monthly)* Paper handling Input Output Media type Media type Media sizes custom ADF capacity Dimensions (W x D x H) Weight What's in the box* Warranty features Compatible operating systems Compatible network operating systems Alinimum system requirements Environmental ranges Energy efficiency compliance koustic	Standard (built-in Ethernet, 1 Yes 128 MB/600 N Up to 30,000 pages; Recommended monthly 250-sheet input tray; Optional 150-sheet outpu 150-sheet outpu Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, C HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Caras, HP Brochure Paper, Plain paper; Thick plain paper, HP Bright White Paper, HP Premium Presentation Paper, Matte, Other Inkjet Papers, HP Everyday Photo Paper, Glossy, Other photo papers, Other specialty papers, Other Greeting Caras, UP Brochure Paper, Baper, Glossy, Other brochure papers, Plain 1 60 to 105 g/m² (plain); 220 to 280 g/m² (photo); 75 to Tray 1 : 76.2 x 127 to 215.9 x 355.6 35-sheets 499.3 x 468.9 x 300.5 mm (with duplexer installed, output tray folded up) Max: 499.3 x 647.5 x 300.5 mm (with duplexer installed, output tray extended to Legal) 11.9 kg (with duplexer) HP Officejet Pro e-All-in-One Printer; Automatic two-sided printing accessory; HP 950 Setup Black Officejet Ink Cartridg: HP 951 Setup Vellow Officejet Ink Cartridge: composite yield (~700 pages); power cort; Phone cord; Setup pone Windows 8.1 (Windows 8, Windows 7, Windows Yita, Windows X (SP3)* or higher (32-bit and); Ss see hplipopensource.com/hplip-web/index.html). Operating System Support (Enterprise Windows 2003 Server R (32-bit and 64-bit), Windows 2003 Server G12-bit and 64-bit), Windows 2003 Server Terminal Services with Citrix Metaframe XP with Feature Terminal Services with Citrix Metaframe XP wi	VIFI 802.11b/g/n) IHz page volumes* 250 to 1,500 pages 250-sheet input tray It ray ard Stock, HP Premium Plus Photo Papers, HP Advanced Photo Papers, HP Everyday Photo Paper, Matte, HP Tri-fold Brochure and Flyer Paper, Matte, HP Tri-fold Brochure Paper, Paper, Matte, HP Tri-fold Brochure Paper, Matte, HP PS 15 Etup Paper, Matte, HP Tri-fold Brochure Paper, Paper, Matte, HP Tri-fold Paper, Matte, HP Tri-fold Brochure Paper, Paper, Matte, HP Tri-fold Brochure Paper, Paper, Matte, HP Tri-fold Paper, Matte, HP PS 15 Etup Paper, Matte, HP PS 15 Etup Paper,	

¹After first page; see <u>hp.com/go/inkjetprinter</u> for details. Print speed may vary depending on the type of output. ²Local printing requires mobile device and printer to be on the same network. Wireless performance is dependent upon physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP-web-connected printer. App or software and HP ePrint registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ²Speed specifications have been updated to reflect current industry testing methods. ⁴Outy cycle is defined as the maximum number of pages per month of imaged output. ¹HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. ⁶Average based on ISO/IEC 24711 or HP testing methodology and continuous printing. Actual yield varies considerably based on content of printed pages and other factors. Some ink from included catridge is used to start up the printer. For details see <u>hp.com/go/learnaboutsupplies</u> ³Acoustic values are subject to change. For current information see <u>hp.com/support</u> ⁸ Power measurements are based on ENERGY STAR[®] OM test procedure with 230 VAC, 50 Hz input.

To learn more, visit hp.com

© Copyright 2014 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds.

