

## HP LaserJet M4345 MFP cartridge model Q5945A Yield Reporting Form

### Declaration of Yield

Toner cartridge yield: Average cartridge yield 18000 standard pages Declared yield value in accordance with ISO/IEC 19752
--

Average:	22265
Standard Deviation:	1040
90% Lower confidence limit:	21620

Date tested: 2007/06/06– 2007/06/15

Number of cartridges used in testing:	9
Number of cartridges used in calculation:	9
Type of cartridge:	Hewlett Packard Q5945A all in one
Shake procedure used?:	No
Print mode:	Continuous, 500 page jobs
Number of engines used in testing	3
Media used	HP Office
Paper size:	Letter
Paper feed orientation:	Short edge feed
Computer model:	Compaq Evo desktop
Operating system:	Windows XP

Application software:	Adobe Acrobat 6.0
Print driver version:	HP LJ M4345mfp PCL 6
Connection type:	network
Test page version:	Version 4.0 pdf

(filename: Download\_Free\_\_\_19752\_Test\_Chart\_\_.pdf from ISO SC28 website)

Power (off/on) everyday:	No
Cartridge lot codes tested:	6I11Z1K (3), 6I12Z1K (3), 6I09Z1K (3)

Engine serial numbers (Engine type: HP LaserJet 4345 MFP)

- CNCC71B0K9, firmware version 20070212
- CNCC71B0NN, firmware version 20070212
- CNCC71B0M2, firmware version 20070212

Yield Test Report for Hewlett Packard Monochrome LaserJet Toner Cartridge tested as per ISO/IEC 19752

Cartridge testing data:

Q5945A		LJ M4350mfp	Temperature, C			Humidity, %RH			
Cartridge	Lot Code	Engine SerNo	Max	Min	Average	Max	Min	Average	Cartridge Yield
Q5945A-030	6I09Z1k	CNCC71B0K9	22.9	22.6	22.7	52.9	44.7	51.1	20495
Q5945A-031	6J13Z2k	CNCC71B0NN	22.9	22.6	22.7	52.9	44.7	51.1	23630
Q5945A-032	6J13Z2k	CNCC71B0M2	22.9	22.6	22.7	52.9	44.7	51.1	21531
Q5945A-033	6J23Z2k	CNCC71B0K9	22.9	22.6	22.7	52.9	44.7	51.1	22511
Q5945A-034	6J23Z2k	CNCC71B0NN	22.9	22.6	22.7	52.9	44.7	51.1	23476
Q5945A-035	6J23Z2k	CNCC71B0M2	22.9	22.6	22.7	52.9	44.7	51.1	22753
Q5945A-036	6K02Z1k	CNCC71B0K9	22.9	22.6	22.7	52.9	44.7	51.1	21894
Q5945A-037	6L22Z1k	CNCC71B0NN	22.9	22.6	22.7	52.9	44.7	51.1	21297
Q5945A-038	6L22Z1k	CNCC71B0M2	22.9	22.6	22.7	52.9	44.7	51.1	22800