

## HP LaserJet P2014 cartridge model Q7553X Yield Reporting Form

### Declaration of Yield

Toner cartridge yield: Average cartridge yield 7,000 standard pages <sup>1</sup> Declared yield value in accordance with ISO/IEC 19752
---

Average <sup>1</sup> :	7,965
Standard Deviation:	95
90% Lower confidence limit <sup>1</sup> :	7,907

Date tested: 5/18/2007– 5/25/2007

Number of cartridges used in testing:	9
Number of cartridges used in calculation:	9
Type of cartridge:	Hewlett Packard Q7553X all in one
Shake procedure used?:	Yes, at first and second fade
Print mode:	Continuous, 100 page jobs up to page 6,300 Continuous, 25 page jobs thereafter
Number of engines used in testing	3
Media used	HP Office, 20lb
Paper size:	Letter
Paper feed orientation:	Short edge feed
Computer model:	Compaq Evo desktop
Operating system:	Windows XP
Application software:	Adobe Reader 6.0
Print driver version:	HP LaserJet P2010 PCL 5e
Connection type:	Network
Test page version:	Version 4.0 pdf

\*filename: c034911\_ISO\_IEC\_19752\_2004(E)\_Test\_Page.pdf from ISO SC28 website

Power (off/on) everyday: No

Cartridge lot codes tested:  
7B13H1Ak (5), 6L16H2Ak (1), 6J05H2Ak (2), 6I22H1Ak (1)

Engine serial numbers (Engine type: HP LaserJet P2014n)

- CNBJ100674, firmware version 20070130
- CNBJ100495, firmware version 20070130
- CNBJ100564, firmware version 20070130

## Cartridge testing data:

Q7553X		LJP2014	Temperature, C**			Humidity, %RH			
Cartridge	Lot Code	Engine SerNo	Max	Min	Average	Max	Min	Average	Cartridge Yield
Q7553X-001	7B13H1AK	CNBJ100674	23.0	22.5	22.8	53.2	48.6	51.2	7839
Q7553X-002	7B13H1AK	CNBJ100495	23.0	22.5	22.8	53.2	48.6	51.2	7874
Q7553X-003	7B13H1AK	CNBJ100564	23.0	22.5	22.8	53.2	48.6	51.2	7973
Q7553X-004	6L16H2AK	CNBJ100674	23.0	22.5	22.8	53.2	48.6	51.2	7885
Q7553X-005	7B13H1AK	CNBJ100495	23.0	22.5	22.8	53.2	48.6	51.2	8051
Q7553X-006	7B13H1AK	CNBJ100564	23.0	22.5	22.8	53.2	48.6	51.2	7938
Q7553X-007	6J05H2AK	CNBJ100674	23.0	22.5	22.8	53.2	48.6	51.2	7977
Q7553X-008	6J05H2AK	CNBJ100495	23.0	22.5	22.8	53.2	48.6	51.2	8139
Q7553X-009	6I22H1AK	CNBJ100564	23.0	22.5	22.8	53.2	48.6	51.2	8013

<sup>1</sup> In an ISO report commonly two values are listed: declared ISO yield and calculated test values. Generally, the calculated test values are higher than the declared ISO yield. Actual cartridge yields vary considerably based on content of images printed and other factors. For more information, visit [www.hp.com/go/learnaboutsupplies](http://www.hp.com/go/learnaboutsupplies).