

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo			
Company name *	Hewlett-Packard				
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem-ail	/environment/contactem			
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/				
Additional information	NA				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
comornis to the statement	is given in this declaration.			
Type of product *	Inkjet Printer			
Commercial name *	P Officejet 6100 ePrinter			
Model number *	CB863A			
Issue date *	25-March-2012			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	CB863A		
			15
Issue date *	25-March-2012	Logo	(57)
			V ////

Product	Product environmental attributes - Legal requirements			met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\boxtimes		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes	П	\Box
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-			
	im.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains		$\overline{}$	_
F Z . 1	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	\boxtimes		
P3	of data integrity reasons do not have to be easily removable. (Geologic following)			
P3.1*	Safety, EMC connection to the telephone network and labeling			
1 3.1				
P3.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference).			
	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies			
P3.2*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.2* P3.3* P3.4*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference).			
P3.2* P3.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see			
P3.2* P3.3* P3.4* P4 P4.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P3.2* P3.3* P3.4* P4 P4.1*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P3.2* P3.3* P3.4* P4 P4.1* P4.2* P4.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P3.2* P3.3* P3.4* P4 P4.1* P4.2* P4.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging			
P3.2* P3.3* P3.4* P4.1* P4.2* P4.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P3.2* P3.3* P3.4* P4 P4.1* P4.2* P4.3*	Safety, EMC connection to the telephone network and labeling The product complies with legally required safety standards as specified (see legal reference). The product complies with legally required standards for electromagnetic compatibility (see legal reference). If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). The product is labeled to show conformance with applicable legal requirements (see legal reference). Consumable materials If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	CB863A		
Issue date *	25-March-2012	Logo	(p)

**mandatory to fill in. Additional information regarding each item may be found under P14.
P6.1* Information for recyclers/treatment facilities is available (see legal reference).
P7. Design Disassembly, recycling P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >100 consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: P7.9 Service is available after end of production for: P7.10 Service is available after end of production for: P7.11* Product cover/housing material type: Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free, as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.1° Parts that have to be treated separately are easily separable
P7.1* Parts that have to be treated separately are easily separable
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.3* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: HIPS Material type: ABS Material type: HIPS Material type: All cover/housing plastic parts >25g are free from chlorine and bromine. P7.12 Electrical cable insulation materials of signal cables are PVC free P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. [See Note B2] P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years P7.11* Product cover/housing material type: Material and substance requirements P7.11* Material type: ABS Material type: HIPS Material type: Material type: ABS Material type: HIPS P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: HIPS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.8* Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.9. Spare parts are available after end of production for: years P7.10 Service is available after end of production for: years Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type:
P7.10 Service is available after end of production for: years Material and substance requirements
Material and substance requirements P7.11* Product cover/housing material type: Material type: ABS Material type: Material type: ABS Material type: Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.11* Product cover/housing material type: Material type: ABS Material type: Material type: ABS Material type: Material type: HIPS Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.13 Electrical cable insulation materials of Signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.13 Electrical cable insulation materials of Signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.13 Electrical cable insulation materials of Signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.13 Electrical cable insulation materials of Signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
(See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
Marking: P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):
Chemical specifications of flame retardants in printed circuit boards >25g (without components):
TEET / (dudatity)
Alt. 2
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according SO 1043-4:
P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in
concentrations above 0.1%:
1. Chemical name: , CAS #:
2. Chemical name: , CAS #: 3. Chemical name: , CAS #:
Alt. 2
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,
R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3) P7.20 Of total plastic parts' weight >25g, recycled material content is %.
P7.20 Of total plastic parts' weight >25g, recycled material content is %. P7.21 Of total plastic parts' weight >25g, biobased material content is %.
P7.22 Light sources are free from mercury
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg
D0 Patteries
P8 Batteries P8.1* Battery chemical composition: LiMnO2
P8.2 Batteries meet the requirements of the following voluntary program/s:

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	CB863A	
Issue date *	25-March-2012	Logo

	roduct environmental attributes - Market requirements (continued) Requirement met								
Item		_					Yes	No	n.a.
P9 Energy consumption									
9.1 For the product the following power levels or energy consumptions are reported:									
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / S modes and test m		energy	
Operating	(Normal Color)	24.93 W	24.65 W	28.26 W		IEC 62301: Hous appliances - Meas power (Ver. 1.1)			
Ready (W	ireless On)	3.13 W	3.17 W	3.28 W		IEC 62301: Hous appliances - Meas power (Ver. 1.1)			
Sleep (Wil	reless On)	2.31 W	2.31 W	2.41 W	IEC 62301: Household electrical appliances - Measurement of standby power (Ver. 1.1)				
Off		0.28 W	0.28 W	0.34 W		IEC 62301: Hous appliances - Meas power (Ver. 1.1)			
		W	W	W					
		W	W	W					$\overline{\Box}$
charger plu outlet but of the produc	power supply / ugged in the wall disconnected from	W	W	W		ENERGY STAR® Power Supplies (xternal	
PTEC * Typical En	ergy Consumption	W	W	W					
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/we	eek				
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	kWh/ye	ar				
Display res	solution* : N	Megapixels		<u> </u>					
Print Spee	d * : <i>ISO</i> 16	<i>Mono / ISO 9 Color</i> Ima	iges per minute						
Default tim	e to enter energy s	ave mode: minut	es						
P9.2*	Information about	the energy save function	n is provided with t	he product.			\boxtimes		
P9.3*		s the energy requirement of the version: 1.1 Tier:	nts of the following Product category		m/s:				
P10	Emissions								
D40 :		 Declared according to 	ISO 9296						
P10.1	Mode	Mode description		Declared A-weighted		Declared A	-		
				sound power		sound pressure le	evel L_{pAm} (dB)	
				level $L_{W\!Ad}$ (B)	Оре	rator position	Bystander po	sitions	
						Desktop Or Desk side	(only if produc		
	Idle	* Ready		* 2.8 Bels (A)			operator att	enaea)	
	Operation	* Printing		* 6.8 Bels (A)		54 di			ΙH
	Other mode	<u> </u>		6-9			• /		
	L. L.	ing to: 🔲 ISO7779 🔀	ECMA-74		1				1
						m measurement dis	tance m)	
P10.2	The product meet	s the acoustic noise req	uirements of the fol	lowing voluntary	progra	am/s:			

Model number *	CB863A		
Issue date *	25-March-2012	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item	· · · · · · · · · · · · · · · · · · ·	Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard ∑, other specify:	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			_
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			\boxtimes
D44	program/s:			
P11	Consumable materials for printing products			_
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	\boxtimes	_ <u></u>	_Ц
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.		Ш	Ш
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): Corrugated Paper weight (kg): 0.986			
	Product packaging material type(s): EPS weight (kg): 0.138			
	Product packaging material type(s): <i>HDPE</i> weight (kg): 0.050			
P13.2*	Product plastic packaging is free from PVC.			
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔲, Paper 🔲, Other 🗌			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P10.3	Air emissions testing completed on a similar device, the HP Officejet 6600.			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
·	
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19