





Product environmental attributes - THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	he company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	Display			
Commercial name *	HP ZR22w LCD Monitor			
Model number *	ZR22w			
Issue date *	08/19/2010			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality C	Quality Control		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see http://www.itforetagen.se).		

Model number *	ZR22w	Logo	753°
Issue date *	08/19/2010		

Product 6	environmental attributes - Legal requirements	Requirem	ent r	net
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes I	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>			
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)			
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)			
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	;-		
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (EU 76/769/EEC)			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC			
P2	Batteries			
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)			
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)			
P3	Electrical safety, EMC and connection to the telephone network			
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)			
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EUR&TTE Directive (1999/5/EC)	J 🔲		
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)			
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)			
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	s 🔲		
P5	Product packaging			
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packagin or packaging components does not exceed 0,01% by weight (94/62/EC).	g 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)			
P5.3*	The product packaging material is free from CFC/HCFC.			
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.	\boxtimes		

Model number *	ZR22w	Logo	753 °
Issue date *	08/19/2010		

Product 6	uct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.				No	n.a.	
P7		embly, recycling					
P7.1*	Parts that have t	o be treated separately	r are easily separable		Щ	Ш	
P7.2*	Plastic materials						
P7.3*	Plastic parts >10	Og consist of one mate	erial or of easily separable materials.	\boxtimes			
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes			
P7.5	Plastic parts are	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Labels are easily	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
	Product lifetime						
P7.7*			ssor, memory, cards or drives		<u>Ц</u>		
P7.8*	Upgrading can b	e done using commonl	y available tools			\boxtimes	
P7.9.	Spare parts are	available after end of p	roduction for: 5 years			Ш	
P7.10		ble after end of produc					
D7.44*		bstance requirements	S				
P7.11*	Material type: AE	ousing material type:	Material type: PC Material type:				
P7.12*			ower cables are halogen free (including PVC)		\boxtimes	$\overline{\Box}$	
P7.13*			gnal cables are halogen free (including PVC)		\overline{X}	+	
P7.14		g plastic parts >25g are				H	
P7.15			onents) >25g are halogen free			卄	
P7.16			ants in cover / housing plastic parts >25g according ISO 1043-4:			卄	
7.10	Chemical specifi		anto in dover / nodering places parts >20g according 100 1040 4.			Ш	
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO						
P7.18		ed material in plastic pa					
P7.19		ig are free from flame r 260/61 <i>(67/548/EEC)</i>	etardant substances/preparations above 0.1% classified as R45/46,				
P7.20	•	e free from mercury d specify: Number of la	amps: 2 and max. mercury content per lamp: 3 mg				
P8	Batteries						
P8.1*	Product does no	t contain batteries defir	ned as hazardous according to 91/157/EEC			\boxtimes	
P8.2*		I	Battery chemical composition:			\boxtimes	
P8.3	Batteries meet th	ne requirements of the	following voluntary program/s:				
P9	Energy consum						
9.1		<u>he following power leve</u> I	els or energy consumptions have been measured:	Deference	1		
Mode	Power level at * Volts	Time (s) to <mode></mode>	Mode description	Reference, Standard	/	n.a.	
On-max	W		*	*		Ш	
On- normal	* W	to	*	*			
On-idle	W	to	*	*			
Save 1	* W	to	*	*			
Save 2	W	to	*	*			
Off 1	* W	to	*	*			
Off 2	W	to	*	*			
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/y Typical Energy Consumption per year *						
P9.2*	-		tion is provided with the product.				
P9.3	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® MOU Others specify: ENERGY STAR® MOU (Version 5.0)						

Model number *	ZR22w	Logo	753 °
Issue date *	08/19/2010		

Product e	environmental att	ributes - Market requirements (continued	d)		Requirement met
Item	* = mandatory to	fill in. Additional information regarding each	n item may be four	nd under P14.	Yes No n.a.
P10	Emissions	D. I.			
P10.1	Mode Mode	Declared according to ISO 9296 Mode description	Declared A-weighted sound power level L _{WAd} (B)	Desktop (or	
	Idle	*	*	Of Deskside	\boxtimes
	Operation	*	*		
	Other mode				
	Measured accord	~ _	by ECMA-74 with	n L _{pAm} measurement distar	nce m)
P10.2	The product mee	ets the acoustic noise requirements of the fo		•	
	Chemical emiss	sions from printing products			
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:		
	The test covers: Dust Ozone Styrene Benzene TVOC				
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:				
	Electromagnetic	c emissions			
P10.5	Computer display program/s:	y meets the requirement for low frequency (electromagnetic fie	elds of the following volunta	ary 🔲 🗀
P11	Consumable ma	aterials for printing products			
P11.1*	A Material Safety P4.3).	/ Data Sheet (MSDS) is available for the ink	x/toner preparation	, even if not legally require	ed (see
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.	
P11.3*	2-sided (duplex)	printing/copying is an integrated product fur	nction.		
P12	Ergonomics for	computing products			
P12.1*		stem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays	
P12.2*	The product keyl	poard meets the requirements of ISO 9995	and EN 29241-4.		
P12.3*	The computer in	out device meets the requirements of ISO 9	241-9.		
P13	Packaging and	documentation			
P13.1*	Product packagin	ng material type(s): Corrugated Carton ng material type(s): EPS (Expanded Polysty ng material type(s): CANON bags - several		0.38	
P13.2*	Product plastic packaging is halogen free (including PVC)				
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper		
P13.4*	User and product documentation contain recycled paper				

Model number *	ZR22w	Logo	*
Issue date *	08/19/2010		(IP)

P9	Energy cor	nsumption				
9.1	For the prod	duct the following powe	er levels or energy cons	sumptions have been mea	sured:	
Power Consun Mode D	nption escription	Power Consumption AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Default Time Settings to Enter Energy Saving Mode	Reference Standard (test method)
	Y STAR [®] tive Power	26.7W	26.7W	26.5W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
ENERG Sleep	Y STAR®	0.77W	0.76W	0.81W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
ENERG Off Mod	Y STAR [®] de	0.72W	0.72W	0.76W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 5.0
P14		al information				
All sections	publish	ed. Changes to e		referenced in the IT E		date the declaration is ay invalidate some

NOTE:

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.