

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product * Commercial Display						
Commercial name *	HP ProDisplay P191 18.5-inch LED Backlit Monitor					
Model number *	P191					
Issue date *	2/1/2013					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	P191		
Issue date *	2/1/2013	Logo	(II)

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\square		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	\square		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5			
P1.9"	microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\boxtimes		
	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)		\boxtimes	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		Ē	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\bowtie		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	umber *	P191						
Issue da	te *	2/1/2013	Logo					
					<u>"</u> "			
				_				
Item		mental attributes - Market requirements - Environmental conscious of atory to fill in. Additional information regarding each item may be found under P14.	design	Requ	es	nent No	n.a.	
P6		nt information		1	55	INU	n.a.	
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			$\overline{\mathbf{X}}$			
P7	Design	mbly, recycling						
P7.1*		thave to be treated separately are easily separable			ব			
P7.2*		naterials in covers/housing have no surface coating.			3	H	⊢⊢	
P7.3*		arts >100g consist of one material or of easily separable materials.		<u>_</u>	3	H	⊢⊢	
P7.4*	-	arts >25g have material codes according to ISO 11469 referring ISO 1043.				╞		
						<u>⊢</u>	<u> </u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available to	<u> </u>	<u> </u>	⊢	<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			\leq			
D7 7*	Product					_		
P7.7*		ng can be done e.g. with processor, memory, cards or drives				Ц.		
P7.8*		ng can be done using commonly available tools						
P7.9.	Spare pa	arts are available after end of production for: 5 years						
P7.10		s available after end of production for: years					\square	
		and substance requirements						
P7.11*		cover/housing material type:		_				
P7.12	Material	type: ABS Material type: PMMA Materia I cable insulation materials of power cables are PVC free.	al type: PV	; Г	_			
					_		<u> </u>	
P7.13		I cable insulation materials of signal cables are PVC free		L			<u> </u>	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.						
P7.15	All printe Note B2	ed circuit boards (without components) >25g are halogen free. as defined in IEC6)	61249-2-21	. (See		Ш		
P7.16		tarded plastic parts >25g in covers / housings are marked according ISO 1043-4: ABS; PMMA; Black PVC			\triangleleft			
P7.17	Alt. 1			_				
		Il specifications of flame retardants in printed circuit boards >25g (without compone additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ents):	Ľ				
	Alt. 2			_				
		Il specifications of flame retardants in printed circuit boards (without components) > 3-4: <i>FR40</i>	25g accord	ling		Ш		
P7.18	Alt. 1 Flame r	etarded plastic parts >25g contain the following flame retardant substance:	s/preparatio	ons in				
		ations above 0.1%:						
		ent: No legal limits exist, this is a market requirement.						
		ical name: , CAS #: ical name: , CAS #:						
		ical name: , CAS #:						
	Alt. 2							
		Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:			⊲			
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% class 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	sified as R4	5,				
P7.20		plastic parts' weight >25g, recycled material content is 15 %.						
P7.21		plastic parts' weight >25g, biobased material content is 0%.						
P7.22		Irces are free from mercury			\langle			
	If mercur	y is used specify: Number of lamps: and max. mercury content per lamp:	mg		_			
P8	Batterie	\$						
P8.1*	Battery c	hemical composition:					\square	
P8.2	Batteries	meet the requirements of the following voluntary program/s:					\bowtie	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	P191		
Issue date *	2/1/2013	Logo	Ø

P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared A-weighted sound pressure level L _{pAm} (dB) Idle • Operation • Operation • Other mode • Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with Lpam measurement distance m)	Product er	oduct environmental attributes - Market requirements (continued) Requirement met						
9.1 For the product the following power level at power level at 100 V AC Power level at 115 V AC Power level at 230 V AC Reference / Standard for energy mode* modes and test method* ENERGY STAR® On Mode* NA W 9 W 9.6 W ENERGY STAR® Torgram Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Low Power NA W 0.29 W 0.38 W ENERGY STAR® Torgram Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Low Power NA W 0.29 W 0.38 W ENERGY STAR® Torgram Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Off / Apparent Off Mode* NA W 0.21 W 0.27 W ENERGY STAR® Torgram Requirements for Computer Monitors: Ver. 6.0 Display resolution* : 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Information about the energy save function is provided with the product. Image: Computer Monitors: Ver. 6.0 P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® Version: 6.0 Product category: Display Image: Computer Monitors: Ver. 6.0 P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® Version: 6.0 Product category: Display Image: Computer Monitors: Ver. 6.0 P10.1 Mode Mode description Declared A-weighted sound pressure level L pAm (dB) Image: Compu	Item					Yes No n.a.		
Energy mode * Power level at 100 V AC Power level at 15 V AC Power level at 230 V AC Reference / Standard for energy modes and test method * ENERGY STAR® On Mode * NA W 9 W 9.6 W ENERGY STAR® Program Requirements for Computer Monitors: Ver 6.0 ENERGY STAR® Low Power Star® Low Power Steep Mode * NA W 0.29 W 0.38 W ENERGY STAR® Program Requirements for Computer Monitors: Ver 6.0 ENERGY STAR® Off / Apparent Off Mode* NA W 0.21 W 0.27 W ENERGY STAR® Program Requirements for Computer Monitors: Ver 6.0 Display resolution* : 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver 6.0 Ver 6.0 Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver 6.0 Ver 6.0 P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: Image: Computer Monitors: Ver 6.0 P10 Emission - Declared according to ISO 9296 Declared A-weighted sound prows: level L _{WAd} (B) Image: comparison - Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound prows: level L _{WAd} (B) Image: comparison - Declared according to ISO 9296 P10.1 Mode description Image: comode with the prod	P9 Energy consumption							
100 VAC 115 VAC 230 VAC modes and test method * ENERGY STAR® On Mode * NA W 9 W 9.6 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Low Power Sleep Mode * NA W 0.29 W 0.38 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Off / Apparent Off Mode* NA W 0.21 W 0.27 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Display resolution* : 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® Program Requirements for Computers: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Image: Computer Monito	9.1 For the product the following power levels or energy consumptions are reported:							
(System Idle) NA W 0.29 W 0.38 W Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Low Power Sleep Mode * NA W 0.21 W 0.38 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Off / Apparent Off Mode* NA W 0.21 W 0.27 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Display resolution* : 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 P9.2* Information about the energy save function is provided with the product. Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 P10 Emissions Mode description Declared A-weighted sound power level L _{WAd} (B) Image: Computer Monitors: Ver. 6.0 Image: Computer Monitors: Ver. 6.0 P10.1 Mode Mode description Declared A-weighted sound pressure level L _p Am (dB) Image: Computer Monitors: Ver. 6.0 Image: Com	Energy mode	e *				modes and test method *		
Sleep Mode * NA W 0.21 W 0.27 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Off / Apparent Off Mode* NA W 0.21 W 0.27 W ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Display resolution*: 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 6.0 P9.2* Information about the energy save function is provided with the product. Image: Computer Stars or Computers: Ver. 6.0 P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® program Requirements for Computers: Ver. 6.0 P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® period Image: Computer Stars or Computers: Ver. 6.0 P10 Emissions Mode description Declared A-weighted sound pressure level L _{pAm} (dB) Image: Computer specify: P10.1 Mode Mode description Declared A-weighted sound pressure level L _{pAm} (dB) Image: Computer specify: Coperation * Image: Computer Stars or Computer specify: Image: Computer Stars or Computers specify: Image: Computer Stars or Computers speci			NAW	9 W	9.6 W	Requirements for Computer Monitors:		
ENERGY STAR® Off / Apparent Off Mode* Requirements for Computer Monitors: Ver. 6.0 Display resolution*: 768*1366 Megapixels ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 ENERGY STAR® Program Requirements for Computer Monitors: Ver. 6.0 Default time to enter energy save mode: minutes P9.2* Information about the energy save function is provided with the product. P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: P10 Emissions Mode Mode description Declared Sound pressure level L _{pAm} (dB) Operator position Bystander positions (only if product is not operator attended) Idle * Operation * Operation * Other ISO7779 ECMA-74 Other			NA W	0.29 W	0.38 W	Requirements for Computer Monitors: Ver. 6.0		
Pine in the product meets the energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 6.0 P9.2* Information about the energy save function is provided with the product. Image: Computer Star in the product meets the energy requirements of the following voluntary program/s: ENERGY STAR® Version: 6.0 Product category: Display Others specify: Image: Computer Star in the product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: P10 Emissions Image: Computer Star in the product category: Display Others specify: Image: Computer Star in the product category: Display Others specify: Image: Computer Star in the product category: Display Others specify: P10 Emissions Image: Computer Star in the product category: Display Others specify: Image: Computer Star in the product category: Display Others specify: Image: Computer Star in the product category: Display Others specify: P10.1 Mode Mode description Declared A-weighted sound pressure level L_{pAm} (dB) Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in the product is not operator attended Image: Computer Star in	Apparent Off	f Mode*		0.21 W	0.27 W	Requirements for Computer Monitors: Ver. 6.0		
P9.2* Information about the energy save function is provided with the product. Image: Computers: Ver. 6.0 P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10 Emissions Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 P10.1 Mode Mode description Declared A-weighted sound power level L _p Am (dB) Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 Idle * Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 Image: Computers: Ver. 6.0 Idle * Image: Computer Source * Image: Computer Source Image: Computersource Image: Computer Source Image:	Display reso	lution* : 768*1366	6 Megapixels			Requirements for Computer Monitors:		
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: Image: Constraint of the following voluntary program/s: ENERGY STAR® version: 6.0 Product category: Display Others specify: P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared A-weighted sound pressure level L _{pAm} (dB) Idle • Operation • Other mode • Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)	Default time							
ENERGY STAR® version: 6.0 Product category: Display Others specify: P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Derator position Bystander positions Operator position Desk side Operator attended) Idle Operation Other mode Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)				•	•			
P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power Declared A-weighted sound pressure level L_{pAm} (dB) Image: Comparison of the particular of th	E	ENERGY STAR®			oluntary program	/s:		
P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared Sound pressure level L _{pAm} (dB) Idle * Idle * Operation * Idle Idle Other mode * Idle Idle Idle Other mode Idle * Idle Idle Other mode Idle * Idle Idle Idle Idle * Idle Idle<								
A-weighted sound power sound pressure level L_{pAm} (dB) Idle * Operation * Other mode * Other mode ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)		Noise emission –	Declared according to	ISO 9296				
Idle * Operation * Operation * Other mode * Other mode ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)	P10.1 I	Mode N	Node description		A-weighted	e 🛛		
Idle * Idle * Operation * Idle Idle * Other mode Idle Idle Idle Idle Idle Other mode Idle								
Idle * (only if product is not operator attended) Idle * Idle Operation * Idle Other mode Idle Idle Other (only if not covered by ECMA-74 with LpAm measurement distance m) Idle					level L_{WAd} (B)			
Operation * Image: Constraint of the second						or Dook aido		
Other mode ISO7779 ECMA-74 Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)		ldle		•	*			
Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	(Operation			*			
Measured according to: ISO7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	(Other mode			F			
	l l	Measured accordin			d by ECMA-74 wit			
P10.2 The product meets the acoustic noise requirements of the following voluntary program/s:	P10.2 -	The product meets						

Model number *	P191		
Issue date *	2/1/2013	Logo	(II)

tem		Yes	No	
			140	n.a
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			X
P10.4	Typical emission rate (print phase) is (mg/h):			X
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			X
	Dust 🗌 Ozone 🗌 Styrene 🗌 Benzene 🗌 TVOC 🗌			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements EN12281.	of 🗌		\boxtimes
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			X
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.		\square	
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): PAPER/Corrugated weight (kg): 0.515			
	Product packaging material type(s): <i>PLASTIC/EPE-Expanded Polyethylene</i> weight (kg): <i>0.2692</i>			
P13.2*	Product plastic packaging is free from PVC.	\square		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🛄, Other 📃			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 100 %			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper		\boxtimes	
P14	Additional information (See Note B4)			
All	1. Product environmental information contained in this declaration is valid as of the date the declaration is pu			
sections	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this de	claration c	over tir	ne.

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19