





Product environmental attributes – THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (ba	The company declares (based on product specification or test results based obtained from sample testing), that the product						
	conforms to the statements given in this declaration.						
Type of product *	splay						
Commercial name *	HP LA2205wg Widescreen LCD Monitor						
Model number *	LA2205wg						
Issue date *	1-Oct-09						
Intended market *	☑ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in (n.a. for not applicable).

Quality (Quality Control		
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see http://www.itforetagen.se).		

Model number *	LA2205wg	Logo	75 °
Issue date *	1-Oct-09		

Product 6	duct environmental attributes - Legal requirements				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P1	Hazardous substances and preparations				
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>				
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)				
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	\boxtimes			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing a least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	3-			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC			\boxtimes	
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (<i>EU 76/769/EEC</i>)			\boxtimes	
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC				
P2	Batteries				
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)				
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC			\boxtimes	
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)				
P3	Electrical safety, EMC and connection to the telephone network				
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)				
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 th 2007				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the ER&TTE Directive (1999/5/EC)	J		\boxtimes	
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	\boxtimes			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)				
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	IS			
P5	Product packaging				
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	ng 🔀			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)				
P5.3*	The product packaging material is free from CFC/HCFC.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.				

Model number *	LA2205wg	Logo	75°
Issue date *	1-Oct-09		

Product 6	environmental at	tributes - Market requ	irements - Environmental conscious design	Requiren	nent	met		
Item			nation regarding each item may be found under P14.	Yes	No	n.a.		
P7	-	embly, recycling						
P7.1*		to be treated separately			ᆜ	ᆜ		
P7.2*	Plastic materials	in covers/housing hav	e no surface coating.		Щ	Ш		
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.					
P7.4*	Plastic parts >25	g have material codes	according to ISO 11469 referring ISO 1043.	\boxtimes				
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	\boxtimes				
P7.6*	Labels are easily	y separable. (This requ	irement does not apply to safety/regulatory labels).	\boxtimes				
	Product lifetime	e						
P7.7*	Upgrading can b	e done e.g. with proce	ssor, memory, cards or drives			\boxtimes		
P7.8*	Upgrading can b	e done using common	ly available tools					
P7.9.	Spare parts are available after end of production for: 5 years							
P7.10	Service is availa	ble after end of produc	tion for: 5 years					
		bstance requirement	s					
P7.11*		ousing material type:	Marile Build					
P7.12*	Material type: Al		Material type: PMMA Material type: PC			$\overline{}$		
			ower cables are halogen free (including PVC)	<u> </u>		井		
P7.13*			gnal cables are halogen free (including PVC)	<u> </u>		ᆜ		
P7.14		g plastic parts >25g are	·	<u> </u>		Щ		
P7.15			onents) >25g are halogen free	<u> </u>		\perp		
P7.16	Chemical specifications of flame retardants in cover / housing plastic parts >25g according ISO 1043-4:							
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO							
P7.18	Weight of recycled material in plastic parts is 0							
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)							
P7.20	Light sources are free from mercury If mercury is used specify: Number of lamps: 2 and max. mercury content per lamp: 3.0 mg							
P8	Batteries							
P8.1*	Product does no	t contain batteries defi	ned as hazardous according to 91/157/EEC		Ш			
P8.2*			Battery chemical composition:					
P8.3			following voluntary program/s:			Ш		
P9	Energy consum							
9.1		the following power lev	els or energy consumptions have been measured:	Deference	,	n 0		
Mode	Power level at Volts	Time (s) to <mode></mode>	Mode description	Reference/ Standard		n.a.		
On-max	W		*	*		Ш		
On- normal	* W	to	*	*				
On-idle	W	to	*	*				
Save 1	* W	to	*	*				
Save 2	W	to	*	*				
Off 1	* W	to	*	*				
Off 2	W	to	*	*				
No load	* W		External power supplies/charger plugged in but disconnected from the product	*				
TEC	* kWh/y	Typical Energy Consur	nption per year	*				
P9.2*			tion is provided with the product.					
P9.3		ets the energy requiren ® MOU (Ver. 4.1, Tien	nents of the following voluntary program/s: r 2)					

Model number *	LA2205wg	Logo	75 °
Issue date *	1-Oct-09		

Product 6	environmental att	ributes - Market requirements (continue	d)	Re	equirement met	
Item					Yes No n.a.	
P10	Emissions					
		- Declared according to ISO 9296				
P10.1	Mode	Mode description	Declared A-weighted sound power level L _{WAd} (B)	Declared A-weighted sound pressure level LpArr Operator position Bystand		
					oduct is not or attended)	
	Idle	*	*		\boxtimes	
	Operation	*	*		\boxtimes	
	Other mode					
	Measured accord	_	d by ECMA-74 with	n L _{pam} measurement distance	m)	
P10.2	The product mee	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:		
	Chemical emiss	sions from printing products		· -		
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:			
	The test covers:	Dust Ozone Styrene	Benzene	e TVOC		
P10.4	The product meets the chemical emission requirements of the following voluntary program/s:					
	Electromagneti	c emissions				
P10.5	Computer displa program/s:	y meets the requirement for low frequency of	electromagnetic fie	elds of the following voluntary		
P11	Consumable ma	aterials for printing products				
P11.1*	A Material Safety P4.3).	/ Data Sheet (MSDS) is available for the in-	x/toner preparation	n, even if not legally required (see		
P11.2*	Paper containing	recycled fibres that meets the requirement	s of EN12281 can	be used.		
P11.3*	2-sided (duplex)	printing/copying is an integrated product fu	nction.			
P12	Ergonomics for	computing products				
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays		
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.			
P12.3*	The computer input device meets the requirements of ISO 9241-9.					
P13	Packaging and	documentation				
P13.1*	Product packagii	ng material type(s): Paper / Cardboard ng material type(s): Polyethylene high dens ng material type(s):	weight (kg): 3 ity weight (kg): 0 weight (kg):			
P13.2*	Product plastic p	ackaging is halogen free (including PVC)				
P13.3*	User and produc	t documentation do not contain chlorine ble	ached paper			
P13.4*	User and product documentation contain recycled paper					

Model number *	LA2205wg	Logo	7 /2018
Issue date *	1-Oct-09		(hp)

P9 Ei	nergy cor	nsumption						
9.1 <u>Fc</u>	or the proc	duct the following power	er levels or energy cons	sumptions have been mea	sured:			
Power Consumption Mode Desc		Power Consumption AC Input Voltage at 100 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 115 VAC +/- 5 VAC, 60 Hz +/- 3 Hz	Power Consumption AC Input Voltage at 230 VAC +/- 5 VAC, 50 Hz +/- 3 Hz	Default Time Settings to Enter Energy Saving Mode	Reference Standard (test method)		
ENERGY S' On / Active		21.34W	21.13W	21.39W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 4.1		
ENERGY S	TAR®	0.56W	0.56W	0.52W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 4.1		
ENERGY ST Off Mode	TAR [®]	0.48W	0.45W	0.43W	Not Applicable (controlled by PC (System Unit)	ENERGY STAR® Program Requirements for Computer Monitors: Ver. 4.1		
P14	Addition	al information						
All sections	All 1. Product environmental information contained in this declaration is valid as of the date the declaration is							

NOTE:

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.