

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	product * Inkjet Multifunction Printer					
Commercial name *	HP Deskjet 2540 All-in-One Printer, HP Deskjet Ink Advantage 2545 All-in-One Printer					
Model number *	A9U22A, A9U22B, A9U27A, D3A79A, A9U19A, D3A80A, D3A81A, D3A82A, A9U28B, D3A78B, A9U23A,					
	A9U23B, A9U23C, A9U23C, A9U25B, A9U26C					
Issue date *	August 2013					
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 📃 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	A9U22A, A9U22B, A9U27A, D3A79A, A9U19A, D3A80A, D3A81A, D3A82A, A A9U23C, A9U23C, A9U25B, A9U26C	9 U28B , D	3A78B, A9U23A, A9U23B,
Issue date *	August 2013	Logo	(II)

Product	environmental attributes - Legal requirements	Require	ement	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	\square		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\square
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			\boxtimes
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-	\boxtimes		
	im.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)			\boxtimes
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			\boxtimes
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\boxtimes		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\boxtimes		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	\boxtimes		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	\square		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	A9U22A, A9U22B, A9U27A, D3A79A, A9U19A, D3A80A, D3A81A, D3A82A, A A9U23C, A9U23C, A9U25B, A9U26C	9U28B, I	D3A78B, A9U23A, A9U23B,
Issue date *	August 2013	Logo	

Product	environmental attributes - Market requirements - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\square		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable	\times		
P7.2*	Plastic materials in covers/housing have no surface coating.		\square	
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	$\overline{\boxtimes}$		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		Π	
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\square
P7.8*	Upgrading can be done using commonly available tools			
P7.9.	Spare parts are available after end of production for: years			Π
P7.10	Service is available after end of production for: years	_		Ē
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: PS-HI Material type: ABS Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.			
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See	ə 🗌		
	Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components):			
	TBBPA (additive) , Other; chemical name: , CAS #:			
	Alt. 2	_	_	_
	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:		Ш	
P7.18	Alt. 1			
	Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:	า 🗌		
	Comment: No legal limits exist, this is a market requirement.			
	1. Chemical name: , CAS #:			
	2. Chemical name: , CAS #: 2. Of a start of the start of			
	3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)			
P7.20	Of total plastic parts' weight >25g, recycled material content is %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.			
P7.22	Light sources are free from mercury			
P8	If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg Batteries			
P8.1*	Battery chemical composition:			
	· ·			
P8.2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	A9U22A, A9U22B, A9U27A, D3A79A, A9U19A, D3A80A, D3A81A, D3A82A, A A9U23C, A9U23C, A9U25B, A9U26C	9 U28B , I	D3A78B, A9U23A, A9U23B,
Issue date *	August 2013	Logo	

Product	environmental at	tributes - Market re	quirements (con	tinued)		Requirement	met
Item						Yes No	n.a.
P9	Energy consumpt						
9.1	For the product the	e following power levels	or energy consump	otions are reporte	ed:		
Energy mo	ode *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	
		W	W	W			
Mode	STAR [®] Ready	2.08 W	2.05 W	2.23 W		ENERGY STAR [®] Imaging Equipment Test Method (Ver. 1.2)	
ENERGY	STAR [®] Sleep Mode	1.08 W	1.07 W	1.11 W		ENERGY STAR [®] Imaging Equipment Test Method (Ver. 1.2)	
ENERGY	STAR [®] Off Mode	0.16 W	0.16 W	0.16 W		ENERGY STAR [®] Imaging Equipment Test Method (Ver. 1.2)	
ENERGY Mode	STAR [®] Auto-Off	NA W	NA W	0.17 W		ENERGY STAR [®] Imaging Equipment Test Method (Ver. 1.2)	
		W	W	W			
charger pl	power supply / lugged in the wall disconnected from	W	W	0.13W W		ENERGY STAR [®] Program for External Power Supplies (Ver. 2.0)	
PTEC *	nergy Consumption	W	W	W			
TEC * Typical Er	nergy Consumption	kWh/week	kWh/week	kWh/wee	ek		
Etec * Annual Er	nergy Consumption	kWh/year	kWh/year	kWh/yea	ar		
Display re	solution* : M	egapixels					
Print Spee	ed * • up to 7/4	Images per minute (IS	(O speed)				
	ne to enter energy sa	•••	. ,				
P9.2*	6,	he energy save functio		e product			님
-			-	-	- /		
P9.3*	ENERGY STAR® Others specify:	the energy requiremen version: 2.0 Tier:	Product category:			ом2 🛛 🗌	
P10	Emissions	Declared according to	150 0206				
P10.1		Adde description		Declared A-weighted		Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	
				sound power level $L_{ m WAd}$ (B)		rator position Bystander positions Desktop Image: Construction of the state o	
	Idle *	Ready		* 2.8 Bels (A)		15 (dBA)	
	Operation *	Printing Mono		* 6.1 Bels (A)		49 (dBA)	١Ħ
	Other mode	Printing Color		5.8 Bels (A)		45 (dBA)	
	Measured accordir		ECMA-74 (only if not covered	L	th I	m measurement distance m)	
P10.2	The product meets						
	The product meets the acoustic noise requirements of the following voluntary program/s:						

Model number *	A9U22A, A9U22B, A9U27A, D3A79A, A9U19A, D3A80A, D3A81A, D3A82A, A A9U23C, A9U23C, A9U25B, A9U26C	9U28B, D	3A78B, A9U23A, A9U23B,
Issue date *	August 2013	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔀, other specify:	\boxtimes		
P10.4	Typical emission rate (print phase) is (mg/h):			$\overline{\Box}$
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
P10.6	Electromagnetic emissions Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
P10.6	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements EN12281.	of 🔀		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.		\boxtimes	
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\square
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ē	
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): PLASTIC/EPS/PLASTIC/Polyethylene weight (kg): 0.332 Product packaging material type(s): Cardboard & Misc weight (kg): 0.54 Product packaging material type(s): weight (kg): weight (kg): 0.54			
P13.2*	Product packaging material type(s). Weight (kg).			
P13.3*	Specify media for user and product documentation (tick box):			╞
	Electronic 🔀, Paper 🔀, Other 📃			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
All	Product environmental information contained in this declaration is valid as of the date the declaration is publi	shed. Cha	nges to	S
	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this de	claration of	over tir	ne.
P9	 Many printers are offered in multiple configurations within the model family. Energy efficiency data liste for an ENERGY STAR® qualified configuration if offered within the model family. HP printers marked w STAR® Logo qualify for the U.S. Environmental Protection Agency (EPA) ENERGY STAR® award for For more information about HP's ENERGY STAR® qualified products, go to hp.com: http://www.hp.com applicable market segments and product categories to find printers or scanners that meet the ENERGY specifications. If a model family does not offer ENERGY STAR® qualified configurations, then energy efficiency data li 	ith the EN maging eq / and sele STAR®	ERGY quipme ect the	ent.
	configured model.			
	 Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically consistent that qualifies for ENERGY STAR® if offered within the model family. If optional components or mothese can change the energy efficiency data listed above. 	dules are	added	,
P10.1	 Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically conf model only. If optional items with moving parts are added, these can change acoustic noise values for v responsibility. 			
P10.3	1. Chemical emissions tests are performed on a representative product base model only. HP Deskjet 2050	All-in-One	,	
P11.3	Manual duplexing enabled via printer software			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19