

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactem ail.html	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	/pe of product * Notebook PC			
Commercial name *	HP EliteBook Folio 9470m			
Model number *	9470m			
Issue date *	10/18/2012			
Intended market *	🔀 Global 📃 Europe 📃 Asia, Pacific & Japan 📃 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀 lo	

Model number *	9470m		
Issue date *	10/18/2012	Logo	(III)

Product environmental attributes - Legal requirements			ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	\square		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	\boxtimes		
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			\square
D4.0*	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	\square		
1 1.10	http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachdesktop-pcs.html			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be			
	marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the	\boxtimes		
	design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or dota integrity reasons do not have to be "equily removable" (See least reference)	_	_	_
P3	or data integrity reasons do not have to be "easily removable". (See legal reference) Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).			
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		╞	
-			<u> </u>	
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			\boxtimes
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	lodel number * 9470m					
Issue date *		10/18/2012 Logo	ĥ			
			Y	/		
Product	onviron	mental attributes - Market requirements - Environmental conscious design	Require	mont	mot	
Item		atory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.	
P6		nt information				
P6.1*	Informati	ion for recyclers/treatment facilities is available (see legal reference).	\boxtimes			
P7	Design Disasse	mbly, recycling				
P7.1*		at have to be treated separately are easily separable				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.	— <u> </u>	Ē		
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ		
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).		⊢⊢	⊢⊢	
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		g can be done using commonly available tools		H	H	
P7.9.		arts are available after end of production for: 5 years			⊢⊢	
P7.10						
		and substance requirements				
P7.11*		cover/housing material type:				
		type: Magnesium Material type: Material type:				
P7.12	Electrica	I cable insulation materials of power cables are PVC free.		\square		
P7.13	Electrica	I cable insulation materials of signal cables are PVC free		Ē	Ħ	
P7.14		/housing plastic parts >25g are free from chlorine and bromine.		Ħ		
P7.15		ed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (S	ee 🔀			
P7.16		, starded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17	Alt. 1					
		al specifications of flame retardants in printed circuit boards >25g (without components):				
	TBBPA ((additive) , TBBPA (reactive) , Other; chemical name: , CAS #:				
	Alt. 2					
	Chemica	Il specifications of flame retardants in printed circuit boards (without components) >25g according 3-4: <i>FR(40)</i>	\boxtimes			
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances/preparations ations above 0.1%:	in 🗌			
	Comm	ent: No legal limits exist, this is a market requirement.				
	1. Chem	ical name: , CAS #:				
		ical name: , CAS #:				
	3. Chem Alt. 2	ical name: , CAS #:				
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)		\boxtimes			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				\square	
P7.20						
P7.21		plastic parts' weight >25g, biobased material content is 0%.				
P7.22	-	urces are free from mercury	\boxtimes			
		ry is used specify: Number of lamps: and max. mercury content per lamp: mg				
P8	Batterie					
P8.1*	Battery c	chemical composition: lithium/manganese dioxide				
P8.2	Batteries	meet the requirements of the following voluntary program/s:			\square	

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	9470m		
Issue date *	10/18/2012	Logo	(p)
Product onviron	mental attributes - Market requirements (continued)		Pequirement met

Item Yes No n.a. P9 Energy consumption For the product the following power levels or energy consumptions are reported: Items in the power level at power level at power level at representation in the power level at power level power level power level power level power le	Product environmental attributes - Market requirements (continueu)							
9.1 For the product the following power level at Power levelevel at Power level pratemation Power level at Power level at Po								
Energy mode* Power level at Power level at Power level at Reference / Standard for energy ENERGY STAR® On Mode* 5.13 W 5.12 W 5.24 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Image: Standard Mindows Step Mode* (35 - Windows 0.65 W 0.64 W 0.65 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Image: Standard Mindows Standard Mindows 0.35 W 0.34 W 0.36 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Image: Standard Mindows Standard Mindows 0.35 W 0.34 W 0.36 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Image: Standard Mindows Standard Mindows 0.35 W 0.34 W 0.36 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Image: Standard Mindows Image: Standard Mindows <td< td=""><td colspan="7"></td></td<>								
100 VAC 115 VAC 230 VAC modes and test method * I ENERGY STAR® On Mode * 5.12 W 5.24 W ENERGY STAR® Comparents for Computers: Ver. 5.2 I ENERGY STAR® CAN Power Standby? With Wake On LAN (WCL) Enabled 0.65 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 I ENERGY STAR® System Off/Aparent Off Mode * (ACPI S) With Wake On LAN (WCL) Enabled 0.35 0.34 W 0.36 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 I S) With Wake On LAN (WCL) Enabled 0.35 W 0.34 W 0.36 W ENERGY STAR® Program Requirements for Computers: Ver. 5.2 I S) With Wake On LAN (WCL) Enabled (Test Unit connected to AC Mains. AC adapter connected to notebook) 15.89 KWh/year 16.23 KWh/year Requirements for Computers: Ver. 5.2 I Display resolution* : Megapixels I I I I Default time to enter energy save function is provided with the product. I I I I P3.2* Information about the energy save function is provided with the product. <td colspan="7"></td>								
(System Idle) Requirements for Computers: Ver. 5.2 ENERGY STAR® Low Power 0.65 W Standby?) With Wake On LAN 0.64 W (WCL) Enabled 0.35 W ENERGY STAR® to Computers: Ver. 5.2 Entropy System Other Montelow Entropy Entropy System Other Montelow Entropy Entropy Induction *: Megapixels Print Speed *: Information about the energy save function is provided with the product. P3.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tire: P10 Envisions Noise emission - Declared according to ISO 3926 P10.1	Energy mode *	100 V AC	115 V AC	230 V AC	at	modes and test method *		
Sleep Mode * (S3 - Windows * Standby / Window Standby / Window C + Carbon / Windows * Standby /	(System Idle)		5.12 W	5.24 W		Requirements for Computers: Ver. 5.2		
ENERGY STAR® System Off/Apparent Off Mode' (ACPI S5) With Wake On LANNWOL) Enabled (Test Unit connected to AC Mains, AC adapter connected to notebook) ETFCc * Annual Energy Consumption (calculated value) for each input voltage Display resolution * : Megapixels Print Speed * : Images per minute Default time to enter energy save mode: minutes Print Speed * : Images per minute Default time to enter energy save mode: minutes P3.* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC Other specify: P10.1 Mode * Fans on, HDD spinning (if applicable) * 2.7 Other mode Measured according to: [ISO7779] ECMA-74 Other (only if not covered by ECMA-74 with L _{pam} measurement distance m) Default im easurement distance m)	Sleep Mode * (S3 - Windows "Standby") With Wake On LA		0.64 W	0.65 W				
Line Requirements for Computers: Ver. 5.2 Annual Energy Consumption (calculated value) for each input voltage Display resolution': Megapixels Display resolution': Megapixels X Print Speed * Images per minute X Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 5.2 Images per minute P9.2* Information about the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC Images per minute Other specify: P10 Emissions X Images per minute X P10.1 Mode Mode description Declared A-weighted sound pressure level L_{pAm} (dB) Images per minute X P10.1 Mode Mode description Declared A-weighted sound pressure level L_{pAm} (dB) Images per minute Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Images per minute Operation * Fans on, HDD spinning * 3.2 33 Images per minute Other Images per minute Images per minute Images per minute Images per minute Difter mode Images per minute	Off/Apparent Off Mode* (ACF S5) With Wake On LAN(WOI Enabled (Test Unit connected to AC Mains, AC adapter	2) _) d				Requirements for Computers: Ver. 5.2		
Print Speed* Images per minute Images per minutes Images per minut	Annual Energy Consumption (calculated value) for each							
Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 5.2 P9.2* Information about the energy save function is provided with the product. □ P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC □ P10 Emissions □ Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared A-weighted sound pressure level L _p Am (dB) Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode Iso7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance	Display resolution* :	Megapixels					\square	
Default time to enter energy save mode: minutes ENERGY STAR® Program Requirements for Computers: Ver. 5.2 P9.2* Information about the energy save function is provided with the product. □ P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC □ P10 Emissions □ Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared A-weighted sound pressure level L _p Am (dB) Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode Iso7779 ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance	Print Speed * :	Images per minute					\square	
P9.2* Information about the energy save function is provided with the product. □ P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC □ Others specify: ■ ■ ■ P10 Emissions ■ ■ Noise emission – Declared according to ISO 9296 ■ ■ P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) ■ Bystander positions Idle * Fans on, HDD spinning (if applicable) * 2.7 26 □ Operation * Fans on, HDD spinning * 3.2 33 □ Other mode Iso7779 S ECMA-74 □ Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	•	0	utes					
P9.3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC Others specify: Image: Content of the following voluntary program/s: ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode Mode description Declared asound power Declared sound power level L _{WAd} (B) Operator position Image: Operator position Image: Operator position Image: Operator attended) Idle * Fans on, HDD spinning (if applicable) * 2.7 Operation * Fans on, HDD spinning * 3.2 Other mode Image: Other Image: Operator operator attended Image: Operator operator attended Other mode Image: Operator								
ENERGY STAR® version: 5.2 Tier: Product category: Notebook PC Image: Content specify: P10 Emissions Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power level L_{pAm} (dB) Image: P10.1 Mode Mode description Declared A-weighted sound power level L_{wAd} (B) Declared poestop in (dB) Image: P10.1 Mode Mode description Declared A-weighted sound power level L_{wAd} (B) Declared poestop in (dB) Image: P10.1 Mode Mode description Image: P10.1 Declared A-weighted sound power level L_{pAm} (dB) Image: P10.1 Mode Mode description Image: P10.1 Declared A-weighted sound power level L_{pAm} (dB) Image: P10.1 Mode Mode description Image: P10.1 Image: P10.1 Bystander positions image: P10.1 Image: P10.1 Mode description Image: P10.1 Image: P10.1 Image: P10.1 Bystander positions image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 Image: P10.1 <td< td=""><td></td><td>•••</td><td>•</td><td>•</td><td></td><td></td><td></td></td<>		•••	•	•				
P10 Emissions Noise emission - Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power Declared A-weighted sound pressure level L_{pAm} (dB) P10.1 Mode Mode description Declared A-weighted sound power Declared A-weighted sound pressure level L_{pAm} (dB) Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode Idle ISO7779 SECMA-74 ISO7779 SECMA-74 Other Other Other Other measurement distance		••••	•		n/s:			
Noise emission – Declared according to ISO 9296 P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared A-weighted sound pressure level L _{pAm} (dB) Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode Other mode ISO7779 SECMA-74 Other (only if not covered by ECMA-74 with LpAm measurement distance m)								
P10.1 Mode Mode description Declared A-weighted sound power level L _{WAd} (B) Declared Sound pressure level L _{pAm} (dB) Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode Isor7779 S ECMA-74 ECMA-74 with LpAm measurement distance m		- Declared according to	ISO 9296					
A-weighted sound power sound pressure level L_{pAm} (dB) Ievel L_{WAd} (B) Operator position Image: Desktop image: De				Declared		Declared A-weighted		
Image: Level LWAd (B) Operator position Image: Desktop Image: Des		·				-		
Idle * Fans on, HDD spinning (if applicable) * 2.7 26 Operation * Fans on, HDD spinning * 3.2 33 Other mode						Desktop (only if product is not		
Other mode Measured according to: X ISO7779 X ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	Idle	* Fans on, HDD spinnin	ig (if applicable)	* 2.7				
Measured according to: X ISO7779 X ECMA-74 Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	Operation	* Fans on, HDD spinnin	g	* 3.2		33		
Other (only if not covered by ECMA-74 with L _{pAm} measurement distance m)	Other mode							
	Measured accord							
	P10.2 The product mee	ts the acoustic noise rec					\square	

Model number *	9470m		
Issue date *	10/18/2012	Logo	(II)

	environmental attributes - Market requirements (continued)	Require		me
Item		Yes	No	n.a
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard 🔲, other specify:			\times
P10.4	Typical emission rate (print phase) is (mg/h):			
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary			
	program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of		╶╞┤	
F11.2	EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\geq
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	\square		
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	\square		
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): PAPER/Corrugated weight (kg): 0.509			
	Product packaging material type(s): <i>PLASTIC/Polyethylene low density</i> weight (kg): 0.066			
	Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box):			
	Electronic 🔀, Paper 🔄, Other 📃			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			
Rev.	User and product documentation do not contain chlorine bleached paper	\square		
P13.5				
P14	Additional information (See Note B4)			
All	1. Product environmental information contained in this declaration is valid as of the date the declaration is pul			
sections	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this dec	laration	over ti	me.
P9	1. Many PCs are offered in multiple configurations within the model family. Energy efficiency data listed in t an ENERGY STAR [®] compliant configuration if offered within the model family . HP computers marked with t Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR computers. For more information about HP's ENERGY STAR [®] qualified products, go to hp.com: http://www the applicable market segments and product categories to find PC configurations that meet the ENERGY STAR	he ENEF ® specif /.hp.com/	RGY S icatior / and	TAF ns fo sele
	2. If a model family does not offer ENERGY STAR [®] compliant configurations, then energy efficiency data list configured model.	sted is fo	r a typ	oical
	3. Energy Efficiency information published on the ECMA 370 The Eco Declaration represents a typically commodel meeting ENERGY STAR [®] specifications if offered within the model family. If optional components or like extra hard disks or graphic cards etc, these can change the energy efficiency data listed above.			
	4. Power consumption in the Off / Apparent Off mode is measured and reported with the network interface of disabled.	ontroller	(NIC)	WC
P10	 Acoustic noise information published on the ECMA 370 The Eco Declaration represents a typically conf model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans et acoustic noise values for which HP can take no responsibility. 			

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19