





## Product environmental attributes - THE ECO DECLARATION

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html">http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html</a>	
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Scanner			
Commercial name *	HP Scanjet Enterprise 7500 Flatbed Scanner with Automatic Document Feeder			
Model number *	L2725A			
Issue date *	September 2010			
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other except Japan			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in (n.a. for not applicable).

Quality Control			nt met
Item	Additional information regarding each item may be found under P14.	Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see <a href="http://www.itforetagen.se">http://www.itforetagen.se</a> ).		

Model number *	L2725A	Logo	<b>7</b> 53 *
Issue date *	Sept 2010		

Product e	et environmental attributes - Legal requirements				
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes No n.a.			
P1	Hazardous substances and preparations				
P1.1*	Products do not contain lead, cadmium, mercury, hexavalent chromium, polybrominated biphenyl (PBB) and polybrominated diphenyl ether (PBDE) as specified in <i>EU 2002/95/EC and its amendments</i>				
P1.2*	Products do not contain Asbestos (EU 76/769/EEC, amendment 1999/77/EC)				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (EU: Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000)				
P1.4*	Products do not contain polychlorinated biphenyl (PCB), polychlorinated terphenyl (PCT), (EU 76/769/EEC)	$\boxtimes$			
P1.5*	Products do not contain short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP as specified in <i>Norwegian regulation relating to restrictions on the use of certain dangerous chemicals</i> 20.12.2002				
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris (aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (EU 76/769/EEC)	- 🗌 🗎 🔯			
P1.7*	Textile and leather parts with direct skin contact do not contain Azo colourants that split aromatic amines as specified in EU 76/769/EEC, amendment 2003/3/EC				
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives ( <i>EU</i> 76/769/ <i>EEC</i> )				
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations higher than specified in 76/769/EEC, amendment 94/27/EEC				
P2	Batteries				
P2.1*	If hazardous batteries (as defined in 91/157/EEC) are used in the product they are easily removable and labelled with the disposal and the substance logo (as defined in 91/157/EEC, 93/86/EEC)				
P2.2*	If batteries are used in the product they do not contain mercury in concentrations higher than specified in 91/157/EEC				
P2.3*	If batteries are permanently installed in the product, information on the environmentally hazardous substances and safe removal method is listed in the user manual (91/157/EEC)				
P3	Electrical safety, EMC and connection to the telephone network				
P3.1*	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)				
P3.2*	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC / 2004/108/EEC after June, 20 <sup>th</sup> 2007				
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EUR&TTE Directive (1999/5/EC)	. N 🗆 🗆			
P3.4*	The product is CE-marked and a Declaration of Conformity is available (93/68/EEC)	$\boxtimes$ $\square$ $\square$			
P4	Consumable materials				
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)				
P4.2*	If ink/toner is used in the product, it does not contain cadmium in concentrations higher than specified in (76/769/EEC and 91/338/EEC)				
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to EU Directive 1999/45/EC, and a amended, the product/packaging is labelled and a Material Safety Data Sheet (MSDS) in accordance with (99/45/EC & 2001/58/EC) is available.	s 🔲 🔛 🔯			
P5	Product packaging				
P5.1*	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0,01% by weight (94/62/EC).	g 🛛 🗌			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043.(97/129/EEC)				
P5.3*	The product packaging material is free from CFC/HCFC.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities (e.g. as requested by 2002/96/EC) is available.				

Model number *	L2725A	Logo	<b>7</b> 53 *
Issue date *	Sept 2010		

Product e	ct environmental attributes - Market requirements - Environmental conscious design Requirement met						
Item	*=mandatory to	fill in. Additional inform	ation regarding each item may be found under P14.	Yes	No	n.a.	
P7	Design, Disasse	embly, recycling					
P7.1*	Parts that have t	o be treated separately	are easily separable	$\boxtimes$	Ш		
P7.2*	Plastic materials	in covers/housing have	e no surface coating.	$\boxtimes$			
P7.3*	Plastic parts >10	00g consist of one mate	erial or of easily separable materials.	$\boxtimes$			
P7.4*	Plastic parts >25	ig have material codes	according to ISO 11469 referring ISO 1043.	$\boxtimes$			
P7.5	Plastic parts are	free from metal inlays	or have inlays that can be removed with commonly available tools.	$\boxtimes$			
P7.6*	Labels are easily	/ separable. (This requi	irement does not apply to safety/regulatory labels).	$\boxtimes$			
	Product lifetime	)					
P7.7*	Upgrading can b	e done e.g. with proces	ssor, memory, cards or drives			$\boxtimes$	
P7.8*	Upgrading can b	e done using commonl	y available tools			$\boxtimes$	
P7.9.	Spare parts are	available after end of p	roduction for: 3 years			$\blacksquare$	
P7.10		ble after end of product				〒	
		bstance requirements					
P7.11*		ousing material type:					
	Material type: AE	3S	Material type: Material type:				
P7.12*	Electrical cable i	nsulation material of po	ower cables are halogen free (including PVC)		$\boxtimes$		
P7.13*	Electrical cable i	nsulation material of sig	gnal cables are halogen free (including PVC)		$\boxtimes$		
P7.14	All cover/housing	g plastic parts >25g are	halogen free				
P7.15	All printed circuit	boards (without compo	onents) >25g are halogen free				
P7.16	Chemical specifi	cations of flame retarda	ants in cover / housing plastic parts >25g according ISO 1043-4:				
P7.17	Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO						
P7.18		ed material in plastic pa					
P7.19	Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/53 and R60/61 (67/548/EEC)						
P7.20	•	e free from mercury ed specify: Number of la	amps: and max. mercury content per lamp: mg				
P8	Batteries						
P8.1*	Product does no	t contain batteries defir	ned as hazardous according to 91/157/EEC	$\boxtimes$			
P8.2*			Battery chemical composition:			$\boxtimes$	
P8.3	Batteries meet th	ne requirements of the	following voluntary program/s:				
P9	Energy consum	ption					
9.1	For the product t	the following power leve	els or energy consumptions have been measured:			1	
Mode	Power level at  Volts	Time (s) to <mode></mode>	Mode description	Reference Standard	/	n.a.	
On-max	W		*	*			
On- normal	* W	to	*	*			
On-idle	W	to	*	*			
Save 1	* W	to	*	*			
Save 2	W	to	*	*			
Off 1	* W	to	*	*		Ħ	
Off 2	W	to	*	*		Ħ	
No load	* W		External power supplies/charger plugged in but disconnected from the product	*			
TEC	* kWh/y	Typical Energy Consum	•	*			
P9.2*	-		tion is provided with the product.		$\Box$	〒	
P9.3		ets the energy requirem	nents of the following voluntary program/s:				

Model number *	L2725A	Logo	<b>75</b> °
Issue date *	Sept 2010		

Product e	environmental attributes - Market requirements (continued) Requirement m							
Item	, , , , , , , , , , , , , , , , , , ,					n.a.		
P10	Emissions							
<b>D</b>		- Declared according to ISO 9296				ı		
P10.1	Mode	Mode description	Declared A-weighted	Declared A-weig sound pressure level				
			sound power		stander positions	1		
			level L <sub>WAd</sub> (B)					
					y if product is not perator attended)			
				or Deskside		<u> </u>		
	Idle	* idle	* inaudible	inaudible		ЦШ		
	Operation	* ADF simplex scan, 200dpi, color	* 7.2	57				
	Other mode	flatbed, 300 dpi, color	5.8	43				
	Measured accord	ding to: SO 7779 ECMA-74						
				n L <sub>pAm</sub> measurement distance	e m)			
P10.2	•	ets the acoustic noise requirements of the fo	ollowing voluntary	program/s:				
	Chemical emiss	sions from printing products						
P10.3*	Test performed a	according to ECMA-328 standard, other	specify:					
	The test covers:	Dust Ozone Styrene	Benzene	TVOC _				
P10.4	The product mee	ets the chemical emission requirements of the	he following volunt	ary program/s:		$\boxtimes$		
	Electromagnetic emissions							
P10.5	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:							
P11	Consumable ma	aterials for printing products						
P11.1*	A Material Safety Data Sheet (MSDS) is available for the ink/toner preparation, even if not legally required (see P4.3).							
P11.2*	Paper containing recycled fibres that meets the requirements of EN12281 can be used.							
P11.3*	2-sided (duplex) printing/copying is an integrated product function.					$\boxtimes$		
P12	Ergonomics for computing products							
P12.1*		rstem meets the ergonomic requirements of 06-2 for flat panel displays.	EN 29241-3, -7, -	8 for CRT displays				
P12.2*	The product keyl	board meets the requirements of ISO 9995	and EN 29241-4.					
P12.3*	The computer in	put device meets the requirements of ISO 9	241-9.					
P13	Packaging and	documentation						
P13.1*	Product packagin	ng material type(s): corrugated ng material type(s): EPS ng material type(s): LDPE	weight (kg): weight (kg): weight (kg): 0	0.71				
P13.2*	Product plastic p	eackaging is halogen free (including PVC)			$\boxtimes \Box$			
P13.3*	User and produc	et documentation do not contain chlorine ble	ached paper					
P13.4*	User and produc	t documentation contain recycled paper						
P14	Additional infor	mation						
	see next page fo	r power data						

P9	Energy consumption					
9.1	For the prod	duct the following powe	er levels or energy consumptions have been	n measured:		
Mo	Mode Power Consumption <sup>1</sup> (W)		Default Time Settings to Enter Energy Saving Mode (Min)	Reference Standard (tes method)		
Oper	rating	39.5	Not Applicable	IEC 62301: Household electrical appliances - Measurement of standby power (Ver. 1.0) <sup>2</sup>		
Re	ady	15.5	Immediately after Operating mode ends	ENERGY STAR® Product for Imaging products (Ver. 1.1)		
SIe	еер	3.0	15	ENERGY STAR® Product for Imaging products (Ver. 1.1)		
C	Off	0.49	Not Applicable	ENERGY STAR® Product for Imaging products (Ver. 1.1)		
Supply	al Power y At No oad	0.29	Not Applicable	ENERGY STAR <sup>®</sup> Program for External Power Supplies (Ver. 2.0)		

- 1. Reported power is the highest level for all standard voltages this product series/model is sold at worldwide.
- 2. Uses all basic test conditions and methods established by this standard procedure and adapts them to measuring this power mode. However, this procedure does not specify measurement of this power mode.
- Definitions:
  - a. <u>Operating:</u> The power state in which the product is connected to a power source and is actively transferring data, as well as performing any of its other primary functions.
  - b. Ready: The condition that exists when the product is not producing output, has reached operating conditions, has not yet entered into any lower-power modes, and can enter Active mode with minimal delay. All product features can be enabled in this mode, and the product must be able to return to Active mode by responding to any potential input options designed into the product. Potential inputs include external electrical stimulus (e.g., network stimulus, fax call, or remote control) and direct physical intervention (e.g., activating a physical switch or button).
  - c. <u>Sleep</u>: The reduced power state that the product enters automatically after a period of inactivity. In addition to entering Sleep automatically, the product may also enter this mode 1) at a user set time-of-day, 2) immediately in response to user manual action, without actually turning off, or 3) through other, automatically-achieved ways that are related to user behaviour. All product features can be enabled in this mode and the product must be able to enter Active mode by responding to any potential input options designed into the product; however, there may be a delay. Potential inputs include external electrical stimulus (e.g., network stimulus, fax call, remote control) and direct physical intervention (e.g., activating a physical switch or button). The product must maintain network connectivity while in Sleep, waking up only as necessary.
     d. Off: The power state that the product enters when it has been manually or automatically switched off but is still
  - d. Off: The power state that the product enters when it has been manually or automatically switched off but is still plugged in and connected to the mains. This mode is exited when stimulated by an input, such as a manual power switch or clock timer to bring the unit into Ready mode. When this state is resultant from a manual intervention by a user, it is often referred to as Manual Off, and when it is resultant from an automatic or predetermined stimuli (e.g., a delay time or clock), it is often referred to as Auto-off.
  - e. <u>EPS No-Load</u>: The condition in which the input of a power supply is connected to an AC source consistent with the power supply's nameplate AC voltage, but the output is not connected to a product or any other load.

P9.2*	Information about the energy save functions is provided with the product.	Yes	No	N/A
P9.3	The following product models qualify to the following voluntary programs:  ENERGY STAR® Imaging Equipment Program (Version 1.1): L2725A			

## NOTE

Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the [Enter] key.