

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail	UP
Internet site *	http://www.hp.com/hpinfo/globalcitizenship/environment/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Scanner				
Commercial name *	HP Digital Sender Flow 8500 fn1				
Model number *	L2719A				
Issue date *	Sep 2013				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other except Japn				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	nt met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	L2719A		
Issue date *	Sep 2013	Logo	(II)

terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	Product	oduct environmental attributes - Legal requirements			Requirement met			
P1.1* Products do not contain more than: 0.1% lead. 0.01% cadmium. 0.1% mercury, 0.1% hexavalent chromium. 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2* Products do not contain Abebstos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Zonae Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HBFC), hydrochlorocarbons (HBFC), hydrochlorochlorocarbons (HBFC), hydrochlorocarbons (HBFC), hydrochlor			Yes	No	n.a.			
0.1% polybrominated biphenyis (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) P1.2 Products do not contain Abebstos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3 Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromifluorocarbons (HBFC), Nytrochorolluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichlorocethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4 Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated products of the products of the product of the products of the product on the product of the product of the product of the product on the product of the product on the product of the prod								
Comment: Legal reference has no maximum concentration value. 1.3		0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)						
P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), Majorchlorofluorocarbons (HCFC), Majorch Sorbiomofluorocarbons (HBFC), Majorch Sorbiomofluorocarbons (HBF	P1.2*							
terphenyl (PCT) in preparations (see legal reference). 1.5" Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). 1.6" Textile and leather parts with direct skin contact do not contain 'Tri-(2.3 -dibrromoporyl)-phosphate (TRIS), Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 2.5" Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 2.5" Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 3.5" Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 3.5" Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 4.5" Tris-(azridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). 5.5" Tris-(azridinyl)-phosphineoxide (Textile)-phosphineoxide	P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum						
P1.5' Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6' Textile and leather parts with direct skin contact do not contain Tri-(2.3-dibromopropyl)-phosphate (TRIS), Tris-(azidridnyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7' Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic armines. (See legal reference and Note B1) Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pertachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9' Wars with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10' REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html P2 Batteries P2.1' If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2' Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P3.1' The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.1' The product is intended for connection to a public tele	P1.4*							
P1.6* Textile and leather parts with direct skin contact do not contain Tri-(2.3dibromopropyl)-phosphate (TRIS), Tris-(azidinfyl)-phosphineowade (TERA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. P1.7* Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) P1.8* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as peritachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the	\boxtimes					
P1.8" Wooden parts do not contain arsenic and Note B1) P1.9" Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Comment: Legal reference has no maximum concentration values. P1.9" Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 Comment: Max limit in legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10" REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html P2 Batteries P2.1" If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2" Button cells used in the product do not contain more than 2% by weight of mercury. On the batteries or data integrity reasons do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P3.3 Safety, EMC connection to the telephone network and labeling P3.1" The product complies with legally required safety standards as specified (see legal reference). P3.2" The product complies with legally required safety standards as specified (see legal reference). P3.3" If product is intended for connection to a public telecorn network or contains a radio transmitter, it complies with legally required standards for electromagnetic compatibility (see legal reference). P4. Consumable materials P4.1" If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P5.4" If he ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and	P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference).						
P1.9* Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. P1.9* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P2.10* REACH Article 33 information about substances in articles is available at (add URL or mail contact):	P1.7*							
P1.9° Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. P1.10° REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html P2 Batteries P2.11° If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2° Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3° Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be 'easily removable'. (See legal reference). P3.3° If product complies with legally required standards as specified (see legal reference). P3.3° If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for relectromagnetic compatibility (see legal reference). P3.4° The product complies with legally required standards for electromagnetic compatibility (see legal reference). P4. Consumable materials F1 a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.11° If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P5.2° P	P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).						
P1.10¹ REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-im.html P2 Batteries P2.1¹ If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2² Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3ª Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3 Safety, EMC connection to the telephone network and labeling P3.1¹ The product complies with legally required safety standards as specified (see legal reference). P3.2¹ The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3³ If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for redio and telecommunication devices (see legal reference). P4. Consumable materials P4.1¹ If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2¹ If ink/toner is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2² If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3³ If the ink/toner is available (see legal reference). P5.4 P	P1.9*	microgram/cm²/week (see legal reference).						
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.3* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If ink/toner formulation/preparation is classified as hazardous according to applicable requiations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and p	P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/reachprinting-and-						
P2.1* If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.5* Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4. Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	Do							
more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3.4* The product complies with legally required standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.4* The product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P4.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring								
P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3	P2.1"	more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)						
P2.3* Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference) P3. Safety, EMC connection to the telephone network and labeling P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P2.2*							
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical						
P3.1* The product complies with legally required safety standards as specified (see legal reference). P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4 Consumable materials P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.4* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3							
P3.2* The product complies with legally required standards for electromagnetic compatibility (see legal reference). P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.1*	The product complies with legally required safety standards as specified (see legal reference).	\square					
P3.3* If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5.1* Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).		〒	$\overline{\Box}$			
P3.4* The product is labeled to show conformance with applicable legal requirements (see legal reference). P4	P3.3*							
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	P3.4*							
P4.1* If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).								
P4.2* If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see						
P4.3* If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P4.2*		$\neg \neg$	П	\square			
P5.1* Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these						
hexavalent chromium by weight of these together. P5.2* Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).	P5							
P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		hexavalent chromium by weight of these together.						
Protocol (see legal reference).	P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes					
	P5.3*	Protocol (see legal reference).						

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	L2719A		
Issue date *	Sep 2013	Logo	

Product	environmental attributes - Market requirements - Environmental conscious design Rec	quire	nent	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6	Treatment information			
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes		
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable			
P7.2*	Plastic materials in covers/housing have no surface coating.	\boxtimes		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.			
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.			
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgrading can be done using commonly available tools			\boxtimes
P7.9.	Spare parts are available after end of production for: years			
P7.10	Service is available after end of production for: years			
	Material and substance requirements			
P7.11*	Product cover/housing material type:			
	Material type: ABS Material type: >ABS20GF< Material type:			
P7.12	Electrical cable insulation materials of power cables are PVC free.		Ш	
P7.13	Electrical cable insulation materials of signal cables are PVC free			
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.			
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:			
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:			
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%:			
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2			
	Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:			
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	Ш	Ш	Ш
P7.20	Of total plastic parts' weight >25g, recycled material content is %.			
P7.21	Of total plastic parts' weight >25g, biobased material content is %.	_	_	
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg	Ш	Ш	Ш
P8	Batteries			
P8.1*	Battery chemical composition:			\boxtimes
P8 2	Batteries meet the requirements of the following voluntary program/s:			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	L2719A		
Issue date *	Sep 2013	Logo	

Product 6	Product environmental attributes - Market requirements (continued) Requirement met						
Item							n.a.
P9 Energy consumption							
9.1 For the product the following power levels or energy consumptions are reported:							
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level 230 V AC	at	Reference / Standard for energy modes and test method *	
ENERGY S State	STAR [®] Ready	13.37W	13.23 W	13.57 W		ENERGY STAR® Product for Imaging products (Ver.2.0)	
ENERGY S	STAR® Off Mode	0.36 W	0.36 W	0.40 W		ENERGY STAR® Product for Imaging products (Ver.2.0)	
ENERGY	STAR [®] Sleep Mode	2.22W	2.21W	2.28 W		ENERGY STAR® Product for Imaging products (Ver.2.0)	
		W	W	W			
		W	W	W			
		W	W	W			
charger plu outlet but of the produc	power supply / ugged in the wall disconnected from	W	0.2418W	W		California Energy (CEC-400-2009- 013), Energy Star (Version 2.0), Australia MEPS mark III, VI or V, ErP(2009/125/EC; Commission Regulation (EC) No 278/2009)	
PTEC * Typical En	ergy Consumption	W	W	W			
TEC * Typical En	ergy Consumption	kWh/week	kWh/week	kWh/we	ek		
ETEC * Annual En	ergy Consumption	kWh/year	kWh/year	kWh/yea	ar		
Display res	solution* : Me	gapixels		<u>I</u>			
Print Spee	d* : Ima	ages per minute					
		ve mode: 15 minutes				ENERGY STAR® Product for Imaging products (Ver. 2.0)	
P9.2*	Information about th	ne energy save functio	n is provided with th	e product.			
P9.3*	ENERGY STAR® v Others specify:	the energy requirement version: 2.0 Tier: n.a. F			n/s:		
P10	Emissions Noise emission	Declared according to	150 0206				
P10.1		lode description		Declared A-weighted sound power	Onc	Declared A-weighted sound pressure level $L_{p m Am}$ (dB)	
				level $L_{W Ad}$ (B)		Desktop Or Desk side Operator attended	
		ADE conning using		* 4.0 * 7.1		25	l H
		ADF scanning using efault settings at 66 p		7.1		57	
	Other mode						
	Measured accordin	_	ECMA-74				
P10.2	The product mosts	Other the acoustic noise req				m measurement distance m)	
r 10.2	The product meets	ine acoustic noise req	unements of the foll	owing voluntary	progra	aiii/ə.	

Model number *	L2719A		
Issue date *	Sep 2013	Logo	

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			\boxtimes
P10.4	Typical emission rate (print phase) is (mg/h):			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.			
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): <i>Paper</i> weight (kg): 2.270			
	Product packaging material type(s): <i>Plastic</i> weight (kg): 1.280			
P13.2*	Product packaging material type(s): weight (kg): Product plastic packaging is free from PVC.			$\overline{}$
	· · · · · · · · · · · · · · · · · · ·			<u> </u>
P13.3*	Specify media for user and product documentation (tick box):			Ш
D40.4*	Electronic , Paper , Other .			
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0%			X
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
All	Product environmental information contained in this declaration is valid as of the date the declaration is publish			
	external standards referenced in the IT Eco-Declaration may invalidate some information contained in this declaration	aration c	over tin	ne.
L				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19