

Print supplies environmental attributes - IT Eco Declaration 2007

Brand *	Hewlett-Packard	Logo
Company name *	Hewlett-Packard Company	
Contact information *	Hans Wendschlag, HP Sweden	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment/inde	<u>ex.html</u>
Additional information	The latest version of this document can be found at	
	http://www.hp.com/hpinfo/globalcitizenship/environmei	nt/productdata/index.html

The company declares that the product conforms to the statements given in this declaration.		
Print supply identity *	HP LaserJet Print Cartridge SKU Q2613A/X	
Additional identity		
Declaration issue date *	June 2012	
Intended market *	🛛 Global 🔲 Europe 🔲 Japan 🛄 U.S. 🗌 Other	
Guideline document version (month, year) used for completion of this declaration * February 2007		
This declaration covers the bel	ow listed print supplies categories with specified product identity (ID). *	

This declaration of vers the below holds print supplies dategories with specified product identity (ib).
☑ Toner print cartridge(s) □ Ink print cartridge(s) □ Other printing supply product, specify:
To be used in:
🛛 Printer 🗌 Copier 🔲 Fax 🔲 Multifunction product 🛄 Other, specify:
Example of type, model, and part number of product(s):
Print Supply information:
Monochrome (black) 🔲 Multi color
Color(s): Black Cyan Yellow Magenta Other, specify:
Original Refilled Remanufactured

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in.

This Eco Declaration for print supplies includes:

- Company environmental profile, print supplies: Divided into two sections, legal and market requirements

- Print supplies environmental attributes: Divided into two sections, legal and market requirements

- Guideline, print supplies document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

The referenced documents are indispensable for the application of this declaration. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This version of the IT ECO Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).

This IT Eco Declaration may only be used after having signed a contract with IT-Företagen (Association of the Swedish IT and Telecom Industry.

Product environmental attributes - Legal requirements			Requirement met		
Item		Yes	No	NA	
S1	Print Supply Chemical, Ink/Toner				
S1.1 *	The ink/toner formulation/preparation is compliant with EU Directive 76/769/EEC, 2002/61/EC as amended (Regarding substances classified as carcinogenic, mutagenic or toxic to the reproductive system).	. 🛛			
S1.2 *	If the ink/toner formulation/preparation is classified as dangerous according to EU Directive 1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available: at: www. on request				
S2	Print Supply Packaging				
S2.1 *	The product package material contains less than 100 ppm (0.01%) by weight of the sum of Lead (Pb), Mercury (Hg), Cadmium (Cd), and Chromium VI (Cr-VI) as per EU Directive 94/62/EEC and as amended.	\boxtimes			
S2.2 *	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol EC/2037/2000.	\boxtimes			
	This product meets above listed legal requirements	X			



Version February 2007

Page 1(3)

© Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means. <u>www.itforetagen.se</u>

Print Supply identity *	HP LaserJet Print Cartridge SKU Q26	13A/	X
Issue date *	June 2012	Logo	

Item Yes No na. S3 Print Supply Chemical, Ink/Toner Image: Carrier Supply Chemical, Image: Carrier Supply Chemica, Image: Carrier Supply Chemica, Image: Carrier Supply Chemical,	Product	environmental attributes - Market requirements	Requirement met		
53.1 * The inkthone formulation/preparation does not contain substances above the following threshold con- Centomium VI © 100ppm Chromium VI © 100ppm Mercury Image: Centomic VI © 100ppm Mercury 33.2 * The inkthone formulation/preparation is not classified as amended. Image: Centomic VI © 100ppm Mercury 33.3 * The inkthone formulation/preparation is not classified as amended. Image: Centomic VI © 100ppm Mercury 33.3 * The inkthone formulation/preparation is not classified as amended. Image: Centomic VI © 100ppm Mercury 33.4 * The inkthone formulation/preparation is not classified as amended. Image: Centomic VI © 100ppm Mercury 33.4 * The inkthone formulation/preparation is not classified as amended. Image: Centomic VI © 100ppm Mercury 33.4 * The inkthone formulation/preparation contains less than 1% by weight of short-chain chlorinated Dispersion Image: Centomic VI © 100ppm Mercury 34.6 * The inkthone formulation/preparation contains less than 1% by weight of short-chain chlorinated Dispersion Image: Centomic VI © 100ppm Mercury 34.7 * Print More formulation/preparation contains less than 1% by weight of short-chain chlorinated Dispersion Image: Centomic VI © 100ppm Mercury 34.1 * Print Supply Platis Image: Centomic VI © 100ppm Mercury Image: Centomic VI © 100ppm Mercury Image: Centomic VI © 100ppm Mercury Image: Centomic VI © 100ppm Mercury </th <th></th> <th></th> <th>Yes</th> <th>No</th> <th>n.a.</th>			Yes	No	n.a.
Cartinum 1 100ppm Chronium VI 1000ppm Laad 1000ppm Laad 1000ppm S3.2 PBS.pdorf D1 S4.3 The inkhore formulatorypeparation does not contain Azo colorants that split aromatic amines as Image: Colorants (Colorants (57		
Cadmium © 1000ppm Lead © 1000ppm Mercury © 1000ppm PBBs, PBDEs © 1000ppm S2 The inkNome formulation/reparation does not contain Azo colorants that split aromatic amines as specified in EU Directives © □ S3 If the inkNome formulation/reparation is not classified as dangerous according to EU Directive © □ S4 The inkNome formulation/reparation is not classified as dangerous according to EU Directive © □ S3.4 The inkNome formulation/reparation contains less than 1% by weight of short-chain chioninated © □ S4.6 The inkNome formulation/reparation contains less than 1% by weight of short-chain chioninated © □ S4.7 Printing system chamical emissions have been tested according to ECMA-328 or other standard, sport/y. © □ Systeme © □ © □ 0 0 Benzane © □ 0 0 0 0 Chemical Emission of Document System © □ 0 0 0 0 Systeme © □ 0 0 0 0 0 0 0 Systeme © □ 0 0 0 0 0 0	S3.1 ^				
Chromium VI © 1000ppm Head © 1000ppm PBBs, PBDEs © 1000ppm PBBs, PBDEs © 1000ppm PBBs, PBDEs © 1000ppm S3.2 * The ink/toner formulation/preparation is not classified as dangerous according to EU Directive (19944/EC, and as amended, a Metrical Safety Data Sheet (MSDE) is available: S3.4 * The ink/toner frame beneded, a Metrical Safety Data Sheet (MSDE) is available: S3.4 * The ink/toner has been tested and passed the Ames test. S3.4 * The ink/toner framulation/preparation contains less than 1% by weight of short-chain chlorinated parafirs according to EU Directive 2002/45/EC and as amended. S4.1 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, S4.1 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, System: System: S5.1 * Newly manufactured parts do not contain substances: Cadmium V © 1000ppm S5.2 * Print Supply Parts S5.4 * Nite Mathematic function parts -25g contain less than 0.1% by weight of chlorine. S5.4 * Nite Mapper Laber Contain substances above the following threshold concentrations: Cadmium V © 1000ppm Head © 1000ppm Mecrup: S5.2 * Print Supply Parts S5.2 * Print Supply Parts S5.4 * All pastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.2 * Print Supply Pastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.2 * Print Supply pastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.3 * All pastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.4 * All pastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.4 * All pastic parts, nearbid weight (hgi): Cadmium V © 1000ppm Mecrup: S5.6 * All pastic parts contain evertimal call parts >25g shall be specified according to ISO 11469. S5.6 * All pastic parts, nearbid weight (hgi): S5.7 * All pastic parts contain less than 0.1% by weight of chlorine. S5.8 * Print Supply Pastic Barts orting and the					
Mercury © 1000ppm PBBE, PBDES 1000ppm S3.2 The ink/toner formulation/preparation does not contain Azo colorants that split aromatic amines as specified in EU Directive (2002/61/EC, 2003/3/EC and as amended. □ S3.3 If the ink/toner has been does 2002/61/EC, 2003/3/EC and as amended. □ □ S3.4 The ink/toner has been tested and passed the Ames test. © □ S3.4 The ink/toner has been tested and passed the Ames test. © □ S3.6 The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated 2 □ S4.6 The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated 2 □ S4.7 Printing aystem chamical emissions have been tested according to ECMA-328 or other standard, socify: □ Dust © □ □ Other substance(s), specify: © □ □ S5.1 Newly manufactured parts on to contain substances above the following threshold concentrations: © □ Cadmin © 000ppm □ □ □ Benzene © □ □ □ □ □ □ □		Chromium VI 🛛 1000ppm			
PBBs.PBDEs 1000ppm 3.3 The inktoner formulation/preparation does not contain Azo colorants that split aromatic amines as specified in EU Directives 2002/8/EC, 2003/9/EC and as amended. Image: Colorant Science Colorants (Colorants Colorants that split aromatic amines as specified in EU Directives 2002/8/EC, 2003/9/EC and as amended. 3.3.4 The inktoner formulation/preparation is not classified as dangerous according to EU Directive (1999/4/EC, and as amended. Image: Colorant Colorants (Colorants Colorants Colorants Colorants Colorants Colorants Colorants Colorants Colorants (Colorants Colorants (Colorants Colorants C					
53.2 * The inktoner formulation/preparation does not contain Azo colorants that split aromatic amines as specified in EU Directives 2002/61/CC, 2003/32/C and as amended. II the inktoner formulation/preparation is not classified as dangerous according to EU Directive 1999/43/EC, and as amended. 53.3 * If the inktoner formulation/preparation is not classified as dangerous according to EU Directive 1998/34/EC, and as amended. Image: specified in EU Directive 2002/61/EC and as amended. 53.6 * The photoconductor dum contains less than 1% by weight of short-chain chlorinated parafilins according to EU Directive 2002/61/EC and as amended. Image: specified and EU Directive 2002/61/EC and as amended. 54.6 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify. Image: specify. 54.1 * Frinting system chemical emissions have been tested according to ECMA-328 or other standard. Image: specify. 55.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: Cadmium I 1000ppm Leed I 1000ppm L					
specified in EU Directives 2002/61/EC, 2003/81/EC and as amended. S3.3 If the ink/none formulation/proparation is not classified as dangerous according to EU Directive [3 at www.hp.com/ord/sdis] or request S3.4 The ink/none formulation/proparation is not classified as dangerous according to EU Directive [3 at www.hp.com/ord/sdis] or request S3.5 The photoconductor dum contains less by weight of the following substances:	C2.0 *				
S3.3 * If the ink/norr formulation/preparation is not classified as dangerous according to EU Directive Si S3.4 * The ink/norr formulation/preparation is not classified as dangerous according to EU Directive Si S3.4 * The ink/norr formulation/preparation contains less by weight of the following substances: Si Cadmium: 1000pm S3.6 * The ink/norr formulation/preparation contains less than 1% by weight of short-chain chlorinated Si Cadmium: 1000pm S3.6 * The ink/norr formulation/preparation contains less than 1% by weight of short-chain chlorinated Si Cadmium: 1000pm S3.4 * The ink/norr formulation/preparation contains less than 1% by weight of short-chain chlorinated Si Cadmiun: 1000pm S3.4 * The ink/norr formulation/preparation contains less than 1% by weight of short-chain chlorinated Si Cadmiun: 1000pm S4.1 * Prinit gystem checked according to ECMA-328 or other standard, specify: Si Cadmium: 1000pm Dust Ozone Si Cadmium: 1000pm Cadmium: 1000pm TVOC Other substance(s), specify: Si Cadmium 10 1000pm S5.1 * New ymanufactured parts do not contain substances above the following threshold concentrations: Si Cadmium 10 1000pm Cadmium <td< td=""><td>53.Z</td><td>specified in EU Directives 2002/61/EC, 2003/3/EC and as amended.</td><td></td><td></td><td></td></td<>	53.Z	specified in EU Directives 2002/61/EC, 2003/3/EC and as amended.			
19994/SEC, and as amended, a Material Safety Data Sheet (MSDS) is available: S3.4 The Ink/toner has been tested and passed the Arnes test. Image: Comparison of	S3.3 *		\boxtimes		
S3,4 The ink/toner has been tested and passed the Arnes test. □ S3,5 The photoconductor drum contains less by weight of the following substances: Cadmium: 1000ppm □ S4,6 The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated paraffins according to EU Directive 2002/45/EC and as amended. S4 Chemical Emission of Document System S4,1 Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify: Dust Dots □ Other substance(s), specify: □ S5 Print Supply Parts S5.1 Newly manufactured parts do not contain substances above the following threshold concentrations: Cadmium □ S5.2 Print Supply Parts □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.4 All printed circuit boards (without components) >25g contain less than 0.1% by weight of chlorine. □ S5.5 All pastic parts. heaver than 25g have material identification marking according to ISO 11469). □ S5.5 All printed circuit boards (without components) >25g contain less than 0.1% by weight of chlorine. □ S5.6 The print Supply parts contain less than 0.1% by weight of chlorine. □					_
33.5 * The photoconductor drum contains less by weight of the following substances:			N		
Cadmium: 1000ppm Image: Cadmium: 1000ppm S3.6 The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated S4.1 Printing acycritem chemical emissions have been tested according to ECMA-328 or other standard. Specify:		· · · · · · · · · · · · · · · · · · ·			
S3.6 * The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated □ S4 Chemical Emission of Document System □ S4.1 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify. □ Dust □ □ □ Ozone □ □ □ Styrene □ □ □ Benzene □ □ □ TVOC □ □ □ Other substance(s), specify: □ □ □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.2 * Print Supply Parts □ □ □ S5.4 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.4 * All printed circuit broads (without components) >25g contain less than 0.1% by weight of chlorine. □ □ S5.4 * All printed circuit broads (without components) >25g contain less than 0.1% by weight of chlor	S3.5 *				
S3.6 * The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated □ S4 Chemical Emission of Document System □ S4.1 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify. □ Dust □ □ □ Ozone □ □ □ Styrene □ □ □ Benzene □ □ □ TVOC □ □ □ Other substance(s), specify: □ □ □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.2 * Print Supply Parts □ □ □ S5.4 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ □ S5.4 * All printed circuit broads (without components) >25g contain less than 0.1% by weight of chlorine. □ □ S5.4 * All printed circuit broads (without components) >25g contain less than 0.1% by weight of chlor					
Sd.0 paraffins according to EU Directive 2002/45/EC and as amended.	<u> </u>				
S4 Chemical Emission of Document System S4.1* Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify: The test covers: Dust Dust Dust Ozone Dust Ozone Dust Other substance(s), specify: Dust S5 Print Supply Parts S5.1* Newly manufactured parts do not contain substances above the following threshold concentrations: S5.1* Newly manufactured parts do not contain substances above the following threshold concentrations: S5.2 Print Supply Plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.4 All printed circuit boards (without components) >25g contain less than 0.1% by weight of chlorine. S5.4 All printed circuit boards (without components) >25g contain less than 0.1% by weight of chlorine. S5.4 All printed circuit boards (without components) >25g contain less than 0.1% by weight of chlorine. S5.4 All pastic parts, heavier than 25g have material identification marking according to ISO 11469. S5.6 The print Supply plastic housing/external parts >25g shall be specified according to ISO 11469. S5.7	53.6				
specify:	S4				
The test covers:	S4.1 *	Printing system chemical emissions have been tested according to ECMA-328 or other standard,	\boxtimes		
Dust Image: constraint of the set of the s					
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ Chromium VI 1000ppm Mercury 1000ppm Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 * Print Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as par JPCA-ES-01. □ S5.5 * All patic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 * The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 0.1% (blooppm) by weight of chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 * Priastic parts contain less than 0.1% (1000ppm) by					
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ Chromium VI 1000ppm Mercury 1000ppm Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 * Print Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as par JPCA-ES-01. □ S5.5 * All patic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 * The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 0.1% (blooppm) by weight of chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 * Priastic parts contain less than 0.1% (1000ppm) by				H	H
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ Chromium VI 1000ppm Mercury 1000ppm Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 * Print Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as par JPCA-ES-01. □ S5.5 * All patic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 * The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 0.1% (blooppm) by weight of chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 * Priastic parts contain less than 0.1% (1000ppm) by					Image: Displayer
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ Chromium VI 1000ppm Mercury 1000ppm Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 * Print Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as par JPCA-ES-01. □ S5.5 * All patic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 * The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 0.1% (blooppm) by weight of chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 * Priastic parts contain less than 0.1% (1000ppm) by		Benzene	\boxtimes		
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations: □ Chromium VI 1000ppm Mercury 1000ppm Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 * Print Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as par JPCA-ES-01. □ S5.5 * All patic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 * The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 0.1% (blooppm) by weight of chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 * Priastic parts contain less than 0.1% (1000ppm) by			\boxtimes		
S5.1* Newly manufactured parts do not contain substances above the following threshold concentrations: □ Cadmium 1000ppm Chronium VI 1000ppm Mercury 1000ppm S5.2* Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine and □ S5.4* All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and □ S5.4* All printed circuit boards (without components) >25g contain less than 0.09% by weight of short near □ S5.4* All printed circuit boards (without components) >25g contain less than 0.1% by weight of short near □ S5.4* All printed circuit boards (without components) >25g contain less than 0.1% by weight of short neare □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): € □ S5.7 Print supply Packaging □ □ S6.8* Plastic parts contain less th	07				
Cadmium ∑ 1000ppm Lead ∑ 1000ppm PBBs, PBDEs ∑ 1000ppm S5.2* Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine and □ □ S5.4* All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and □ □ S5.5* All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ □ S5.5* All plastic parts, heavier than 25g have material identification marking according to ISO 11469. □ □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ □ Material type: weight (kg): € ✓ □ □ Directive 76/769/EC and as amended. S □ □ □ □ S6.8 Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ □ □					
Chromium VI ⊠ 1000ppm Lead ⊠ 1000ppm PBBs, PBDEs ⊠ 1000ppm S5.2 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine and bromine. □ S5.4 All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. □ S5.5 All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ □ S5.7 Print supply material type: weight (kg): Empty supply: weight (kg): Empty supply: weight of short chained chlorinated paraffins according to EU □ □ S5.8 Plastic parts contain less than 1% by weight of chlorinated hydrocarbons according to EU □ □ S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ □ S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ S6.2* Plastic packaging material >25 is marked according to ISO 11469 or	\$5.1				
Mercury ≦1000ppm S5.2 * Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine. □ S5.4 * All printed circuit boards (without components) >25g contain less than 0.0% by weight of chlorine and bromine as per JPCA-ES-01. □ S5.5 * All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). □ Material type: weight (kg): € Value(s) S5.8 * Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. □ □ S6.1 * Print Supply Plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2 * Plastic packaging material contain less than 1000ppm (0.1%) of chlorine. □ □ S6.3 * User and product documentation do not contain chlorine bleached paper □ □ □ □					
PBBs, PBDEs ≥ 1000ppm S5.2 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.0% by weight of chlorine and bromine as per JPCA-ES-01. □ S5.5 All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Empty supply: weight (kg): Empty supply: weight (kg): € Value(s) S5.8 Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EEC and 96/55/EC and as amended. □ □ S6.1 Print Supply Packaging □ □ S6.2 Plastic parts contain less than 0.1% (1000ppm) by weight of Slo 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3 User and product documentation do not contain sless than 1000ppm (0.1%) of chlorine. □ □ S6.4 Plastic parts and product documentation do not contain chlorine bleached paper □ □ □ □ </td <td></td> <td>Lead 🛛 1000ppm</td> <td></td> <td></td> <td></td>		Lead 🛛 1000ppm			
S5.2* Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. □ S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine. □ □ S5.4* All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. □ □ □ S5.5* All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ □ □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □		Mercury I000ppm			
S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine. □ S5.4 All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. □ S5.5 All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Empty supply: weight (g): € Value(s) S5.8 Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. S5.9 Plastic parts contain less than 0.1% (1000pm) by weight of chlorinated hydrocarbons according to EU □ S6.1 Print Supply Packaging □ □ □ S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ S6.3* User and product documentation do not contain chlorine free (ECF), ☑ process chlorine free (PCF) □ □ S6.4* User and product documentation contain recycled paper □ □ □ S6.	0.7.0.*				
S5.4* All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. □ S5.5* All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): ← Value(s) S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. □ □ S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ Directive 76/769/EC and 96/55/EC and as amended. □ □ S6 Print Supply Plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.1* Print Supply plastic packaging material contain less than 1000ppm (0.1%) of chlorine. □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ S6.4* User and product documentation contain recycled paper □ □ S6.4* User and product documentation contain recycled paper					
bromine as per JPCA-ES-01. S5.5 * All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): ← Value(s) S5.8 * Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. □ □ S5.9 * Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ Directive 76/769/EC and as amended. □ □ S6 Print Supply Packaging □ S6.1 * Print Supply Packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2 * Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3 * User and product documentation do not contain chlorine bleached paper □ □ S6.4 * User and product documentation contain recycled paper □ □ S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity pla		All printed circuit beards (without components) > 25g contain less than 0.1% by weight of bromine.			
S5.5* All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). ✓ Material type: weight (kg): ✓ Empty supply: weight (kg): ✓ S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. □ □ S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ Directive 76/769/EC and 96/55/EC and as amended. □ □ S6 Print Supply Packaging □ □ S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ S6.4* User and product documentation contain recycled paper □ □ S6.4* User and product documentation contain recycled paper □ □ □	\$5.4				
S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): weight (kg): weight (kg): S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU Directive 76/769/EC and as amended. S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Directive 76/769/EEC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2* Plastic parts contain do not contain chlorine bleached paper S6.4* User and product documentation do not contain chlorine free (ECF), is elemental chlorine free (ECF), is elemental chlorine free (ECF), is process chlorine free (PCF) S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 Product packaging material type: LDPE Weight (kg): 0.02 Evalue(s) Weight (kg): 0.02 Evalue(s) S6.6 Product packaging material type: LDPE Weight (kg): 0.02 Evalue(s) S6.6 Product packaging material type: LDPE S6.7 S6.8 S6.9 S6.9<td>S5.5 *</td><td></td><td>\boxtimes</td><td></td><td></td>	S5.5 *		\boxtimes		
in the guidance document. Image: Constraint of the print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Empty supply: weight of short chained chlorinated paraffins according to EU Image: Constraint of the print supply and the print supply as a mended. S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU Image: Constraint of the print supply as a mended. S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Constraint of the print supply Packaging S6.1* Print Supply Packaging material contains less than 1000ppm (0.1%) of chlorine. Image: Constraint of the print supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) Image: Constraint of the print contain chlorine bleached paper Goard Image: Constraint of the print cartridge are clearly labelled with the name of the entity placing the product documentation contain recycled paper Image: Constraint of the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.22 Image: Constraint of the print (kg): 0.02 S6.6 Product packaging material type: LDPE Weight (kg): 0.02 Image: Constraint of the prin					<u> </u>
Material type: weight (kg):					
Empty supply: weight (kg): S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ Directive 76/769/EC and as amended. □ S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ Directive 76/769/EC and 96/55/EC and as amended. □ S6 Print Supply Packaging □ S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ S6.4* User and product documentation contain recycled paper □ □ S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing □ S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 □ Product packaging material type: LDPE weight (kg): 0.02 € Value(s)	S5.7	Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469).			
S5.8* Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU Image: Contain less than 1% by weight of short chained chlorinated paraffins according to EU S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Contain less than 0.1% (1000ppm) by maderial contain less than 0.1% (1000ppm) by w		51 6 (6)	←Valu	ie(s)	
Directive 76/769/EC and as amended. S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ Directive 76/769/EEC and 96/55/EC and as amended. □ S6 Print Supply Packaging □ S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ totally chlorine free (TCF), ⊠ elemental chlorine free (ECF), ⊠ process chlorine free (PCF) S6.4* User and product documentation contain recycled paper □ S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. □ S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 weight (kg): 0.02 ← Value(s)					
S5.9* Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Image: Content of the system o	S5.8 *		\boxtimes		
Directive 76/769/EEC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ totally chlorine free (TCF), ⊠ elemental chlorine free (ECF), ⊠ process chlorine free (PCF) □ S6.4* User and product documentation contain recycled paper □ □ S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. □ S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 weight (kg): 0.02 ↓ Value(s)	0.7.0.*				
S6 Print Supply Packaging S6.1 * Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ S6.2 * Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3 * User and product documentation do not contain chlorine bleached paper □ □ totally chlorine free (TCF), ⊠ elemental chlorine free (ECF), ⊠ process chlorine free (PCF) S6.4 * User and product documentation contain recycled paper S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 Product packaging material type: LDPE weight (kg): 0.02	55.9				
S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. Image: Content of the state in th	S6				
S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ S6.3* User and product documentation do not contain chlorine bleached paper □ □ totally chlorine free (TCF), is elemental chlorine free (ECF), is process chlorine free (PCF) S6.4* User and product documentation contain recycled paper S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing S6.5 Product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 Product packaging material type: LDPE weight (kg): 0.02					
S6.3 * User and product documentation do not contain chlorine bleached paper Image: Control of the second paper S6.3 * User and product documentation contain chlorine free (ECF), Image: Control of the product documentation contain recycled paper Image: Control of the second paper S6.4 * User and product documentation contain recycled paper Image: Control of the second paper Image: Control of the second paper S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. Image: Control of the second paper Image: Control of the second paper S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 weight (kg): 0.02 Image: Control of the second paper Image: Control of the second paper S6.6 Product packaging material type: LDPE Image: Control of the second paper Image: Control of the second paper Image: Control of the second paper S6.6 Product packaging material type: LDPE Image: Control of the second paper Image: Control of the second paper Image: Control of the second paper S6.6 Product packaging material type: LDPE Image: Control of the second paper Image: Control of the second paper Image: Control of the second paper S6.6 Product packaging material type: LDPE Image: Control of the second paper <td></td> <td></td> <td></td> <td></td> <td></td>					
□ totally chlorine free (TCF), ⊠ elemental chlorine free (ECF), ⊠ process chlorine free (PCF) S6.4 * User and product documentation contain recycled paper S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 weight (kg): 0.02 Value(s) □					
S6.4* User and product documentation contain recycled paper Image: Content of the sentence of the	30.3				
S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. Image: Constraint of the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 weight (kg): 0.02 Product packaging material type: LDPE Image: Constraint of the print cartridge are clearly labelled with the name of the entity placing the product packaging material type: LDPE	S6.4 *		\boxtimes		
the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.28 Product packaging material type: LDPE Image: Corrugated cardboard weight (kg): 0.28 weight (kg): 0.02		Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing			
Product packaging material type: LDPE weight (kg): 0.02 ←Value(s)	00.0	the product on the market.	<u> </u>		
	S6.6				
S7 Additional information		Product packaging material type: LDPE weight (kg): 0.02	←Valu	ie(s)	H
	S 7	Additional information			

© Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means. www.itforetagen.se

	HP hardware IT Eco Declarations can be found at: www.hp.com/hpinfo/globalcitizenship/environment/productdata	
S4.1	Printing system chemical emissions is reflected in the IT Eco Declaration for the following HP product: LaserJet 1300	
S5.7	This cartridge may contain recycled content. For information on recycled content of HP Toner Cartridges, click on the "Toner	
	Cartridge Recycled Content" link at http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/index.html	
S6.2	Plastic packaging material >25 g are marked according to DIN 6120.	
S6.4	HP prints much of the in-box literature on recycled paper and soy-based inks	

Page 3(3)

© Copyright Association of the Swedish IT and Telecom Industry 2000. Reproduction of this form without permission is prohibited by the copyright law 1960:729. The prohibition includes any kind of reproduction, by electronic or any other means. <u>www.itforetagen.se</u>