

Print supplies environmental attributes - IT Eco Declaration 2007

Brand *	Hewlett-Packard	Logo	
Company name *	Hewlett-Packard Company		
Contact information *	Hans Wendschlag, HP Sweden	invent	
Internet site *	www.hp.com/hpinfo/globalcitizenship/environment	t/index.html	
Additional information	The latest version of this document can be found a	t	
	http://www.hp.com/hpinfo/globalcitizenship/enviro	nment/productdata/index.html	
	product conforms to the statements given in this de	claration.	
Print supply identity *	HP LaserJet Print Cartrid	ge SKU Q2624A/X	
Additional identity			
Declaration issue date *	June 2012		
Intended market *	☐ Global ☐ Europe ☐ Japan ☐ U.S. ☐ Other		
Guideline document version (m	onth, year) used for completion of this declaration *	February 2007	
This declaration covers the bel	ow listed print supplies categories with specified pr	oduct identity (ID). *	
	print cartridge(s) Other printing supply product, spec	ify:	
To be used in:			
☑ Printer ☐ Copier ☐ Fax ☐ M	fultifunction product Other, specify:		
Example of type, model, and p	part number of product(s):		
Print Supply information:			
Monochrome (black)			
☐ Color(s): ☐ Black ☐ Cyan ☐ Yellow ☐ Magenta ☐ Other, specify:			
☐ Original ☐ Refilled ☐ Rem	☑ Original ☐ Refilled ☐ Remanufactured		
This is an uncontrolled conveybon in wrinted form. Places refer to the contact information for the letest version			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a * are filled-in.

This Eco Declaration for print supplies includes:

- Company environmental profile, print supplies: Divided into two sections, legal and market requirements
- Print supplies environmental attributes: Divided into two sections, legal and market requirements
- Guideline, print supplies document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

The referenced documents are indispensable for the application of this declaration. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This version of the IT ECO Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).

This IT Eco Declaration may only be used after having signed a contract with IT-Företagen (Association of the Swedish IT and Telecom Industry.

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	NA
S1	Print Supply Chemical, Ink/Toner			
S1.1 *	The ink/toner formulation/preparation is compliant with EU Directive 76/769/EEC, 2002/61/EC as amended (Regarding substances classified as carcinogenic, mutagenic or toxic to the reproductive system).	. 🛛		
S1.2 *	If the ink/toner formulation/preparation is classified as dangerous according to EU Directive 1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available: ☐ at: www. ☐ on request			
S2	Print Supply Packaging			
S2.1 *	The product package material contains less than 100 ppm (0.01%) by weight of the sum of Lead (Pb), Mercury (Hg), Cadmium (Cd), and Chromium VI (Cr-VI) as per EU Directive 94/62/EEC and as amended.			
S2.2 *	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol EC/2037/2000.			
	This product meets above listed legal requirements	\boxtimes		



Print Supply identity *	HP LaserJet Print Cartridge SKU Q2624A/X		
Issue date *	June 2012	Logo	invent

Item	Product	environmental attributes - <u>Market requirements</u>	Requi	irement	t met
Sa.1 ** The inkfloner formulation/preparation does not contain substances above the following threshold concentrations: Cadmium			Yes	No	n.a.
Cantrations: Cadmium					_
Sa3_2 The inkforer formulation/preparation does not contain Azo colorants that split aromatic amines as specified in EU Directives 2002/6/EC, 2003/EC EC, 2003/EC, 2	S3.1 *	centrations: Cadmium			
specified in EU Directives 2002/61/EC, 2003/9EC and as amended. 3.3	S3 2 *			П	
1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available: 3		specified in EU Directives 2002/61/EC, 2003/3/EC and as amended.			
S3.5 * The inktoner has been tested and passed the Ames test. S3.5 * The photoconductor drum contains less by weight of the following substances: Cadmium: 100ppm Selenium: Sele	S3.3 *	1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available:			
Cadmium: 100ppm Selenium: 100ppm The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated partials according to EU Directive 2002/45/EC and as amended. S4.1 **Chemical Emission of Document System Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify: The test covers: Dust Ozone Styrene Benzene TVOC Other substance(s), specify: S5.2 **Pirit Supply Parts S5.1 **Newly manufactured parts do not contain substances above the following threshold concentrations: Cadmium 100ppm Chromium VI 1000ppm Lead 1000ppm Mercury 1000ppm Mercury 1000ppm Mercury 1000ppm Mercury 1000ppm Mercury 1000ppm PBS, PBDEs 1000ppm PBS, PBDEs 1000ppm S5.3 **Pirit Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine. S5.3 **Pirit Supply plastic housing/external parts >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. S5.5 **Ail plastic parts. heavier than 25g have material identification marking according to ISO11469. Malphastic parts. heavier than 25g have material identification marking according to ISO11469. Malphastic parts. heavier than 25g have material identification marking according to ISO11469. Malphastic parts. heavier than 25g have material identification marking according to ISO11469. Malphastic parts. heavier than 25g have material dentification marking according to ISO 11469. Material type: Empty supply: *Value(s) **Entit Supply Packaging Directive 76/769/EC and as amended. **Print Supply packaging Directive 76/769/EC and as amended. **Print Supply Packaging Directive 76/769/EC and as amended. **Second Print Supply Packaging Directive 76/769/EC and as amended. **Print S	S3.4 *		X		
paraffins according to EU Directive 2002/45/EC and as amended. S4.		Cadmium: 100ppm Selenium: 1000ppm			
S4.1 * Printing system chemical emissions have been tested according to ECMA-328 or other standard, specify: The test covers: Dust	S3.6 *		M	Ш	
specify: The test covers: Dust Ozone Styrene Benzene Benzene Benzene Benzene Benzene Styrene Benzene Benzene Benzene Styrene Benzene Styrene Benzene Benzene Styrene Benzene Styrene Benzene Benzene Styrene		Chemical Emission of Document System			
S5 Print Supply Parts S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations:	S4.1 *	specify: The test covers: Dust	_		
S5.1 * Newly manufactured parts do not contain substances above the following threshold concentrations:		Styrene Benzene TVOC			
Cadmium	S5				
S5.3 Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine. S5.4 All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. S5.5 All plastic parts, heavier than 25g have material identification marking according to ISO11469. S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Empty supply: weight (kg): S5.8 Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □ □ □ Directive 76/769/EC and as amended. S5.9 Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ □ □ □ Directive 76/769/EC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1 Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2 Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ □ □ □ S6.3 User and product documentation do not contain chlorine bleached paper □ □ □ totally chlorine free (TCF), □ elemental chlorine free (ECF), □ process chlorine free (PCF) S6.4 User and product documentation contain recycled paper □ □ □ □ □ S6.5 Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02 €Value(s) □	S5.1 *	Cadmium ☑ 100ppm Chromium VI ☑ 1000ppm Lead ☑ 1000ppm Mercury ☑ 1000ppm			
S5.4 * All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and bromine as per JPCA-ES-01. S5.5 * All plastic parts, heavier than 25g have material identification marking according to ISO11469.	S5.2 *	Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine.	\boxtimes		
bromine as per JPCA-ES-01. S5.5 * All plastic parts, heavier than 25g have material identification marking according to ISO11469. S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Weight (kg): Empty supply: weight (kg): S5.8 * Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU Directive 76/769/EC and as amended. S5.9 * Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Directive 76/769/EC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1 * Plastic packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2 * Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) S6.3 * User and product documentation do not contain chlorine bleached paper S6.5 * User and product documentation contain recycled paper S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02 Value(s)	S5.3	Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine.		\boxtimes	
S5.5 * All plastic parts, heavier than 25g have material identification marking according to ISO11469. □ □ □ S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. □ □ □ S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). □ □ □ Material type: weight (kg): □ □ □ □ Weight (kg): □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	S5.4 *				
S5.6 The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified in the guidance document. S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): Weight of short chained chlorinated paraffins according to EU Directive 76/769/EC and as amended. S5.9 Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU Directive 76/769/EEC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1 Print Supply Packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2 Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) User and product documentation do not contain chlorine bleached paper User and product documentation do not contain chlorine bleached paper User and product documentation contain recycled paper S6.4 User and product documentation contain recycled paper S6.5 Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02	S5.5 *	All plastic parts, heavier than 25g have material identification marking according to ISO11469.	\square	П	
S5.7 Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg): weight (kg): S5.8 Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU □□□ Directive 76/769/EC and as amended. S5.9 Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □□□□ Directive 76/769/EC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1 Print Supply Packaging material contains less than 1000ppm (0.1%) of chlorine. □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□		The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified			T
Directive 76/769/EC and as amended. S5.9 * Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU □ □ Directive 76/769/EEC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1 * Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	S5.7	Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469). Material type: weight (kg):	← Vali	ue(s)	
Directive 76/769/EEC and 96/55/EC and as amended. S6 Print Supply Packaging S6.1* Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. □ □ S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) □ □ □ S6.3* User and product documentation do not contain chlorine bleached paper □ totally chlorine free (TCF), ☑ elemental chlorine free (ECF), ☑ process chlorine free (PCF) S6.4* User and product documentation contain recycled paper □ □ □ S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing □ □ S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 Product packaging material type: LDPE weight (kg): 0.02 ◆Value(s) □	S5.8 *				
S6.1 * Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine. S6.2 * Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) S6.3 * User and product documentation do not contain chlorine bleached paper totally chlorine free (TCF), ☑ elemental chlorine free (ECF), ☑ process chlorine free (PCF) S6.4 * User and product documentation contain recycled paper S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02	S5.9 *				
S6.2* Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC) S6.3* User and product documentation do not contain chlorine bleached paper totally chlorine free (TCF), elemental chlorine free (ECF), process chlorine free (PCF) S6.4* User and product documentation contain recycled paper S6.5* Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02 Value(s)		Print Supply Packaging			
S6.3* User and product documentation do not contain chlorine bleached paper					<u> </u>
□ totally chlorine free (TCF), ☑ elemental chlorine free (ECF), ☑ process chlorine free (PCF) S6.4 * User and product documentation contain recycled paper ☑ □ □ S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. ☑ □ S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02 ☑ □	S6.2 *				
S6.5 * Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 weight (kg): 0.02 Product packaging material type: LDPE **Value(s)		☐ totally chlorine free (TCF), ☐ elemental chlorine free (ECF), ☐ process chlorine free (PCF)			
the product on the market. S6.6 Product packaging material type: Paper, molded pulp and/or corrugated cardboard weight (kg): 0.3 Product packaging material type: LDPE weight (kg): 0.02 Value(s)	S6.4 *				
Product packaging material type: LDPE weight (kg): 0.02 ←Value(s) □		the product on the market.			
		Product packaging material type: LDPE weight (kg): 0.02	← Valı	ue(s)	

Version February 2007 Page 2(3)

	HP hardware IT Eco Declarations can be found at: www.hp.com/hpinfo/globalcitizenship/environment/productdata
S5.7	This cartridge may contain recycled content. For information on recycled content of HP Toner Cartridges, click on the "Toner Cartridge Recycled Content" link at http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/index.html
S6.2	Plastic packaging material >25 g are marked according to DIN 6120.
S6.4	HP prints much of the in-box literature on recycled paper and soy-based inks

Version February 2007 Page 3(3)