

Print supplies environmental attributes - IT Eco Declaration 2007

| Brand *  | Hewlett-Packard  | Logo                         |
|--|--|------------------------------|
| Company name *   | Hewlett-Packard Company                                    |                              |
| Contact information *  | Hans Wendschlag, HP Sweden                                 | invent                       |
| Internet site *  | www.hp.com/hpinfo/globalcitizenship/environmen             | t/index.html                 |
| Additional information   | The latest version of this document can be found a         | at                           |
|  | http://www.hp.com/hpinfo/globalcitizenship/enviro          | nment/productdata/index.html |
|  |  |                              |
|  | product conforms to the statements given in this de        | eclaration.                  |
| Print supply identity *  | HP LaserJet Print Cartrid                                  | ge SKU CF214A/X/XC           |
| Additional identity  |  |                              |
| Declaration issue date *   | June 2013  |                              |
| Intended market *  | market *   |                              |
| Guideline document version (month, year) used for completion of this declaration * February 2007 |  |                              |
|  |  |                              |
| This declaration covers the bel  | low listed print supplies categories with specified pr     | oduct identity (ID). *       |
| ☑Toner print cartridge(s) ☐ Ink  | c print cartridge(s) 🔲 Other printing supply product, spec | cify:                        |
| To be used in:   |  |                              |
|  | Multifunction product  Other, specify:                     |                              |
| Example of type, model, and  | part number of product(s):                                 |                              |
| Print Supply information:  |  |                              |
| Monochrome (black) Multi   | color  |                              |
| ☐ Color(s): ☐ Black ☐ Cyan ☐ Yellow ☐ Magenta ☐ Other, specify:                                  |  |                              |
| ☐ Original ☐ Refilled ☐ Remanufactured   |  |                              |
| Z Original Li Kellied Li Kell  | ianulacturcu   |                              |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

The declaration may be published only when all rows and/or fields marked with a \* are filled-in.

This Eco Declaration for print supplies includes:

- Company environmental profile, print supplies: Divided into two sections, legal and market requirements
- Print supplies environmental attributes: Divided into two sections, legal and market requirements
- Guideline, print supplies document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

The referenced documents are indispensable for the application of this declaration. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

This version of the IT ECO Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).

This IT Eco Declaration may only be used after having signed a contract with IT-Företagen (Association of the Swedish IT and Telecom Industry.

| Product environmental attributes - <u>Legal requirements</u> Requireme |  | ment        | met |    |
|--|--|-------------|-----|----|
| Item   |  | Yes         | No  | NA |
| S1   | Print Supply Chemical, Ink/Toner   |             |     |    |
| S1.1 *   | The ink/toner formulation/preparation is compliant with EU Directive 76/769/EEC, 2002/61/EC as amended (Regarding substances classified as carcinogenic, mutagenic or toxic to the reproductive system). | . 🛛         |     |    |
| S1.2 *   | If the ink/toner formulation/preparation is classified as dangerous according to EU Directive 1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available: ☐ at: www. ☐ on request      |             |     |    |
| S2   | Print Supply Packaging   |             |     |    |
| S2.1 *   | The product package material contains less than 100 ppm (0.01%) by weight of the sum of Lead (Pb), Mercury (Hg), Cadmium (Cd), and Chromium VI (Cr-VI) as per EU Directive 94/62/EEC and as amended.     |             |     |    |
| S2.2 *   | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol EC/2037/2000.   |             |     |    |
|  |  |             |     |    |
|  | This product meets above listed legal requirements   | $\boxtimes$ |     |    |



| Print Supply identity * | HP LaserJet Print Cartridge SKU CF214A/X/XC |      |        |
|-------------------------|---|------|--------|
| Issue date *            | June 2013                                   | Logo | invent |

| Product | oduct environmental attributes - Market requirements  |               |             | Requirement met |  |
|---------|---|---------------|-------------|-----------------|--|
| Item    |   | Yes           | No          | n.a.            |  |
| S3      | Print Supply Chemical, Ink/Toner  |               |             | _               |  |
| S3.1 *  | The ink/toner formulation/preparation does not contain substances above the following threshold con-          |               |             |                 |  |
|         | centrations: Cadmium 🔀 100ppm   |               |             |                 |  |
|         | Chromium VI 🔯 1000ppm   |               |             |                 |  |
|         | Lead 1000ppm  |               |             |                 |  |
|         | Mercury 1000ppm   |               |             |                 |  |
|         | PBBs, PBDEs 🛛 1000ppm   |               |             |                 |  |
| S3.2 *  | The ink/toner formulation/preparation does not contain Azo colorants that split aromatic amines as            | $\boxtimes$   |             |                 |  |
|         | specified in EU Directives 2002/61/EC, 2003/3/EC and as amended.  |               |             |                 |  |
| S3.3 *  | If the ink/toner formulation/preparation is not classified as dangerous according to EU Directive             | $\boxtimes$   |             |                 |  |
|         | 1999/45/EC, and as amended, a Material Safety Data Sheet (MSDS) is available:                                 |               |             |                 |  |
|         | at: www.hp.com/go/msds □ on request   |               |             |                 |  |
| S3.4 *  | The ink/toner has been tested and passed the Ames test.   | $\boxtimes$   |             |                 |  |
| S3.5 *  | The photoconductor drum contains less by weight of the following substances:                                  |               |             |                 |  |
|         | Cadmium: 100ppm   | $\boxtimes$   |             |                 |  |
|         | Selenium: 1000ppm   | $\boxtimes$   |             |                 |  |
| S3.6 *  | The ink/toner formulation/preparation contains less than 1% by weight of short-chain chlorinated              | $\boxtimes$   |             |                 |  |
| _       | paraffins according to EU Directive 2002/45/EC and as amended.  |               |             |                 |  |
| S4      | Chemical Emission of Document System  |               |             |                 |  |
| S4.1 *  | Printing system chemical emissions have been tested according to ECMA-328 or other standard,                  | $\boxtimes$   |             |                 |  |
|         | specify:  |               |             |                 |  |
|         | The test covers: Dust   | $\square$     |             |                 |  |
|         | Ozone   |               | H           | H               |  |
|         | Styrene   |               | Ħ           | H               |  |
|         | Benzene   |               | Ħ           | Ħ               |  |
|         | TVOC  | Ħ             |             | Ħ               |  |
|         | Other substance(s), specify:  |               | $\boxtimes$ |                 |  |
| S5      | Print Supply Parts  |               |             |                 |  |
| S5.1 *  | Newly manufactured parts do not contain substances above the following threshold concentrations:              | $\boxtimes$   |             |                 |  |
|         | Cadmium 🔀 100ppm  | _             | _           |                 |  |
|         | Chromium VI 🔼 1000ppm   |               |             |                 |  |
|         | Lead 🔲 1000ppm  |               |             |                 |  |
|         | Mercury 1000ppm   |               |             |                 |  |
|         | PBBs, PBDEs 1000ppm   |               | _           | _               |  |
| S5.2 *  | Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of chlorine.                |               | Ц           | <u> </u>        |  |
| S5.3    | Print Supply plastic housing/external parts >25g contain less than 0.1% by weight of bromine.                 | <u> Ц —</u>   | $\square$   |                 |  |
| S5.4 *  | All printed circuit boards (without components) >25g contain less than 0.09% by weight of chlorine and        |               |             |                 |  |
|         | bromine as per JPCA-ES-01.  |               | _           | _               |  |
| S5.5 *  | All plastic parts, heavier than 25g have material identification marking according to ISO11469.               |               |             |                 |  |
| S5.6    | The print Supply is designed to meet the "Recyclable Design of Consumables" requirements as specified         | $\boxtimes$   |             | ł               |  |
| 05.7    | in the guidance document.   |               |             |                 |  |
| S5.7    | Print supply material type and weight (plastic parts >25g shall be specified according to ISO 11469).         | <b>-</b>      |             |                 |  |
|         | Material type: weight (kg): Empty supply: weight (kg):  | <b>←</b> Valu | e(s)        |                 |  |
|         | 1,5,11,5  |               |             |                 |  |
| S5.8 *  | Plastic parts contain less than 1% by weight of short chained chlorinated paraffins according to EU           | $\boxtimes$   |             |                 |  |
|         | Directive 76/769/EC and as amended.   |               |             |                 |  |
| S5.9 *  | Plastic parts contain less than 0.1% (1000ppm) by weight of chlorinated hydrocarbons according to EU          |               |             |                 |  |
| CC      | Directive 76/769/EEC and 96/55/EC and as amended.   |               |             |                 |  |
| S6      | Print Supply Packaging  Print Supply plactic packaging material contains less than 1000ppm (0.1%) of chloring |               |             |                 |  |
| S6.1 *  | Print Supply plastic packaging material contains less than 1000ppm (0.1%) of chlorine.                        |               |             |                 |  |
| S6.2 *  | Plastic packaging material >25 g is marked according to ISO 11469 or ISO1043, parts 1-4 (97/129/EEC)          |               |             |                 |  |
| S6.3 *  | User and product documentation do not contain chlorine bleached paper   | $\boxtimes$   |             |                 |  |
|         | totally chlorine free (TCF), elemental chlorine free (ECF), process chlorine free (PCF)                       |               | _           | _               |  |
| S6.4 *  | User and product documentation contain recycled paper   | $\boxtimes$   | Ш           |                 |  |
| S6.5 *  | Both the retail packaging and the print cartridge are clearly labelled with the name of the entity placing    | $\boxtimes$   |             |                 |  |
|         | the product on the market.  |               |             |                 |  |
| S6.6    | Product packaging material type:Corrugated Paper/Paper/Paper/Paper/molded pulp weight (kg): 0.71              |               |             |                 |  |
|         | Product packaging material type:PP weight (kg): 0.03  | <b>←</b> ∨;   | alue(s)     | 님               |  |
| 67      | Product packaging material type:Composite weight (kg): 0.03   |               |             | Ш               |  |
| S7      | Additional information  |               |             |                 |  |

Version February 2007 Page 2(3)

|      | HP hardware IT Eco Declarations can be found at: <a href="https://www.hp.com/hpinfo/globalcitizenship/environment/productdata">www.hp.com/hpinfo/globalcitizenship/environment/productdata</a> |
|------|--|
| S4.1 | Printing system chemical emissions is reflected in the IT Eco Declaration for the following HP products: HP LaserJet Enterprise  |
|      | 700 M712 printer series  |
| S5.7 | This cartridge may contain recycled content. For information on recycled content of HP Toner Cartridges, click on the "Toner   |
|      | Cartridge Recycled Content" link at http://www.hp.com/hpinfo/globalcitizenship/environment/productdata/index.html  |
| S6.2 | Plastic packaging material >25 g are marked according to DIN 6120.   |
| S6.4 | HP prints much of the in-box literature on recycled paper and soy-based inks   |

.

Version February 2007 Page 3(3)