

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	ThinkCentre	Logo
Company name *	Lenovo	
Contact information *	Alvin L Carter 1009 Think Place Building 2 / 5J3 Morrisville, North Carolina 27560 alcarter@lenovo.com	lenovo
Internet site *	www.pc.ibm.com/ww/lenovo/about/environment	
Additional information		

	based on product specification or test results based obtained from sample testing), that the product ts given in this declaration.			
Type of product *	Personal Computer			
Commercial name *	ThinkCentre M58/M58p Eco Ultra Small			
Model number *	M/T: 6136, 6139, 7187, 7345, 7348, 7356, 7359, 7479, 7626, 7629, 7637, 8820			
Issue date *	2009, September 29			
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information	ENERGY STAR® 5.0 Qualified; EPEAT Gold Rating, GREENGUARD Certification			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met		
Item		Yes	No		
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$			
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).				

	<i>ThinkCentre M58/M58p Eco Ultra Small M/T</i> 7345, 7348, 7356, 7359, 7479, 7626, 7629, 7637, 882		6139, 7187,
Issue date *	2009, September 29	Logo	lenovo

Product	oduct environmental attributes - Legal requirements R			
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\square$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	$\boxtimes$		
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/environment.html	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\square$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			$\square$
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\boxtimes$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	$\square$		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

	te *	2009, September 29	0	eno	VO	
Product	environ	mental attributes - Market requirements - Environmental conscious desig	in Ri	equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a
P6		nt information			-	
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		$\square$		
P7	Design	mbly, recycling				
P7.1*		t have to be treated separately are easily separable				
P7.2*		aterials in covers/housing have no surface coating.			╞	
P7.3*		arts >100g consist of one material or of easily separable materials.			╞	
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.			╞	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly available	nle tools		╞	
P7.6*	-	re easily separable. (This requirement does not apply to safety/regulatory labels).	JE 10013.		⊢⊢	
F7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	. 2	g can be done using commonly available tools			╞	
P7.9.		rts are available after end of production for: 5 years				
P7.10			<u> </u>			
17.10		s available after end of production for: 5 years and substance requirements				
P7.11*		cover/housing material type:				
		aterial type: PC+ABS Material type: Material type:	:			
P7.12		cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13	Electrica	cable insulation materials of signal cables are PVC free		Ē		
P7.14	All cover	housing plastic parts >25g are free from chlorine and bromine.				
P7.15		d circuit boards (without components) >25g are halogen free. as defined in IEC61249	-2-21. (See			
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40)					
P7.17	Alt. 2	I specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #:	ccording			
P7.18	ISO 1043 Alt. 1	3-4: Brominated Epoxy Resin See P14				_
	Flame reconcentra	etarded plastic parts >25g contain the following flame retardant substances/prep ations above 0.1%:	arations in			
	Provide a complete 1. Chemi	t: No legal limits exist, this is a market requirement. a list of all used flame retardants including MSDS for each flame retardant. The list m chemical name, CAS number and supplier. cal name: , CAS #: , Supplier: cal name: , CAS #: , Supplier:	iust contain			
	Alt. 2	cal name: , CAS #: , Supplier: I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classified a 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	as R45,			
P7.20		lastic parts' weight >25g, recycled material content is +10%.				
		lastic parts' weight >25g, biobased material content is 0%.				
P7.21		rces are free from mercury				
		y is used specify: Number of lamps: no. of lamps and max. mercury content per lamp: x	r mg			
P7.21 P7.22 <b>P8</b> P8.1*	If mercur Batteries	y is used specify: Number of lamps: <i>no. of lamps</i> and max. mercury content per lamp: <b>x</b>	r mg			

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

## Model number \* Issue date \*

Product e	roduct environmental attributes - Market requirements (continued) Requirement me em						
Item						n.a.	
P9	Energy consump						
9.1	9.1 For the product the following power levels or energy consumptions are reported:						
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *		
Peak (On- max)		107 W	107 W	<b>107</b> W	Full load		
Idle State		<b>51.2</b> W	<b>51.3</b> W	<b>52.1</b> W	Idle State for ES		
	- WOL Enable	2.93 W	2.93 W	2.8 W	Sleep Mode w/ WOL Enabled for ES		
Off(S4/S5)	- WOL Enable	1.2 W	<b>1.2</b> W	<b>1.2</b> W	Off Mode w/ WOL Enabled for ES		
		W	W	W			
		W	W	W			
EPS No-loa	ad	0.36 W	0.36 W	0.39 W			
charger plu	ower supply / lgged in the wall lisconnected from t.)						
P <sub>TEC</sub>		W	W	W	(Workstation Levels)		
Typical Ene	ergy Consumption				$P_{TEC} = 0.35^* P_{off} + 0.10^* P_{sleep} + 0.55^* P_{idle}$		
TEC Typical Ene	ergy Consumption	kWh/week	kWh/week	kWh/week			
Etec *		186.6 kWh/year	186.8 kWh/year	189.8 kWh/year	(Desktop, Integrated Desktop, and Notebook Levels)		
Annual Energy Consumption					$E_{TEC} = (8760/1000) * (P_{off} * T_{off} + P_{sleep} * T_{sleep} + P_{idle} * T_{idle})$		
Display res	olution Me	gapixels					
Print Speed	d : Ir	nages per minute					
Default time	e to enter energy s	ave mode: 10 minutes	3				
P9.2*	Information about	the energy save func	tion is provided with	the product.			
P9.3*	The product meet	s the energy requirem	ents of the following	voluntary program	/s:		
	ENERGY STAR® Others specify:	version: Version 5.0	dated July 1, 2009	Product category:		$\square$	
P10	Emissions						
-		- Declared according	to ISO 9296				
P10.1	Mode	Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level $L_{p{\rm Am}}$ (dB)	P1 0.1	
				level $L_{WAd}$ (B)	Operator position 🔀		
				WAd (D)	Desktop 🔀		
					or Desk side 📃		
	Idle	* HDD: Idle		* 3.7	24	1	
	Operation	* HDD: Operating		* 3.8	24	1	
	Other mode					1	
	Measured accord	ng to: 🔀 ISO7779 🗌 Other	ECMA-74	d by FCMA-74 with	L <sub>pAm</sub> measurement distance m)		
P10.2	The product meet	s the acoustic noise r					
				J/P			

Model number *		ThinkCentre M58/M58p Eco Ultra Small M/T: 6136, 6139	, 7187	, 73	45,
		7348, 7356, 7359, 7479, 7626, 7629, 7637, 8820			
Issue date *			lenovo		
Product	environn	nental attributes - Market requirements (continued)	Require	ment	met
Item			Yes	No	n.a.
		al emissions from printing products			
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard, other specify:			$\boxtimes$
P10.4	Typical e	emission rate (print phase) is (mg/h):			$\boxtimes$
		Dust Ozone Styrene Benzene TVOC			
P10.5		Il emission requirements of the following voluntary program/s are met for :			$\boxtimes$
		Dust Ozone Styrene Benzene TVOC	-		
		nagnetic emissions			
P10.6	program				
P11		able materials for printing products			
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			$\square$
P11.2*	Paper co EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the requirements of 1.			$\mathbb{X}$
P11.3*	2-sided (	(duplex) printing/copying is an integrated product function.			Х
P12	Ergonor	nics for computing products			
P12.1*	The disp	lay meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	$\boxtimes$		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.	$\square$		
P13	Packagi	ng and documentation			
P13.1*		packaging material type(s): EPO weight (kg): 0.3			
		packaging material type(s): Corrugated weight (kg): 1.3			
D40.0t		packaging material type(s): weight (kg):			
P13.2*		plastic packaging is free from PVC.	$\boxtimes$		
P13.3*		nedia for user and product documentation (tick box):			
<b>D</b> (0, (*		ic 🔀, Paper 🔀, Other 📃			
P13.4*	fiber: 0	er user and product documentation, please specify contained percentage of post-consumer recycled %(Japan only 70%)	- <b>-</b>	-	
P14		nal information (See Note B4)			
	informati knowledg provided informati		d on supp n. The inf	lier's ormatio	on
P7.17	Product	does not contain free TBBPA in printed circuit boards(without components)>25g.			
P9		ergy Star Qualified Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.ShowProductGroup&pgw_code=CO			

Annex B of ECMA-370 4<sup>th</sup> edition, June 2009

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19