

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	·
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.			
Type of product *	ype of product * Single Function Mono Laser Printer		
Commercial name *	exmark MS312dn		
Model number *	MS312dn		
Issue date *	February 20, 2014		
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Quality Control		
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀	

Model number *	MS312dn		
Issue date *	February 20, 2014	Logo	LEXMARK

Product environmental attributes - Legal requirements			ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),	$\square$		
	hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\square$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\square$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\square$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as			$\boxtimes$
	pentachlorophenol and derivatives (see legal reference).			
	Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5	$\boxtimes$		
	microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	$\square$		
	REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
DO OT	provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$	Ш	
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\square$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\boxtimes$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\boxtimes$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	$\boxtimes$		
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	$\square$		
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium an hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	$\square$		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number * MS312dn						
Issue dat	Issue date * February 20, 2014 Logo		Logo	LEXM	ARK	
Product	Product environmental attributes - Market requirements - Environmental conscious design Requirement met					
Item						
P6				165	INU	n.a.
P6.1*	Treatment information   Information for recyclers/treatment facilities is available (see legal reference).					
		on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$		
P7	Design					
		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		$\square$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		$\square$		
P7.3*	Plastic p	arts >100g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic p	arts >25g have material codes according to ISO 11469 referring ISO 1043.			F	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		H	
P7.6*	-				+	
P7.6		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\square$		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ig can be done using commonly available tools		$\boxtimes$		
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10		s available after end of production for: 5 years		_		
		and substance requirements				
P7.11*		cover/housing material type:				
1 7.11			type: PC/ABS			
P7.12	Flectrica	I cable insulation materials of power cables are PVC free.			$\boxtimes$	
P7.13				<u> </u>		
_		I cable insulation materials of signal cables are PVC free				
P7.14		/housing plastic parts >25g are free from chlorine and bromine.			$\boxtimes$	
P7.15	All printe	ed circuit boards (without components) >25g are halogen free. as defined in IEC6?	1249-2-21. (See	; 🗌	$\boxtimes$	
	Note B2)					
P7.16	Flame re	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:		X		
	Marking:					
P7.17	Alt. 1					
		I specifications of flame retardants in printed circuit boards >25g (without component	nts):			
	TBBPA (additive) 🔲, TBBPA (reactive) 🛄, Other; chemical name: , CAS #:					
	Alt. 2	I an additional of flows a notendante in printed size of heards (without assume result).			_	
		I specifications of flame retardants in printed circuit boards (without components) >2 3-4: FR(16)	25g according	$\boxtimes$		
D7.40		5-4. <i>F</i> A(10)				
P7.18	Alt. 1	etarded plastic parts >25g contain the following flame retardant substances/	proporationa in	. —		
		ations above 0.1%:	preparations in			
		ent: No legal limits exist, this is a market requirement.				
		ical name: , CAS #: ical name: , CAS #:				
		ical name: , CAS #:				
	Alt. 2					
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
		FR(17), FR(16), FR(50)		$\square$		
P7.19	Plastic p	arts >25g are free from flame retardant substances/ preparations above 0.1% class	ified as R45,			
		6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)				
P7.20						
P7.21		plastic parts' weight >25g, biobased material content is %.				
P7.22	Light sources are free from mercury					
-		y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
P8	Batteries		-			
P8.1*		hemical composition: Lithium Manganese Dioxide, LiMnO2				
P8.2	,	meet the requirements of the following voluntary program/s:				
	Dationog	meet the requirements of the following following program.				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	MS312dn		
Issue date *	February 20, 2014	Logo	LEXMARK
Product environmental attributes - Market requirements (continued) Requirement met			

Item	m Yes No n.a.					
P9	Energy consump	tion			163 110	n.a.
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mod		Power level at 100 V AC	n	I	at Reference / Standard for energy modes and test method *	
Printing		<b>456</b> W	<b>460</b> W	<b>441</b> W	Corporate Standard	
Ready Mo	de	5.7 W	5.7 W	6.3 W	Energy Star I E V2.0	
Sleep Mode		2.5 W	2.5 W	<b>2.9</b> W	Energy Star I E V2.0	
Hibernate Mode		0.3 W	0.3 W	0.4 W	IEC 62301	
Off Mode		0.00 W	0.00 W	0.00 W	IEC 62301	
		W	W	W		
charger plu	ower supply / gged in the wall isconnected from	W	W	W		
PTEC * Typical Ene	ergy Consumption	W	W	W		
TEC * Typical Ene	ergy Consumption	1.6 kWh/week	1.6 kWh/week	1.6 kWh/week	Energy Star I E V2.0	
ETEC * Annual Ene	ergy Consumption	kWh/year	kWh/year	kWh/year		
Display res	olution* : M	egapixels				
Print Speed	d * : <b>33</b> Image	es per minute			ISO 24734	
Default time	e to enter energy sa	ave mode: 30 minutes			Energy Star I E V2.0	
P9.2*	Information about	the energy save functio	n is provided with th	ne product.		
P9.3*		s the energy requiremer version: 2.0 Tier: Produ AL-UZ 171				
FIU		- Declared according to	ISO 9296			
P10.1		Mode description		Declared A-weighted sound power	Declared A-weighted sound pressure level L <sub>pAm</sub> (dB)	
				WAU ( )	Desktop (only if product is not operator attended)	
		* Ready		* 3.3	15	
	Operation	* Simplex Monochrom Normal Mode	e Printing,	* 6.7	53	
	Other mode	Simplex Monochrom Quiet Mode	e Printing,	6.4	50	
	Measured accordin		ECMA-74 (only if not covered	by ECMA-74 with L	-pAm measurement distance m)	
P10.2						

Model nu	nber *	MS312dn				
Issue date	ssue date * February 20, 2014 Logo		jo I	EXM	RĶ	
	Product environmental attributes - Market requirements (continued)				nent	
Item	<u>.</u>			Yes	No	n.a.
P10.3*		al emissions from printing products				
	UZ171	formed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-UZ-	122/RAL-			
P10.4	Typical emission rate (print phase) is (mg/h):   Dust <0.7					
P10.5		al emission requirements of the following voluntary program/s are met for : Dust 📈 Ozone 🔀 Styrene 🔀 Benzene 🔀 TVO	oc 🖂	$\boxtimes$		
	Electror	nagnetic emissions				
P10.6	Compute program	er display meets the requirement for low frequency electromagnetic fields of the followin /s:	ig voluntary			
P11		nable materials for printing products				
P11.1*		Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required		$\square$		
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the re- 1.	quirements c	of 🔀		
P11.3*	2-sided	(duplex) printing/copying is an integrated product function.		$\boxtimes$		
P12	Ergono	nics for computing products				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.					
P12.2*	The phy	sical input device meets the requirements of ISO 9995 and ISO 9241-410.				$\mathbb{N}$
P13		ng and documentation				
P13.1*	Product	packaging material type(s): Corrugated weight (kg): 2.04   packaging material type(s): Polystyrene, Expanded weight (kg): 0.2858   packaging material type(s): weight (kg):				
P13.2*		plastic packaging is free from PVC.		$\boxtimes$		
P13.3*		media for user and product documentation (tick box): ic $\mathbf{X}$ , Paper $\mathbf{X}$ , Other $\Box$				
P13.4*		er user and product documentation, please specify contained percentage of post-consur	mer recycled			
Rev. P13.5	User and	d product documentation do not contain chlorine bleached paper				
P14	Addition	nal information (See Note B4)				
P1.1		luct uses RoHS exemptions for lead used in small amounts for specific applications.				
P2.1	The battery contained within this product should be disposed of properly with the product. The product is properly labeled with the WEEE disposal symbol and instructions for such disposal is listed in the product User's Guide.					'EEE
P2.3		ery contained within this product meets the exception listed. The battery is not intended to be is designed for easy removal by recyclers and service providers.	e removed by t	the custom	er;	
P7.14		mount of bromine may be present in covers due to sourcing post consumer recycled content. ocessing of these parts.	No bromine w	as intentio	nally a	dded
P7.20	Per IEEE	1680.2 PCR calculation				
P9.1	Print speed listed is A4 speed; Letter speed is 35 ppm.					
	Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen					

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19