

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

| Brand * | Lexmark | Logo |
|------------------------|----------------------------------|------------------------------|
| Company name * | Lexmark International, Inc. | I DAZNA A DIZ |
| Contact information * | Nadia Martin (USA) | LEXM ARK _™ |
| Internet site * | www.lexmark.se / www.lexmark.com | |
| Additional information | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | | | | |
|--|--|--|--|--|--|
| Type of product * | Single Function Mono Laser Printer | | | | |
| Commercial name * | Lexmark MS810de, Lexmark M5155 | | | | |
| Model number * | MS810de, M5155 | | | | |
| Issue date * | Rev. February 24, 2014 | | | | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

| Quality | Control | Requireme | nt met |
|---------|--|-------------|--------|
| Item | | Yes | No |
| QC1 * | The company enforces an internal quality control scheme to ensure the correctness of this eco declaration | \boxtimes | |
| QC2 * | The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org). | ol 🔀 | |

| Model number * | MS810de, M5155 | | |
|----------------|------------------------|------|---------|
| Issue date * | Rev. February 24, 2014 | Logo | LEXMARK |

| Product | roduct environmental attributes - Legal requirements | | | | | |
|---------|---|-------------|----|------|--|--|
| Item | | Yes | No | n.a. | | |
| P1 | Hazardous substances and preparations | | | | | |
| P1.1* | Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1) | | | | | |
| P1.2* | Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. | | | | | |
| P1.3* | Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.4* | Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). | | | | | |
| P1.5* | Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). | \boxtimes | | | | |
| P1.6* | Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.7* | Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1) | | | | | |
| P1.8* | Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | | |
| P1.9* | Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998. | | | | | |
| P1.10* | REACH Article 33 information about substances in articles is available at (add URL or mail contact): REACH Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550 | | | | | |
| P2 | Batteries | | | | | |
| P2.1* | If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference) | | | | | |
| P2.2* | Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) | | | | | |
| P2.3* | Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference) | | | | | |
| P3 | Safety, EMC connection to the telephone network and labeling | | | | | |
| P3.1* | The product complies with legally required safety standards as specified (see legal reference). | \square | | | | |
| P3.2* | The product complies with legally required standards for electromagnetic compatibility (see legal reference). | | | | | |
| P3.3* | If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference). | | | | | |
| P3.4* | The product is labeled to show conformance with applicable legal requirements (see legal reference). | \square | П | П | | |
| P4 | Consumable materials | | | | | |
| P4.1* | If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1). | | | | | |
| P4.2* | If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference). | | | | | |
| P4.3* | If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the | | ∺ | + | | |
| | product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference). | | | | | |
| P5 | Product packaging | | | | | |
| P5.1* | Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together. | t 🔀 | | | | |
| P5.2* | Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference). | \boxtimes | | | | |
| P5.3* | The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). | I 🔀 | | | | |
| 1 | Comment: Legal reference has no maximum concentration values. | | | | | |

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

| Model nu | umber * | MS810de, M5155 | | | | |
|-----------|----------------------|--|------------------|-------------|---------------------------|----------|
| Issue dat | te * | Rev. February 24, 2014 | Logo | LEXM | ARK | , |
| | | | | | | |
| | | mental attributes - Market requirements - Environmental conscious d | esign | Require | | met |
| Item | | atory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n.a. |
| P6 | | nt information | | N | | |
| P6.1* | | on for recyclers/treatment facilities is available (see legal reference). | | \boxtimes | Ш | Ш |
| P7 | Design | mbly, recycling | | | | |
| P7.1* | | thave to be treated separately are easily separable | | | | |
| P7.2* | | naterials in covers/housing have no surface coating. | | | | \vdash |
| P7.3* | | arts >100g consist of one material or of easily separable materials. | | | $\frac{\square}{\square}$ | \vdash |
| P7.4* | | arts >25g have material codes according to ISO 11469 referring ISO 1043. | | \square | ₩ | \vdash |
| P7.5 | | · · · · · · · · · · · · · · · · · · · | vallable toole | | ╬ | \vdash |
| | | arts are free from metal inlays or have inlays that can be removed with commonly a | ivaliable tools. | | | Н |
| P7.6* | | re easily separable. (This requirement does not apply to safety/regulatory labels). | | \boxtimes | <u>Ш</u> | ш |
| D7 7* | Product | | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | | | Ц |
| P7.8* | | ng can be done using commonly available tools | | | | Щ |
| P7.9. | | arts are available after end of production for: 5 years | | | | |
| P7.10 | | s available after end of production for: 5 years | | | | |
| | | and substance requirements | | | | |
| P7.11* | | cover/housing material type: | | | | |
| P7.12 | | type: ABS Material type: HIPS Material I cable insulation materials of power cables are PVC free. | type: PC/ABS | | | |
| P7.12 | | I cable insulation materials of signal cables are PVC free | | | | H |
| | | 3 | | <u> </u> | | Н |
| P7.14 | | /housing plastic parts >25g are free from chlorine and bromine. | | | | Щ |
| P7.15 | Note B2 | | 1249-2-21. (Se | | | Ш |
| P7.16 | Flame re Marking: | starded plastic parts >25g in covers / housings are marked according ISO 1043-4: | | | | |
| P7.17 | Alt. 1 Chemica | additive) , TBBPA (reactive) , Other; chemical name: , CAS #: | nts): | | | |
| | Chemica ISO 1043 | Il specifications of flame retardants in printed circuit boards (without components) >: 3-4: <i>FR(16)</i> | 25g according | | | |
| P7.18 | Alt. 1 Flame r | etarded plastic parts >25g contain the following flame retardant substances. | preparations i | n \square | | |

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

concentrations above 0.1%:

FR(40), FR(17), FR(16), FR(50)

Light sources are free from mercury If mercury is used specify: Number of lamps:

1. Chemical name:

2. Chemical name:3. Chemical name:

Alt. 2

P7.19

P7.20

P7.21

P7.22

P8

P8.2

Comment: No legal limits exist, this is a market requirement.

Of total plastic parts' weight >25g, recycled material content is up to 18%.

Battery chemical composition: Lithium Manganese Dioxide, LiMnO2

Batteries meet the requirements of the following voluntary program/s:

Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:

R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)

Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45,

and max. mercury content per lamp:

mg

, CAS #:

, CAS #:

, CAS #:

Of total plastic parts' weight >25g, biobased material content is

| Model number * | MS810de, M5155 | | |
|----------------|------------------------|------|---------|
| Issue date * | Rev. February 24, 2014 | Logo | LEXMARK |

| Product 6 | environmental at | tributes - Market re | quirements (con | tinued) | | | Requi | iremer | t met |
|--|--|---|---------------------------------|---------------------------------------|---------|--|----------|----------------------|-------|
| Item | | | | | | | Ye | s No | n.a. |
| P9 | Energy consumpt | ion | | | | | | | |
| 9.1 | For the product the | following power levels | or energy consump | tions are report | ted: | | | | |
| Energy mod | de * | Power level at 100 V AC | Power level at 115 V AC | Power level 230 V AC | at | Reference / Standard modes and test method | | energ | / |
| Printing | | 668 W | 696 W | 636 W | | Corporate Standard | | | |
| Ready 1 M | lode | 55.1 W | 47.7 W | 50.1 W | | Energy Star I E V2.0 | | | |
| Ready 2 M | lode | 29.6 W | 27.8 W | 28.3 W | | Energy Star I E V2.0 | | | |
| Sleep Mod | le | 3.1 W | 3.1 W | 3.2 W | | Energy Star I E V2.0 | | | |
| Hibernate | Mode | 0.42 W | 0.44 W | 0.45 W | | IEC 62301 | | | |
| Off Mode | | 0.1 W | 0.1 W | 0.1 W | | IEC 62301 | | | |
| charger plu outlet but d the product | ower supply / gged in the wall lisconnected from | W | W | W | | | | | |
| PTEC * Typical Ene | ergy Consumption | W | W | W | | | | | |
| TEC * Typical Ene | ergy Consumption | 3.6 kWh/week | 3.7 kWh/week | 3.7 kWh/week | | Energy Star I E V2.0 | | | |
| ETEC * Annual Ene | ergy Consumption | kWh/year | kWh/year | kWh/ye | ar | | | | |
| Display res | olution* : Me | egapixels | ı | | | | | | |
| Print Speed | d * : 55 Image | s per minute | | | | ISO 24734 (US Letter) | | | |
| Default time | e to enter energy sa | ve mode: 30 minutes | | | | Energy Star I E V2.0 | | | |
| P9.2* | Information about t | he energy save functio | n is provided with th | ne product. | | | \times |] [| |
| P9.3* | | the energy requirement version: 2.0 Tier: Prod L UZ 171 | | | m/s: | | × × | | |
| P10 | Emissions | | | | | | | | |
| D40.4 | | Declared according to | ISO 9296 | | 1 | 5 1 14 11 | | | 1 |
| P10.1 | Mode | Mode description | | Declared A-weighted sound power | | Declared A-weight sound pressure level L_{I} | | B) | |
| | | | | level $L_{W\!Ad}$ (B) | Ope | rator position Bysta | ander p | osition | S |
| | | | | | | | | ict is no ttended | |
| | Idle * | Ready | 4 | 4.8 | | 32 | rator a | ttorrada | 1 🗆 |
| | Operation * | Simplex Monochrom Iormal Mode | e Printing, | * 7.2 | | 57 | | | |
| | Other mode | Simplex Monochrom Quiet Mode | e Printing, | 6.8 | | 53 | | | |
| | Measured according | 3 ** 📒 * * * * * * * * | ECMA-74 (only if not covered | bv ECMA-74 wit | th Lna. | m measurement distance | | m) | |
| P10.2 | The product meets | | | | | ram/s: RAL-UZ 122/RAL- | × | | |

| Model number * | MS810de, M5155 | | | |
|----------------|------------------------|------|---|---------|
| Issue date * | Rev. February 24, 2014 | Logo |] | LEXMARK |

| Product | environmental attributes - Market requirements (continued) | equire | ment | met |
|---------------|---|-------------|----------------------|-------------|
| Item | | Yes | No | n.a. |
| | Chemical emissions from printing products | | | |
| P10.3* | Test performed according to ECMA-328 (ISO/IEC 28360) standard, other specify: RAL-UZ-122/RAL-UZ 171 | | | |
| P10.4 | Typical emission rate (print phase) is (mg/h): Dust <0.8 Ozone <0.06 Styrene <0.14 Benzene <0.03 TVOC 3.5 | | | |
| P10.5 | Chemical emission requirements of the following voluntary program/s RAL-UZ-122/RAL-UZ 171 are met for: | \square | | |
| 1 10.5 | | | Ш | Ш |
| | Dust ✓ Ozone ✓ Styrene ✓ Benzene ✓ TVOC | | | |
| D40.0 | Electromagnetic emissions | | | _ |
| P10.6 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s: | | Ш | <u>Ц</u> |
| P11 | Consumable materials for printing products | | | |
| P11.1* | A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3). | \boxtimes | | |
| P11.2* | Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281. | | | |
| P11.3* | 2-sided (duplex) printing/copying is an integrated product function. | \boxtimes | | |
| P12 | Ergonomics for computing products | | | |
| P12.1* | The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. | | | \boxtimes |
| P12.2* | The physical input device meets the requirements of ISO 9995 and ISO 9241-410. | | | |
| P13 | Packaging and documentation | | | |
| P13.1* | Product packaging material type(s): Corrugated weight (kg): 2.654 Product packaging material type(s): Polystyrene, expanded Product packaging material type(s): Low Density Polyethylene Polypropylene – 0.065 kg weight (kg): 0.081 | | | |
| P13.2* | Product plastic packaging is free from PVC. | \boxtimes | | |
| P13.3* | Specify media for user and product documentation (tick box): Electronic , Paper , Other | | | |
| P13.4* | For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: 0% | | | |
| Rev. P13.5 | User and product documentation do not contain chlorine bleached paper | | | |
| P14 | Additional information (See Note B4) | | | |
| P1.1 | This product uses RoHS exemptions for lead used in small amounts for specific applications. | | | |
| P2.1 | The battery contained within this product should be disposed of properly with the product. The product is properly lab | eled with | the W | EEE |
| | disposal symbol and instructions for such disposal is listed in the product User's Guide. | | | |
| P2.3 | The battery contained within this product meets the exception listed. The battery is not intended to be removed by the however, is designed for easy removal by recyclers and service providers. | e custom | er; | |
| P7.2 | Special part: small op panel (less than 25g) is backpainted. | | | |
| P7.14 | A small amount of bromine may be present in covers due to sourcing post consumer recycled content. No bromine was in the processing of these parts. | s intentio | nally a | dded |
| P7.20 | Per IEEE 1680.2 PCR calculation. | | | |
| P9.1 | Information provided in P9.1 is for products with firmware FW LW30.DN4.P311 or higher. Print speed listed is Letter; A The following table provides energy data for products with lower levels of firmware: | 14 speed | is 52 p _l | om. |

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

| 9.1 For the product the | following power level | s or energy consum | ptions are reported: | | | |
|---|---|----------------------------|----------------------------|---|--------------------|--|
| Energy mode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference / Standard for energy modes and test method * | | |
| Printing | 668 W | 696 W | 636 W | Corporate Standard | | |
| Ready 1 Mode | 56.7 W | 48.8 W | 59.1 W | Energy Star I E V1.2 | | |
| Ready 2 Mode | 29.1 W | 26.9 W | 29.8 W | Energy Star I E V1.2 | | |
| Sleep Mode | 5.3 W | 5.4 W | 5.4 W | Energy Star I E V1.2 | | |
| Hibernate Mode | 0.42 W | 0.44 W | 0.45 W | IEC 62301 | | |
| Off Mode | 0.1 W | 0.1 W | 0.1 W | IEC 62301 | | |
| EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.) | W | W | W | | | |
| PTEC * Typical Energy Consumption | W | W | W | | | |
| TEC * Typical Energy Consumption | 4.1 kWh/week | 4.1 kWh/week | 4.1 kWh/week | Energy Star I E V1.2 | | |
| ETEC * Annual Energy Consumption | kWh/year | kWh/year | kWh/year | | | |
| Display resolution* : Me | egapixels | | | | | |
| Print Speed * : 55 Image | s per minute | | | Corporate Standard | | |
| Default time to enter energy save mode: 30 minutes | | | | Energy Star I E V1.2 | | |
| P9.2* Information about the energy save function is provided with the product. | | | | | ' | |
| | the energy requirement version: 1.2 Tier: 1 Pr | | | | | |

Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle Lexmark Sweden is connected to REPA and El-kretsen

Legal references Europe Annex B

| Reference | Declaration item |
|--|------------------------------|
| 2002/95/EC (ROHS Directive) | P1.1, P4.1 |
| REACH, Annex XVII | P1.6, P1.8, P4.2 |
| REACH, Annex XVII | P1.4 |
| REACH, Annex XVII | P1.2 |
| REACH, Annex XVII | P1.7 |
| REACH, Annex XVII | P1.9 |
| Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000 | P1.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| 2006/66/EC (Battery and accumulators Directive) | P2.1, P2.2, P2,3, P3.4, P8.1 |
| 2006/95/EC (Low Voltage Directive) | P3.1, 3.4 |
| 2004/108/EEC (New EMC Directive) | P3.2, 3.4 |
| 1999/5/EC (R&TTE Directive) | P3.3, 3.4 |
| "REACH" Regulation (1907/2006), annex VII | P1.10 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P4.3 |
| REACH article 31, annex II | P4.3 |
| 2004/12/EC (Directive on packaging and packaging waste) | P5.1 |
| (97/129/EC) (Commission Decision on Identification System for Packaging Materials | P5.2 |
| 2037/2000/EC Regulation on Substances that Deplete the Ozone Layer | P5.3 |
| 2002/96/EC (WEEE directive) | P3.4, P6.1 |
| (EC) No.1272/2008 regulation on classification, labeling and packaging (CLP) | P7.19 |