

Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *	Lexmark	Logo
Company name *	Lexmark International, Inc.	
Contact information *	Nadia Martin (USA)	LEXMARK
Internet site *	www.lexmark.se / www.lexmark.com	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statements given in this declaration.			
Type of product *	pe of product * Multi Function Mono Laser Printer		
Commercial name *	Lexmark MX711de, Lexmark MX711de 3, Lexmark MX711dhe, Lexmark MX711dthe, Lexmark XM5170		
Model number *	MX711de, MX711de 3, MX711dhe, MX711dthe, XM5170		
Issue date *	Rev. November 5, 2012		
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other		
Additional information			

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality Control			Requirement met	
Item		Yes	No	
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes		
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🔀		

Model nu Issue da		MX711de, MX711de 3, MX711dhe, MX711dthe, XM5170 Rev. November 5, 2012 Logo	EVM	IAD	Z
13500 00	10		LEXN	I [¶] IKI	1
Product	t environ	mental attributes - Legal requirements	Require	ment	met
Item	or on whom home has a country of the home home home home home home home ho				n.a.
P1	Hazardo	ous substances and preparations		÷	
P1.1*	Products 0.1% po	s do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromiun lybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal	n, 🔀		
P1.2*	Products	e and Note B1) s do not contain Asbestos (see legal reference).	\boxtimes		
D4 of		ht: Legal reference has no maximum concentration value.			
P1.3*	hydrobro trichloro concenti	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*		s do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	ne 🔀		
P1.6*	Textile a Tris-(azi	nd leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS) ridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). nt: Legal reference has no maximum concentration values.			
P1.7*	Textile a	and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden pentach	parts do not contain arsenic and chromium as a wood preservation treatment as well as orophenol and derivatives (see legal reference). ht: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.				
P1.10*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): Program Manager, HOD9237, 740 W. New Circle Rd., Lexington, KY 40550	\square		
P2	Batterie				
P2.1*	If the pro more tha marked	oduct contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains an 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is I in user manual. (See legal reference)			
P2.2*		ells used in the product do not contain more than 2% by weight of mercury. Other batteries or ators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	\boxtimes		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)				
P3		EMC connection to the telephone network and labeling			
P3.1*	The proc	duct complies with legally required safety standards as specified (see legal reference).	\square		
P3.2*	The proc	duct complies with legally required standards for electromagnetic compatibility (see legal reference	e). 🔀		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).				
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).				
P4 P4.1*	If a phot	nable materials o conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see erence and Note B1).			
P4.2*	0	er is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			
P4.3*	If the ink product/	/toner formulation/preparation is classified as hazardous according to applicable regulations, the packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these lents is available (see legal reference).			
P5		packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0.01% lead, mercury, cadmium a ent chromium by weight of these together.	nd 🔀		
P5.2*		ackaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\square		
P5.3*	The pro Protocol	duct packaging material is free from ozone depleting substances as specified in the Montre (see legal reference). ht: Legal reference has no maximum concentration values.	al 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model nu	mber * MX711de, MX711de 3, MX711dhe, MX711dthe, XM5170		
Issue dat	e * Rev. November 5, 2012	Logo	LEXMARK
	environmental attributes - Market requirements - Environmental con		Requirement met
Item P6	*=mandatory to fill in. Additional information regarding each item may be found un Treatment information	der P14.	Yes No n.a.
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).		
P7	Design		
.,	Disassembly, recycling		
P7.1*	Parts that have to be treated separately are easily separable		
P7.2*	Plastic materials in covers/housing have no surface coating.		
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.		
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043	3.	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with co	mmonly available tools.	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory	labels).	
	Product lifetime		
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives		
P7.8*	Upgrading can be done using commonly available tools		
P7.9.	Spare parts are available after end of production for: 5 years		
P7.10	Service is available after end of production for: 5 years		_
	Material and substance requirements		
P7.11*	Product cover/housing material type:		
	Material type: ABS Material type: HIPS	Material type: PC/ABS	
P7.12	Electrical cable insulation materials of power cables are PVC free.		
P7.13	Electrical cable insulation materials of signal cables are PVC free		
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.		
P7.15	All printed circuit boards (without components) >25g are halogen free. as define Note B2)	ed in IEC61249-2-21. (Se	e 🗌 🛛 🗌
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO Marking:	1043-4:	
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS Alt. 2	. ,	
	Chemical specifications of flame retardants in printed circuit boards (without comp ISO 1043-4: <i>FR(16)</i>	onents) >25g according	
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant so concentrations above 0.1%:	ubstances/preparations	in 🗌 🗌 🗌
	Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 10	143-4	
	<i>FR(40), FR(17), FR(16), FR(50)</i>		
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0 R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note		
P7.20	Of total plastic parts' weight >25g, recycled material content is %.		
P7.21	Of total plastic parts' weight >25g, biobased material content is %.		
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: and max. mercury content per	r lamp: mg	
P8	Batteries		
P8.1*	Battery chemical composition: Lithium Manganese Dioxide, LiMnO2		
P8.2	Batteries meet the requirements of the following voluntary program/s:		

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model nun Issue date									
	roduct environmental attributes - Market requirements (continued) Requirement met								
Item							o n.a.		
P9 9.1									
-	-			-			,		
Energy mode *		100 V AC	Power level at 115 V AC	230 V AC	modes and	modes and test method *			
Copying		837 W	905 W	791 W	Corporate	e Standard			
Ready 1 M	lode	87.3 W	107.4 W	91 W	Energy Star I E V		E V1.2		
Ready 2 M	lode	53.2 W	56.4 W	53.5 W	Energy St	tar I E V1.2			
Sleep Mod	de	13.9 W	13.9 W	14.2 W	Energy St	tar I E V1.2			
Hibernate	Mode	0.51 W	0.54 W	0.62 W	IEC 62301				
Off Mode		0.0 W	0.0 W	0.0 W	IEC 62301				
EPS No-loa	ad	W	W	W				\square	
charger plu	oower supply / ugged in the wall lisconnected from t.)								
PTEC * Typical End	ergy Consumptior	W	W	W					
TEC * Typical End	ergy Consumptior	7.5 kWh/week	7.2 kWh/week	7.3 kWh/week	Energy S	tar I E V1.2			
Etec * Annual Ene	ergy Consumptior	kWh/year	kWh/year	kWh/yea	ar				
Display res	solution* :	Megapixels							
Print Spee	d * : 70 Ima	ges per minute			Corporate	e Standard			
Default tim	e to enter energy	save mode: 30 minutes			Energy St	tar I E V1.2		Ē	
P9.2*	Information abou	It the energy save functio	n is provided with th	e product.					
P9.3*	The product mee	ets the energy requiremer	nts of the following v	oluntary program	/s:				
		® version: 1.2 Tier: 1 Pro							
P10	Emissions								
D 40 <i>i</i>	Noise emission – Declared according to ISO 9296								
P10.1	Mode	Mode description		Declared A-weighted	ted sound pressure level L_{nAm} (d				
				sound power level L_{WAd} (B)	Operator positio		nder positior	าร	
					 Deskto	α		-	
					or Desk sid		product is near attended		
	Idle	* Ready	Ready * 4			33			
	Operation	* Simplex Monochrom Normal Mode	e Printing,	* 7.3	58				
	Other mode	Simplex Monochrom Mode	e Printing, Quiet	6.9		54			
	Measured accor		ECMA-74						
P10.2			(only if not covered l				m)		
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: RAL-UZ 122								

Model number *		MX711de, MX711de 3, MX711dhe, MX711dthe, XM5170					
Issue date *		Rev. November 5, 2012	Logo	LEXM	RK		
Product	Product environmental attributes - Market requirements (continued) Requirement met						
Item				Yes	No	n.a.	
-	Chemica	al emissions from printing products					
P10.3*		formed according to ECMA-328 (ISO/IEC 28360) standard , other specify: RAL-	UZ-122				
P10.4		emission rate (print phase) is (mg/h):					
-	••	Dust <0.7 Ozone <0.06 Styrene <0.15 Benzene <0.04 TVOC 10					
P10.5	Chemica	I emission requirements of the following voluntary program/s RAL-UZ-122 are me	t for :	\boxtimes			
	0	Dust 🛛 🛛 Ozone 🖂 Styrene 🖂 Benzene 🖂	TVOC 🔀				
		nagnetic emissions					
P10.6	Compute	er display meets the requirement for low frequency electromagnetic fields of the follo	owing voluntary				
	program						
P11		able materials for printing products					
P11.1*	-	Data Sheet (SDS) is available for the ink/toner preparation, even if not legally requ		\square			
P11.2*	Paper c EN1228	ontaining post-consumer recycled fibers can be used, provided that it meets the 1.	ne requirements	of 🔀			
P11.3*	2-sided ((duplex) printing/copying is an integrated product function.		\boxtimes			
P12	Ergonor	nics for computing products					
P12.1*		lay meets the ergonomic requirements of ISO 9241-307 for visual display technolog	gies.			\square	
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		Ē			
P13		ng and documentation					
P13.1*		packaging material type(s): <i>Wood</i> weight (kg): 11.339					
		packaging material type(s): Corrugated weight (kg): 4.529					
		packaging material type(s): <i>Polystyrene, expanded</i> weight (kg): 1.337					
		tinplate – 0.064 kg					
		nsity Polyethylene – 0.212 kg					
		nsity Polyethylene, expanded – 0.023 kg pylene – 0.0975 kg					
	Paperbo	prene - 0.528 kg					
P13.2*	Product	plastic packaging is free from PVC.		\boxtimes			
P13.3*	Specify r	nedia for user and product documentation (tick box):					
	Electron	ic 🔀, Paper 🔀, Other 🗌					
P13.4*	fiber: 0		nsumer recycled	1 			
Rev.	User and	d product documentation do not contain chlorine bleached paper					
P13.5 P14	Addition	nal information (See Note B4)					
P1.1		uct uses RoHS exemptions for lead used in small amounts for specific applications.					
P2.1		ery contained within this product should be disposed of properly with the product. The pr	oduct is properly	Inheled with	the W	FFF	
1 2.1		symbol and instructions for such disposal is listed in the product User's Guide.	ouuce is property				
P.2.3	The batte	ry contained within this product meets the exception listed. The battery is not intended	to be removed h	, the custom	er:		
		is designed for easy removal by recyclers and service providers.					
P7.14	A small a	mount of bromine may be present in covers due to sourcing post consumer recycled cont	ent. No bromine	was intentio	nally a	dded	
	in the pro	ocessing of these parts.					
P9.1	The print	speed listed is Letter speed; A4 speed is 66 ppm.					
P13.1	The nack	aging data displayed in P13.1 is for MX711de, MX711de 3, MX711dhe and XM5170:					
(13.1		aging data for MX711dthe:					
		packaging material type(s): <i>Wood</i> weight (kg): 11.339					
		packaging material type(s): Corrugated weight (kg): 6.44					
	Product	packaging material type(s): <i>Polystyrene, expanded</i> weight (kg): 1.428					
	Steel or tinplate – 0.064 kg						
	High Density Polyethylene – 0.212 kg						
	Low Density Polyethylene, expanded – 0.023 kg Polyeropylene – 0.1463 kg						
	Polypropylene – 0.1463 kg Paperboard – 0.528 kg						
			nark.com/environ	ment			
	Additional company information and company environmental policy may be found at http://lexmark.com/environment Specific printer and supply item recycling information for your area may be found at http://lexmark.com/recycle						
		Sweden is connected to REPA and El-kretsen	,,				
•							

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19