


[Products](#)
[News & Media](#)
[Service & Support](#)
[Global \(English\)](#)
[MSI Group](#)

[Home](#)
[Mainboard](#)
[AMD Platform - Socket FM2](#)
[FM2-A75MA-E35](#)

FM2-A75MA-E35



AMD A75 chipset

- OC Genie II: Auto OC to boost performance in 1 sec
- ClickBIOS II: Easy-to-use UEFI BIOS interface
- Super Charger: fast charge iPad/iPhone/smartphone
- Support USB 3.0 & SATA 6Gb/s


[Products Comparison](#)

0

Like

0

The product picture may differ from the actual product. Only for your reference.
The specifications may differ from areas. Please check with your local dealers.

[Overview](#)
[Specification](#)
[Download](#)
[Support](#)
[Where to Buy](#)

Detail Specification

The Specification may change without notice. The actual products sold are different from areas. Please check the detailed Specification with your local dealers.

[Basic Specification](#) | [Detail Specification](#)

▶ CPU

- AMD® A10/A8/A6/A4-series processors for the FM2 package
- Please refer to CPU Support for compatible CPU; the above description is for reference only.

▶ Chipset

- AMD® A75 Chipset

▶ Main Memory

- Supports two unbuffered DIMM of 1.5 Volt DDR3 1066/1333/1600/1866/2133*(OC) DRAM, 16GB Max
- Supports Dual-Channel mode

▶ Slots

- 1 PCI Express gen2 x16 slot
- 2 PCIe 2.0 x1 slots
- 1 PCI slot

▶ On-Board SATA

- 6x SATA 6Gb/s ports by AMD® A75
- Supports storage and data transfer at up to 6Gb/s

- SATA1-6 ports support RAID 0/1/10/JBOD modes by AMD® A75

▶ Audio

- Chipset integrated by Realtek® ALC887
 - Flexible 8-channel audio with jack sensing
 - Compliant with Azalia 1.0 Spec
-

▶ LAN

- Realtek PCI-E GbLAN controller RTL8111E
 - Supports 10Mb/s, 100Mb/s and 1000Mb/s
 - Compliance with PCI-Express Bus specification v1.0a
-

▶ USB 3.0

- 2 USB 3.0 rear ports by AMD® A75
 - 1 USB 3.0 onboard connector by AMD® A75
-

▶ Internal I/O Connectors

- 1 x ATX 24-pin power connector
 - 1 x ATX 4-pin 12V CPU power connector
 - CPU x 1 / System x 2 FAN connectors
 - 1 x Front panel audio connector
 - 1 x Front panel connector
 - 2 x USB 2.0 connectors
 - 1 x USB 3.0 connector
 - 1 x Serial port connector
 - 1 x TPM Module connector
 - 1 x Chassis Intrusion connector
 - 1 x Parallel connector
-

▶ Back Panel I/O Ports

- 1x PS/2 keyboard/ mouse port
- 6x USB 2.0 ports
- 2x USB 3.0 ports
- 1x LAN port
- 1x Graphics card port*
- 1x DVI-D port* supporting Dual-link DVI
- 1x HDMI port*
- 6x audio ports

* This platform supports dual-display function (HDMI+VGA, HDMI+DVI, VGA+DVI) and triple-display function (HDMI+VGA+DVI).

▶ Dimension

- Micro-ATX (24.4 cm x 22.8 cm)

▶ Mounting

- 6 mounting holes
-

About MSI

- MSI Profile
- Brand Story
- Investor Information
- Innovation DNA
- Certificate
- Environment Protection
- CSR
- Social Welfare

News & Media

- News
- Awards
- Video Center
- Social Media

Download

- Download Center
- Live Update 5

Products

- Notebook
- All-in-One PC
- Mainboard
- Graphics Card
- Desktop / Barebone
- Server
- IPC
- Multimedia

Support

- Troubleshooting
- FAQ
- MSI Forum
- Online Customer Service
- Warranty Information
- Global Warranty Service for the Notebook
- Where to Buy



- Contact Us
- Newsletter
- RSS
- MSI Member / Product Registration
- Privacy Policy
- Sitemap

Search



Copyright © 2012 Micro-Star Int'l Co.,Ltd. All rights reserved. We recommend using IE8 above browser.