DUMCAM-SLM User's Manual

Solar Powered Spotlight Dummy Camera with PIR Motion Sensor





© Copyright 2015

This manual is furnished under license and may be used or copied only in accordance with the terms of such license. Except as permitted by such license, no part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or any means, electronic, mechanical, recording, or otherwise, including translation to another language or format, without the prior written permission of SecurityMan. The content of this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by SecurityMan. SecurityMan Inc assumes no responsibility or liability for any errors or inaccuracies that may appear in this book.

FCC Information (Wireless Version)

Notes on FCC's "Consistent Statement of Information" This product meet the requirements specified in Part 15 of FCC Regulation. Operation rests with the following two conditions:

- (1) The equipment should not cause any harmful interference.
- (2) The equipment must receive and process any interference, including any possible interference caused by operation mistakes.

After testing the product, we confirm that the camera complies with the provision for class C digital equipment in the 15th part in FCC regulations; and the receiver complies with the limitations for class B digital equipment in Part 15 of FCC regulation. The product generates, applies and emits radio waves. It might cause harmful interferences to wireless communication if not be installed and used following the description of the manual.

The product may cause interference in residential area, and the customer should take remedies to eliminate the interference on their own costs. If the product causes any harmful interference to wireless equipment or disturbs the receiving of TV signals (it can be identified by turning on and off the product), you can solve the trouble by following methods:

- Readjust the product or put it in another place.
- Extend the distance between the equipment interfered and the product.
- Refer to dealers or experienced radio electrician for help.

Warranty

SecurityMan Inc warrants that this product will be free from defects in title, materials and manufacturing workmanship for one year or otherwise specified on the product packaging. This limited warranty shall commence from the date of purchase. SecurityMan products warranty is not transferable and is limited to the original purchaser. If the product is found to be defective then, as your sole remedy and as the manufacturer's only obligation, SecurityMan will repair or replace the product. This warranty shall not apply to products that have been subjected to abuse, misuse, abnormal electrical or environmental conditions, normal wear and tear, or any condition other than what can be considered normal use.

Warranty Disclaimer

SecurityMan Inc, makes no other warranties, express, implied or otherwise, regarding this product, and specifically disclaims any warranty for merchantability or fitness for a particular purpose. The exclusion of implied warranties is not permitted in some states and the exclusions specified herein may not apply to you. This warranty provides you with specific legal rights. There may be other rights that you have which vary from state to state.

Limitation of Liability

The liability of SecurityMan Inc, arising from this warranty and sale shall be limited to a refund of the purchase price. In no event shall SecurityMan be liable for costs of procurement of substitute products or services, or for any lost profits, or for any consequential, incidental, direct or indirect damages, however caused and on any theory of liability, arising from this warranty and sale. These limitations shall apply not withstanding any failure of essential purpose of any limited remedy.

For Tech Support Call: 888-977-3777

SecurityMan

4601 E. Airport Drive.Ontario, CA 91761, USA

Tel: 909-230-6668 Fax: 909-230-6889

Email: info@securitymaninc.com

Website: http://www.securitymaninc.com

Copyright 2015 by SecurityMan v1.0

Introduction:

With no wiring required, the SecurityMan **DUMCAM-SLM** is easy to install and is completely maintenance free. The **DUMCAM-SLM** is a professionally designed, cost effective theft deterrent device used to purposely deter intruders and solicitors with just a fraction of the cost of a real security camera. The built-in solar panel charges batteries included) during the day and the spotlight turns on when motion occurs after sunset. The spotlight produces 110 lumen and illuminate up to 360 square feet of lighting. The **DUMCAM-SLM** is a perfect solution for those who want to increase security presence anywhere around their property.

Features:

- Solar powered LED spotlight
- Weatherproof camera housing
- · Cost effective theft deterrent device
- Up to 60 times of 30-second spotlight LED notifications per night on a full charge
- Super bright 110 Lumens LED spotlight; Provides up to 360 square feet of illumination
- Motion Activated; the spotlight immediately turns on when it detects motion
- Auto shutoff; Turns off routinely after 30 seconds of in-activity to conserve battery life.
- Easy to install (no electrical wiring)
- \bullet PIR motion sensor can detect motion up to 30 feet away at 90 degrees.


Important:

This guide provides important information on the use and operation of your DUMCAM-SLM and the images/features shown throughout the manual are subject to change without notice due to system and firmware upgrades. Please read all the information carefully prior to using the product for the best performance and to prevent any damage/injuries or misuse of the device(s). Customers are entitled to have read through this complete user's manual before using the DUMCAM-SLM. Any unapproved changes or modifications will void your warranty. Please ensure to have a complete understanding of the following restrictions.

- As long as there is enough lighting, the solar panel will keep recharging the rechargeable batteries.
- Please make sure that the battery polarities are correct when inserting batteries, you may reference the + and symbols in the battery compartment.
- Make sure the battery cover is securely fastened to prevent water from penetrating to battery compartment.
- Please replace new batteries (standard or rechargeable) whenever the spotlight starts to dim. We suggest changing the battery yearly for optimum LED light performance.

Contents







3 x Rechargeable batteries (pre-installed inside camera)



2 x Security warning stickers




Mounting Screws




User's Manual

Product Basics





Setup and Installation



STEP 1

Open the camera cover by lifting up on the housing latch. Switch the ON/OFF power switch to the ON position. Rechargeable batteries (3pcs) are factory installed. Please be sure to close and secure the latch of the camera cover when done.

STEP 2

Using the screw provided, securely mount the camera to a desired location.

STEP 3

Insert the cameras decoy cable into the decoy hole located on the camera bracket. Adjust camera angle accordingly.

Specifications

Solar Panel Quantity		1
	Туре	Amorphous silicon solar panel
	Dimensions	6 1/4" (L) X 1 9/16" (W)
	Function	Charge batteries
Spotlight	Quantity	1
	Туре	White COB LED
	Lumen	110
	Function	Auto On/Off based on motion detection
		(Stays on for 30-second per detection),
		up to 360 square feet of lighting

PIR Motion Sensor	Quantity	1
	Туре	PIR
	Distance	Up to 30ft
	Angle	90°
	Function	Detect motions and infrared heat
Rechargeable Batteries	Quantity	3 (pre-installed inside camera)
	Туре	Ni-CD AA 1.2V 600mAh
	Function	Provides power to PIR, LED Spotlight, and
Dummy Camera		retain charges from the solar panel
	Dimensions	8.5"(L) x 3.75"(W) x 2.75"(H)
	Weight (Gross)	1.12 lb.