



**Tripp Lite**  
1111 West 35th Street  
Chicago, IL 60609 USA  
Telephone: +(773) 869 1234  
E-mail: [saleshelp@tripplite.com](mailto:saleshelp@tripplite.com)

## Model #: P560-025

### 25-ft. DVI Dual Link TMDS Cable (DVI-D M/M)



### Highlights

- For use with Dual or Single TMDS Link specified equipment
- Compatible with Flat Panel Displays, Digital CRT Displays and Projectors
- Provides bandwidth for resolutions up to 2560 x 1600
- High Speed Digital Transmission to 9.9Gbps
- Superior molded cables with foil/braid shielding for maximum EMI/RFI protection
- Check monitor manufacturers cable length specs - may need Tripp Lite [B120-000](#) DVI Extender

### Description

Tripp Lite's 25 foot DVI Dual Link TMDS cable delivers the high performance, high bandwidth needed for today's digital video displays. Note: Review your monitor manufacturer's specifications for a stated maximum DVI cable length. While many monitors only support a 5 meter (16ft) DVI cable, simply adding a Tripp Lite [B120-000](#) DVI Extender will guarantee full digital signal strength at any length up to 150ft. Gold plated contacts ensure excellent conductivity, while double shielding (foil and braid) provides maximum EMI/RFI protection. Use in conjunction with DVI video cards that are specified as Dual or Single Link. Both DVI connectors are molded, have integral strain relief for long life reliability, and ferrite collars to drain off extraneous electrical interference.

#### System Requirements

- Monitor with DVI, and CPU with Dual or Single Link DVI capabilities

#### Package Includes

- DVI Dual Link TMDS cable - DVI-D, M/M, 25'

### Features

- Superior molded cables with foil/braid shielding for maximum EMI/RFI
- Dual Link digital signalling for transmission speeds to 9.9Gbps and 2560 x 1600 resolution
- Meets DVI DDWG Standard
- PC and Mac compatible
- For use with Digital CRT displays, Flat Panel Displays, HDTV and Projectors
- Check monitor manufacturer's cable length specs - may need Tripp Lite [B120-000](#) DVI Extender

### Specifications

OVERVIEW	
Intended Application	Connecting Peripherals
Cable Type	DVI
Display Style	Direct Connect

Model Type	DVI
<b>INPUT</b>	
Cable Length (ft.)	25
Cable Length (m)	7.62
<b>UPC ASSIGNMENT</b>	
Unit Carton UPC#	037332138804
<b>PHYSICAL</b>	
Color	Black
Style	DVI
<b>CONNECTIONS</b>	
Connector A	 DVI-D DUAL LINK (MALE)
Connector B	 DVI-D DUAL LINK (MALE)
Number of Connectors	2
<b>CERTIFICATIONS</b>	
Certifications	R0HS
<b>WARRANTY</b>	
Product Warranty Period (Worldwide)	Lifetime limited warranty

## Related Items

### Optional Products

Related Model	Description	Qty.
<a href="#">B120-000</a>	DVI Dual Link Signal Extender (DVI F/F)	1
<a href="#">P120-000</a>	DVI Male to VGA Female Adapter (Analog DVI-M to HD15F)	1
<a href="#">P126-000</a>	DVI Female to VGA Male Adapter (Analog DVI-F to HD15M)	1
<a href="#">P560-006</a>	6-ft. DVI Dual Link TDMS Cable (DVI-D M/M)	1
<a href="#">P560-010</a>	10-ft. DVI Dual Link TDMS Cable (DVI-D M/M)	1
<a href="#">P560-050</a>	50-ft. DVI Dual Link TDMS Cable (DVI-D M/M)	1
<a href="#">P560-100</a>	100-ft. DVI Dual Link TDMS Cable (DVI-D M/M)	1

More information, including related products, owner's manuals, and additional technical specifications, can be found online at [www.tripplite.com/en/products/model.cfm?txtModelID=3578](http://www.tripplite.com/en/products/model.cfm?txtModelID=3578).

