

Model #: S522-02M

2M External SAS Cable - 4 Lane - 4xInfiniband (SFF-8470) to 4xInfiniband (SFF-8470)



Highlights

- Hi-Performance 2 Meter SAS External Cable
- SFF-8470 to SFF-8470
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's S522-02M External SAS Cable features SFF-8470 to SFF-8470 connectors with heavy-duty metal backshells. This 4-channel cable is constructed with a high-performance Infiniband cable, which features individually shielded parallel pairs, double EMI/RFI shielding and 6.0 Gigabytes per second performance. Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

System Requirements

SAS Controllers, SAS Chassis, SAS/SATA hard Drives

Package Includes

• 2 Meter SAS External SFF-8470 to SFF-8470 Cable

Features

- External SAS Cable, SFF-8470 to SFF-8470 2 Meter
- Made with High Performance Infiniband Cable
- Support data transfer rates from 3.0 up to 6.0 gigabytes per second
- SFF-8470 thumbscrew type connectors in diecast zinc housing for durability
- RoHS compliant
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW		
Intended Application	Connecting Drives	
Cable Type	SAS	
Model Type	External	
INPUT		
Cable Length (ft.)	6	
Cable Length (m)	1.83	

UPC ASSIGNMENT		
Unit Carton UPC#	037332151971	
PHYSICAL		
Color	Black	
Style	Serial Attached SCSI (SAS)	
CONNECTIONS		
Connector A	SFF-8470	
Connector B	SFF-8470	
Number of Connectors	2	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModeIID=4336.

Copyright © 2013 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.