



Tripp Lite
 1111 West 35th Street
 Chicago, IL 60609 USA
 Telephone: +(773) 869 1234
 E-mail: saleshelp@tripplite.com

Model #: S524-02M

2M External SAS Cable - 4 Lane - mini-SAS (SFF-8088) to mini-SAS (SFF-8088)

Highlights



- High-performance 2-meter SAS external cable
- Mini-SAS SFF-8088 (iSAS) to Mini-SAS SFF-8088 (iSAS)
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Description

Tripp Lite's S524-02M External SAS cable features SFF-8088 to SFF-8088 "mini-SAS" connectors with heavy-duty metal backshells. This 4-channel Infiniband cable is constructed with high-performance Amphenol Spectra-Strip® SKEWCLEAR® cable, which features individually shielded parallel pairs, double EMI/RFI shielding, and 3.0 Gigabytes per second performance. Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases.

System Requirements

- SAS Controllers, SAS Chassis, SAS/SATA Hard Drives

Package Includes


2-Meter SAS External, SFF-8088 to SFF-8088 Cable

Features

- 2-meter External SAS Cable, SFF-8088 to SFF-8088
- Made with High-Performance Amphenol Spectra-Strip® SKEWCLEAR® Infiniband Cable
- Support data rates from 3.0 up to 6.0 gigabytes per second
- SFF-8088 connectors in diecast zinc housing for durability
- RoHS compliant
- Compliant with the Federal Trade Agreements Act (TAA) for GSA Schedule purchases

Specifications

OVERVIEW	
Intended Application	Connecting Drives
Model Type	External
INPUT	
Cable Length (ft.)	6
Cable Length (m)	1.83
PHYSICAL	

Color	Black
Style	Serial Attached SCSI (SAS)
CONNECTIONS	
Connector A	 SFF-8088
Connector B	 SFF-8088
Number of Connectors	2
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

More information, including related products, owner's manuals, and additional technical specifications, can be found online at www.tripplite.com/en/products/model.cfm?txtModelID=4338.

Copyright © 2012 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.