SRW08U22DP

8U/12U/22U Expandable UPS-Depth Wall-Mount Open Frame Rack











Construction




150 lb. Load Rating

Accommodates Standard 19-inch Equipment

- A Top/Bottom Panel Frames
- **B** Vertical Mounting Rails (2)
- Reinforcement Straps (2)
- Threaded (#12-24) Mounting Holes

Also Includes: Owner's Manual, M5 button head cap screws (16), M6 Phillips head screws (8), zip ties (8) and rackmount equipment mounting hardware (24 #12-24 screws).



 Wall-mount racks provide convenient storage for rackmount IT devices and other equipment that should be off the floor and out of the way

Specifications	Electronic Industries Alliance ROM ROHS
Model	SRWO8U22DP
Rack Spaces	8U/12U/22U (Adjustable)
Equipment Mounting Depth	23.5 in. [597 mm]
Load Rating*	150 lb. [68 kg]
Unit Dimensions (H x W x D)	17.83 (8U)/24.83 (12U)/42.34 (22U) x 19.91 x 24 in. [453/631/1076 x 506 x 610 mm]
Shipping Dimensions (H x W x D)	3.54 x 21.46 x 28 in. [90 x 545 x 711 mm]
Unit Weight	13.03 lb. (8U)/14.04 lb. (12U)/16.87 lb. (22U) [5.9/6.4/7.7 kg]
Shipping Weight	19.4 lb. [8.8 kg]
Standards	Meets EIA-310-E, IEC 60297-3-100,
	NOM (Mexico) GOST and RoHS standards

- *The load rating includes the combined weight of the unit and installed equipment. The unit must be mounted to a stable surface with user-supplied anchors capable of bearing the full load.
- Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.


- Expandable design assembles in 8U, 12U or 22U configuration to meet current needs
- 2-post open-frame design is ideal for IT environments that do not require a lockable enclosure cabinet
- Ships disassembled for easy transport and assembly in tight spaces
- Threaded (#12-24) mounting holes enable fast equipment mounting
- Ideal for cost-conscious 19-inch rackmount applications


SEE NEXT PAGE FOR DETAILED UNIT MEASUREMENTS





1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com

8U









SRWO8U22DP

Dimensions: [mm] INCHES


Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

12U [518.78] 20.42 [609.60] 24.00 [505.78] 19.91 [564.41] 22.22 [560.16] 22.05 [450.50] - 17.74 [630.81] 24.83 8 00 FRONT VIEW SIDE VIEW [406.40] 16.00 [518.78] 20.42 [571.50] 22.50 [609.60] 24.00 [477.75] 18.81 [526.81] 20.74 [578.81] 22.79 TOP VIEW MODEL: **REAR VIEW** SRWO8U22DP

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

Dimensions: [mm] INCHES

22U



Dimensions: [mm] INCHES

Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice.

1111 W. 35th Street Chicago, IL 60609 USA 773.869.1234 www.tripplite.com