

# 8-outlet Vertical Power Strip with 15-ft. Cord

MODEL NUMBER: PS2408



#### **Highlights**

- 8 outlets
- Convenient and safe covered, on/off switch
- 15-amp circuit breaker
- 15 ft. cord
- 24" length

#### **Applications**

 Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

#### Package Includes

- PS2408
- Mounting hardware
- Instruction manual

### **Description**

Tripp Lite's PS2408 power strip offers 15 amp, 120v multi-outlet AC power distribution in a convenient 24 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 8 NEMA 5-15R output receptacles with 2.48 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT/OUTPUT: Input: NEMA 5-15P/Output: 8 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 24 in. corded, mountable power strip

#### **Features**

- Sturdy all-metal 24 inch corded strip format with 2.48 inch center-to-center outlet spacing
- · Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 8 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility

## **Specifications**

| OVERVIEW             |             |
|----------------------|-------------|
| Intended Application | Home/Office |
| ОИТРИТ               |             |





| Frequency compatibility              | 50 / 60 Hz  |
|--------------------------------------|---|
| Output watts                         | 1800  |
| Circuit Breaker (amps)               | 15  |
| Outlet quantity / type               | 8 Nema 5-15R  |
| Outlet spacing                       | 2.48 in.  |
| INPUT                                |   |
| Nominal Input Voltage(s) Supported   | 120V AC   |
| Recommended Electrical Service       | 15A 120V  |
| Input connection type                | Nema 5-15P  |
| Input plug features                  | Black   |
| Input cord length (ft.)              | 15  |
| Input cord length (m)                | 4.572   |
| Input cord gauge, type               | 14/3 SJT  |
| Voltage compatibility (VAC)          | 120   |
| LEDS ALARMS & SWITCHES               |   |
| Switches                             | Lighted 2 position switch controls power to all outlets   |
| Locking switch cover                 | Transparent on/off switch cover prevents accidental turn-off  |
| PHYSICAL                             |   |
| Unit Dimensions (HWD/in)             | 24 x 1.5 x 1.5  |
| Unit Dimensions (HWD/cm)             | 61 x 3.8 x 3.8  |
| Unit weight (lbs)                    | 3.2   |
| Unit weight (kg)                     | 1.4528  |
| Material of construction             | Aluminum  |
| Mounting accessories included        | Includes mounting clips   |
| Receptacle Color                     | Black   |
| AC line cord color                   | Black   |
| Style                                | Bench/Cabinet Mount   |
| Form factors supported               | Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications |
| Outlets center to center measurement | 63mm  |
| CERTIFICATIONS                       |   |
| UL1363 (Power Tap)                   | UL1363  |
| cUL / CSA (Canada)                   | cUL   |
|                                      | 2/3   |



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

| WARRANTY                            |                           |
|-------------------------------------|---------------------------|
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.