

4K SuperClear® Premium Multimedia Monitor



VX2475Smhl-4K



The ViewSonic VX2475Smhl-4K is a 24" (23.6" viewable) Ultra HD LED monitor that delivers stunning definition for multimedia entertainment. With 4K resolution, 100% sRGB coverage, SuperClear® PLS technology for wide-angle viewing, and an amazing 120M:1 dynamic contrast ratio, this monitor provides incredible images and lifelike video playback. Future-proof connectivity options include DisplayPort 1.2a and MHL for easy and flexible viewing options of high-definition content, while HDMI2.0 supports crystal-clear 4K content at a 60Hz signal. Dual integrated 3W speakers deliver immersive sound for the ultimate multimedia experience. ViewSonic's exclusive ViewMode provides intuitive presets to deliver optimized screen performance in different applications. In addition, Flicker-Free technology and a Blue



4K SuperClear® Premium Multimedia Monitor



VX2475Smhl-4K

Light Filter help to eliminate eye strain from extended viewing periods. With an energy-saving Eco-mode feature and ENERGY STAR compliance, the VX2475Smhl-4K delivers great power savings along with its stunning screen performance.



Stunning Ultra HD 3840x2160 Resolution on the Desktop


With four-times more pixels than Full HD resolution, this Ultra HD monitor displays more content and maximizes productivity while delivering the ultimate in image detail and clarity.



SuperClear® PLS Panel Technology with Wide Viewing Angles

WIDE VIEWING ANGLE

SuperClear® PLS panel technology delivers accurate and vivid colors with consistent levels of brightness whether looking at the screen from above, below, the front, or the side - with no color distortion or decay. SuperClear® PLS panel Technology also delivers the best color performance and extends display viewing angles to 178 degrees both horizontally and vertically.



07132015




4K SuperClear® Premium Multimedia Monitor



VX2475Smhl-4K

Reviving Color with 100% sRGB Color Coverage

Accurate and consistent color performance is essential for professionals in graphic design, video editing, and other professional environments. With 100% sRGB color coverage capability, the VX2475Smhl-4K reproduces 100% sRGB rich color performance and captures images in their original and true colors.



True 8-bit performance for 16.7-million colors

The ViewSonic VX2475Smhl-4K utilizes an 8-bit scalar to display 16.7 million true colors on-screen. 8-bit color performance enables smoother gradients and more stable color transitions, ultimately delivering stunning visuals when compared to conventional displays.



A Larger Screen for Mobile Devices

Integrated with MHL, this monitor enables users to connect compatible high definition mobile devices, such as smartphones and tablets, directly to the projector. This allows digital content from mobile devices to be viewed on a larger screen, while also simultaneously charging the batteries of the mobile device.



Next Generation Connectivity

Future-proof HDMI 2.0 and DisplayPort 1.2a video standards support 3840x2160 resolution at a quick 60Hz frame rate—guaranteeing jitter-free multimedia, smooth screen performance, and true Ultra HD picture clarity.



4K SuperClear® Premium Multimedia Monitor



VX2475Smhl-4K

ViewSonic Flicker-Free Technology

Rather than using Pulse Width Modulation that continuously turns the LED backlight on and off, ViewSonic flicker-free monitors use DC modulation backlights that maintain a steady stream of direct current power—nearly eliminating screen flickering at all brightness levels by providing a constant LED light source.



Blue light filter for more comfortable viewing

Prolonged exposure to certain levels of blue light can cause eye discomfort. ViewSonic displays feature a Blue Light Filter setting that allows users to adjust the amount of blue light emitted from the screen, enabling longer viewing times and increased eye comfort for work and multimedia applications. It offers 100 levels of blue light filtering to relax users' eyes and adapt to all your daily digital activities.



ViewMode Settings for Enhanced On-screen Content

ViewSonic's unique ViewMode feature offers "Game," "Movie," "Web," "Text," and "Mono" presets. These presets enhance gamma curve, color temperature, contrast, and brightness to deliver an optimized viewing experience for different screen applications.



Mercury-Free LED Backlighting

LED backlighting not only enhances monitor performance, delivers an outstanding color range, and adjusts contrast ratios for remarkably detailed images, but it's also eco-friendly, mercury-free, and uses less energy than conventional monitors.



07132015



4K SuperClear[®] Premium Multimedia Monitor



VX2475Smhl-4K


Eco-mode Conserves More Energy and Cuts Costs

ViewSonic's proprietary Eco-mode energy-saving feature is built into all ViewSonic LED monitors. Eco-mode adjusts brightness and improves visibility, while reducing eye fatigue and prolonging the monitor's lamp life. With Eco-mode, the lifespan of the LED backlighting is also greatly increased.



VESA-Mountable

This monitor features a 100 x 100mm VESA-mountable design that allows you to mount the monitor depending on your specific needs.



Thông số kỹ thuật

LCD	Type	23.6" Wide Color LCD (Panel Type : PLS)
	Display Area	23.6 inch
	Optimum Resolution	3840x2160
	Contrast Ratio	1000:1 (typical), 120,000,000:1 (DCR)
	Brightness	300 cd/m ² (typ)
	Viewing Angles	178°/178° (typ)
	Response Time	4.1ms? GTG average?
	Panel Surface	Anti-Glare type, Hardness 3H (Haze 25)
	Light Source	30,000 Hrs (Min)
Colors	16.7M (true 8 bits)	
Video Input	Frequency	Fh: 24-160KHz; Fv: 22-75Hz
Compatibility		

07132015



4K SuperClear[®] Premium Multimedia Monitor



VX2475Smhl-4K

	PC Mac	PC Compatibles up to 4096x2160 Non Interlaced Power Mac up to 4096x2160
Ergonomics	Tilt	22°~ -5°
Connector	Digital Audio Power	HDMI 2.0 x1; DP 1.2a x1; HDMI 1.4a/MHL 2.0 x1 Earphone out x1(3.5mm plug) External Adapter (IEC 320C5)
Audio	Speakers	3Wx2
Power	Voltage Consumption	AC 100-240V (Universal); 50/60 Hz 32W (Typ.); Optimize: 26W (Typ.); Conserve: 20W (Typ.)
Operating Conditions	Temperature Humidity	32°F to 104°F (0°C to 40°C) 10% to 90% (no condensation)
Dimensions	Physical	566.4mm (width) x 435.5mm (height) x 231.5mm (depth)
Weight	Net	4.6 kg
Regulations		BSMI, C-tick, CB,PSB, UL, MEPS
Wall Mount		VESA® 100x100 mm
Package Contents		LCD Display/ Base/ Adapter/ Power Cable/ HDMI Cable/ Quick Start Guide/ ViewSonic Wizard CD-ROM

