
www.tripplite.com



8-Outlet Power Strip with Surge Protection, 6-ft. Cord, 1650 Joules, 48 in. length

MODEL NUMBER: \$\$480806









Description

Need to power and surge-protect numerous pieces of equipment or appliances in close proximity to one another? Tripp Lite's SS480806 power strip with integral AC surge protection will give you surge-protected outlets where you need them, when you need them. The SS480806 contains a 6-ft. cord and 8 NEMA 5-15R outlets spaced 5.28 inches apart – wide enough to fit transformers or adapters without blocking adjacent outlets. To eliminate the need for a separate surge protector that can clutter up your work area, the SS480806 contains a premium-grade surge suppressor rated at 1650 Joules for absorbing even the most severe, high-energy, AC transient surges and EMI/RFI line noise that can damage computers and other sensitive electronics. Encased in a rugged, all-metal housing, the SS480806 comes with adjustable mounting clamps for vertical or horizontal mounting, making it ideal for powering multiple loads in equipment racks, computer rooms, repair ships, workbenches, table tops, labs, test areas, work stations, offices, hobby shops and raceways in a variety of internetworking, telecommunication and audio/video applications. An illuminated, rocker-style power switch with a locking transparent cover prevents accidental turn offs, while a resettable 15-amp circuit breaker guards against circuit overloads. To match the decor of most professional settings, it has an attractive gray housing with black receptacles.

Features

Multi-Outlet 120V Power Distribution and Surge Protection for Locations with Limited Free Space

- 1800W, 120V, 15A, corded, multi-outlet power strip that connects multiple electrical devices in close proximity to a single AC wall socket
- Contains an integral surge protector to eliminate the need for a separate desktop unit that can clutter up your work space
- Saves the time and cost of installing new outlets in un-powered areas
- Ideal for branch circuit power distribution to telecommunications, computers or internetworking equipment in rack enclosures, workbenches, table tops, work stations, offices, factories, repair shops, test stands and engineering labs

Highlights

- 8 NEMA 5-15R outlets with
 5.28-in. center-to-center spacing
 wide enough for transformers
 without blocking adjacent outlets
- Rated at 1800W, 120V, 15A, featuring a resettable circuit breaker to prevent circuit overloads
- Integral, premium-grade,
 1650-Joule surge suppressor to protect sensitive electronics from destructive AC transient surges
- Vertical or horizontal mounting with adjustable mounting clamps
- Rocker-style, illuminated power switch with locking safety cover to prevent accidental turn offs
- Certified to meet UL 1449 3rd
 Edition and UL 1363 standards

Applications

Offers outlet power distribution
with surge suppression for
multiple loads in equipment
racks, computer rooms,
workbenches and raceways in a
variety of internetworking,
telecommunications, audio/video
and live sound applications.

Package Includes

- SS480806 Power Strip/Surge Suppressor
- Set of adjustable mounting clips
- Warranty information
- Instruction manual



8 Widely Spaced Outlets That Fit Transformers or AC Adapters without Blocking Adjacent Outlets

- Features 8 NEMA 5-15R outlets that are compatible with all standard electrical equipment
- Each outlet is spaced 5.28 inches apart (center to center) wide enough to fit transformers or AC adapters without blocking adjacent outlets, so you can fully utilize the power strip all the time

Premium-Grade, Surge Suppression to Protect Against Destructive Surges and Line Noise

 Contains a premium-grade surge suppressor rated at 1650 Joules that goes well beyond competing surge protectors, giving you an exceptional level of AC transient surge and EMI/RFI line noise protection for computers and other sensitive electronics

Adjustable Vertical and Horizontal Mounting Options

- A convenient method of optional horizontal or vertical power distribution
- Its 48-in. length and strip-style form factor fits in the most confined spaces unobtrusively
- . Easy-to-install with adjustable mounting clamps

Premium Safety Features

- · Features an illuminated, rocker-style power switch with a locking, transparent guard to prevent accidental turn offs
- . An integral, 15-amp resettable circuit breaker prevents dangerous circuit overloads that can irreversibly damage connected equipment

Rugged, Durable Housing

- A rugged, all-metal housing is durably constructed making it a great solution for industrial applications
- An attractive gray housing with stylish black receptacles match the decor of most professional settings

Specifications

OVERVIEW		
Style	Strip	
OUTPUT		
Frequency Compatibility	60 Hz	
Output (Watts)	1800	
Circuit Breaker (amps)	15	
Outlet Type	NEMA 5-15R	
Outlet Spacing	5.28-in. center-to-center spacing	
INPUT		
Nominal Input Voltage(s) Supported	120V AC	
Recommended Electrical Service	120V	
Input Connection Type	NEMA 5-15P	
Voltage Compatibility (VAC)	120	





LEDS ALARMS & SWITCHES		
Switches	Combination AC circuit breaker and lighted 2-position power switch controls power to all outlets	
Locking Switch Cover	Transparent locking switch cover	
SURGE / NOISE SUPPRESSION		
AC Suppression Joule Rating	1650	
UL1449 Let Through Rating	500V UL verified	
DATALINE SURGE SUPPRESSION		
Telephone/DSL Protection	No	
Cable (Coax) Protection	No	
Network (Ethernet) Protection	No	
PHYSICAL		
Unit Dimensions (hwd / in.)	1.25 x 1.62 x 48	
Unit Dimensions (hwd / cm)	3.18 x 4.11 x 121.9	
Included Mounting Accessories	Set of adjustable mounting clamps	
Receptacle Color	Black	
Color (AC Line Cord)	Black	
Outlets Measurement (Center to Center)	5.28	
CERTIFICATIONS		
UL1449 3rd Edition (AC Suppression)	UL1449 3rd EDITION	
UL1363 (Power Tap)	UL1363	
cUL / CSA (Canada)	cUL	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2015 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.