

42U Adjustable Depth Open Frame 4 Post Server Rack Cabinet - Flat Pack w/ Casters, Levelers and Cable Management Hooks

StarTech ID: 4POSTRACK42



The 4POSTRACK42 42U Server Rack lets you store your servers, network and telecommunications equipment in a sturdy, adjustable depth open-frame rack.

Designed with ease of use in mind, this 42U rack offers easy-to-read markings for both rack units (U) and depth, with a wide range of mounting depth adjustments (22 - 40in) that make it easy to adapt the rack to fit your equipment.

This durable 4-post rack supports a static loading capacity of up to 1320lbs (600kg), and offers compliance with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494) for a universal design that's compatible with most rack equipment.

For a complete rack solution that saves you time and hassle, the rack includes optional accessories such as casters, leveling feet and cable management hooks. The base is also pre-drilled for securing the rack to the floor if needed, providing you with many options to customize the rack to fit your environment.

Backed by a StarTech.com 2-year warranty and free lifetime technical support.

Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Suitable for rackmount equipment where security at the rack level is not required
- Audio/Video editing room, radio or television studio broadcast rackmount equipment



Features

- 42U Open frame design
- Adjustable mounting depth from 22 40in
- Supports a static loading capacity of 1320lbs (600kg)
- Easy-to-read rack Unit (U) and depth adjustment markings
- Casters, leveling feet and cable management hooks included
- Pre-drilled holes to secure the rack directly to the floor
- Easy to assemble
- Flat-packed for easy shipping



Hard-to-find made easy*

Technical Specifications

| Warranty | 2 Years |
|---|-----------------------------|
| Casters | Included |
| Fan(s) | No |
| Frame Type | Open Frame |
| Front Door Type | Open |
| Industry Standards | DIN 41494 |
| Industry Standards | EIA/ECA-310-E |
| Industry Standards | IEC 60297-3-100 |
| Key Lock | No |
| Rack Type | 4-Post |
| U Height | 42U |
| Weight Capacity | 1326 lb [600 kg] |
| Color | Black |
| Enclosure Type | Steel |
| External Depth | 23.3 in [591.8 mm] |
| External Height | 77.6 in [1971 mm] |
| External Width | 23.6 in [600 mm] |
| Height with Casters | 80.5 in [2044 mm] |
| Internal Height | 73.7 in [1871.5 mm] |
| Internal Width | 18.3 in [465 mm] |
| Maximum Mounting Depth | 40 in [1016 mm] |
| Minimum Mounting Depth | 22 in [558.8 mm] |
| Product Weight | 85.1 lb [38.5 kg] |
| Flat Pack | Yes |
| Shipping (Package) Weight 90.6 lb [41 kg] | |
| Included in Package | 2 - Left Vertical Rail |
| Included in Package | 2 - Right Vertical Rail |
| Included in Package | 2 - Base Bracket |
| Included in Package | 8 - Corner Section |
| Included in Package | 4 - Center Section |
| Included in Package | 2 - Top Bracket |
| Included in Package | 48 - M8 Bolt |
| Included in Package | 48 - M8 Washer |
| Included in Package | 1 - M8 (13mm) Wrench |
| Included in Package | 50 - M6 Cage Nut |
| Included in Package | 50 - PVC Cup Washer |
| Included in Package | 50 - M6 Phillips Head Screw |
| Included in Package | 24 - Cable Management Hook |
| | |



Hard-to-find made easy*

Spec Sheet

- Included in Package Included in Package Included in Package Included in Package Included in Package
- 24 Hook Mounting Screw
- 4 Casters
- 4 Leveling Feet
- 16 M6 Screw
- 32 M6 Flat Washer
- 16 M6 Flange Nut

Certifications, Reports and Compatibility



RoHS Compliant Available