

DATASHEET

FUJITSU LIFEBOOK T5010 TABLET PC

YOUR ULTIMATE MOBILE MEETING TOOL

LIFEBOOK T5010

The LIFEBOOK T5010 is a slim lightweight Convertible Notebook with a modular bay. The brilliant 33.8 cm (13.3-inch) TFT display with active digitizer or dual digitizer guarantees comfortable working whatever the application. Enjoy the advantages of flexible pen-based entries, such as automatic handwriting recognition and many other special features that only a Convertible Notebook can offer. The integrated UMTS gives you the freedom to work wherever you want.



PEN-BASED WORK WITHOUT ANY RESTRICTIONS

Give your work that personal handwritten touch and enjoy the benefits of multiple touch with the dual digitizer option

- Bidirectional swivel 33.8 cm (13.3-inch) display, active digitizer or dual digitizer

FLEXIBLE WORKING

Increase your productivity and adapt the Notebook to your particular way of work.

- Modular bay for an optional second hard disk or second battery, pen-based software



MAXIMUM CONNECTIVITY

Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

- Optional integrated 3G/UMTS, WLAN and Bluetooth



MORE THAN ENOUGH PERFORMANCE

More processes per second. Save time thanks to faster data processing.

- Intel® Turbo memory module, Intel® Centrino® 2 with vPro™ technology

HIGHEST SECURITY

Maximum data security thanks to the integrated TPM module

- End-to-end anti-theft features with Advanced Theft Protection



COMPONENTS

PROCESSOR	Intel® Core™2 Duo processor T9600 (2.8 GHz, 6 MB, 1066 MHz) Intel® Core™2 Duo processor P8800 (2.66 GHz, 3 MB, 1066 MHz) Intel® Core™2 Duo processor P8700 (2.53 GHz, 3 MB, 1066 MHz)	
MEMORY MODULES	1 GB (1 module(s) 1 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM 2 GB (1 module(s) 2 GB) DDR3, 1066 MHz, PC3-8500, SO DIMM	
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
HARD DISK DRIVES (INTERNAL)	320 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T. 320 GB, 5400 rpm, FDE, 2.5-inch S.M.A.R.T. 160 GB, 7200 rpm, SATA, 2.5-inch S.M.A.R.T. 160 GB, 5400 rpm, SATA, 2.5-inch S.M.A.R.T. 128 GB SSD SATA, 2.5-inch S.M.A.R.T. 80 GB SSD SATA, 2.5-inch S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software	
WLAN (OPTIONAL)	Atheros Minicard b/g 802.11 b/g Intel® Wireless WiFi Link 5300 AGN 11/13ch	
WIRELESS TECHNOLOGIES		
Antennas	3 Dual band WLAN antennas, 2 UMTS antennas, 1 Bluetooth	
WLAN notes	Import and usage according to country-specific regulations.	
3G/UMTS (OPTIONAL)	Sierra Wireless MC8790 (downlink 7.2 Mbit/s, uplink 2.0 Mbit/s)	
DISPLAY	33.8 cm (13.3-inch), TFT, (WXGA), glossy, 1280 x 800 pixel 33.8 cm (13.3-inch), TFT, (WXGA), anti-glare ("Berliner Glass") display, 1280 x 800 pixel	
BLUETOOTH (OPTIONAL)	Bluetooth 2.1	
MODULAR BAY OPTIONS		
	2nd battery	
	2nd hard disk drive	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK T5010	LIFEBOOK T5010 dual digitizer
GENERAL SYSTEM INFORMATION		
Chipset	Intel® GM45, ICH 9-ME	
Intel platform	Intel® Centrino® with vPro™ technology	
BIOS features	BIOS Flash EPROM BIOS based on Phoenix TrustedCore Notebook	
Display	33.8 cm (13.3-inch), TFT active digitizer, (WXGA), glossy or anti-glare ("Berliner Glass") display, 1280 x 800 pixel	33.8 cm (13.3-inch), TFT dual digitizer, (WXGA), anti-glare display, 1280 x 800 pixel
Display notes	Wide-View High-Bright LED WXGA Display (for enhanced outdoor viewing)	
GRAPHICS		
Max. resolution external display	1920 x 1200 / true color / 85 Hz	
Graphics brand name	Mobile Intel® Graphics Media Accelerator 4500MHD	
Graphics features	DualView (Windows® XP & Windows® Vista)	
INTERFACES		
Memory card slots	1 (SD/MMC/MS/MSPro/XD)	1 (SD/MMC/MS/MSPro/XD)
ExpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)

INTERFACES

SmartCard slot	1	1
SIM card slot	1 (optional)	1 (optional)
Modem (RJ-11)	1 (optional)	1 (optional)
USB 2.0 total	3	3
FireWire (IEEE1394)	1	1
VGA	1	1
Ethernet (RJ-45)	1	1
DC-in	1	1
Audio: line-in / microphone	1	1
Audio: line-out / headphone	1	1
Internal microphones	2	2
Docking connector for Port Replicator	1	1
Kensington Lock support	2	2

WIRED COMMUNICATION

Modem type	Optional: 56 K V.92 modem MDC1.5
LAN	Built-in 10/100/1000 MBit/s Intel® 82567 LM

KEYBOARD AND POINTING DEVICES

Spill-resistant keyboard	
Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 2.7 mm	
Touchpad with two mouse buttons and one scroll button	Touchpad with two mouse buttons and one scroll button
Fingerprint sensor	Fingerprint sensor
Launch keys	Launch keys
Status LED	Status LED
Application buttons	Application buttons
Tablet Pen	Tablet Pen
	Touch-screen

MULTIMEDIA

Audio type	On board
Audio codec	Realtek ALC269
Audio features	Stereo speakers, 2 internal microphones
Camera	Optional: Built-in webcam, 1.3 megapixel

POWER SUPPLY

AC adapter	19 V / 80 W (4.22 A)
Rated voltage range	100 - 240 V (AC Input)
Rated frequency range	50 - 60 Hz
1st battery	1st Li-Ion battery 6-cell, 5800 mAh, 62.64 Wh
2nd battery (optional)	Li-Ion battery 3-cell, 3800 mAh, 41 Wh
Battery features	Dynamic charge supported (rapid charge)
Benchmark	Mobile Mark 2005
Runtime 1st battery	6 h
Runtime 1st + 2nd battery	9 h
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage.

POWER CONSUMPTION

Power consumption note	See white paper Energy Consumption
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=2a742509-dd72-459d-a48b-4f801fbb3014

DIMENSIONS / WEIGHT / ENVIRONMENTAL

Dimensions (W x D x H)	319 x 244 x 36.5 (without foot) mm
Weight	2.0 kg
Weight notes	Actual weight may vary depending on configuration
Operating ambient temperature	5 - 35°C
Operating relative humidity	20 - 85 % (running)

OPERATING SYSTEM

Operating system optional preinstalled	Microsoft® Windows® Business 32-bit Microsoft® Windows® 7 Professional 32-bit TwinLoad Microsoft® Windows® XP Tablet PC Edition 2005 (DVD)
---	--

Operating system compatible	Microsoft® Windows® XP Tablet PC Edition 2005
------------------------------------	---

Operating system notes	Driver support for Microsoft® Windows® XP
-------------------------------	---

ADDITIONAL SOFTWARE

Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Camera Nero Essentials (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Tablet Button Utility Display Manager Power Saving Utility ShockSensor Utility Wireless Selector Utility	Adobe Acrobat Reader Application Panel Camera Nero Essentials (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Tablet Button Utility Microsoft® Touch Pack for Windows® 7 Display Manager Power Saving Utility ShockSensor Utility Wireless Selector Utility
---	---	---

Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Recovery DVD (Windows® 7) Recovery DVD (Windows Vista®)
---------------------------------------	--

Additional software (included as a CD/ DVD)	SmartCase Logon+ DVD
--	-------------------------

MANAGEABILITY

Manageability features	DeskUpdate Driver management DeskView Migrate (optional) DeskView Control (optional) iAMT Intel Active Manageability Technology v4.0 (not activated, not provisioned, for Windows XP Professional and Windows Vista Business only)
-------------------------------	---

Manageability type	DeskView 10.x client management including:
---------------------------	--

DeskView features	On/Offline remote client management Detailed system inventory management and reports BIOS Management Remote power management System notifications Security Remote Control DeskView Helpdesk Integration WoL (Wake on LAN)
--------------------------	--

Supported standards	WMI PXE BootP (made4you)
----------------------------	--------------------------------

Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html
---------------------------	---

SECURITY

Physical security	Kensington Lock support
--------------------------	-------------------------

System security	Advanced Theft Protection Computrace® enabled BIOS Trusted platform module (TPM 1.2) Symantec Norton Internet Security (90 day test version) Write protect option for the Flash EPROM Control of all USB interfaces
------------------------	--

User security	Integrated Fingerprint Sensor Hard disk password SystemLock BIOS SmartCard security SmartCase Logon+ incl. Fingerprint software User and supervisor BIOS password Integrated SmartCard slot SystemLock BIOS SmartCard security	Hard disk password SystemLock BIOS SmartCard security SmartCase Logon+ incl. Fingerprint software User and supervisor BIOS password Integrated SmartCard slot SystemLock BIOS SmartCard security Integrated Fingerprint Sensor
----------------------	--	--

COMPLIANCE

Model	LIFEBOOK T5010
Germany	GS optional
Europe	CE CEI CB
USA/Canada	cUL FCC Class B
Global	Microsoft Operating Systems (HCT / HCL entry / WHQL) RoHS (Restriction of hazardous substances) WiFi certified ENERGY STAR® 5.0 WEEE (Waste electrical and electronical equipment)
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx

PORTREPLICATOR INTERFACES (OPTIONAL)

DC-in	1	1
Power on switch	1	1
Audio: line-out	1	1
USB 2.0 total	4	4
VGA	1	1
DVI	1	1
HDMI	1	1
Ethernet (RJ-45)	1	1
Kensington Lock support	1	1

RECOMMENDED ACCESSORIES

AC Adapter	S26391-F2474-L600
1st battery	S26391-F440-L500
2nd battery	S26391-F440-L200
Memory (1GB)	S26391-F436-L100
Memory (2GB)	S26391-F436-L200
2nd hard disk	S26391-F439-L800 (SSD 80GB) S26391-F727-L600 (SSD 128GB)
DVD super Multi	S26391-F440-L100
Port replicator / AC adapter / cable kit	S26391-F445-L100 (EU cable) S26391-F445-L200 (UK cable)
Accessories included	Exclusive pouch

WARRANTY

Standard Warranty	2 years
Service level	Collect & Return Service (depending on country)
MAINTENANCE AND SUPPORT SERVICES - THE PERFECT EXTENSION	
Recommended Service	3 years, Collect and Return Service, where available: Executive On-site Service
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

FUJITSU PLATFORM SOLUTIONS

In addition to Fujitsu LIFEBOOK T5010, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

MORE INFORMATION

Learn more about Fujitsu LIFEBOOK T5010, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <http://ts.fujitsu.com/tabletpc>

FUJITSU GREEN POLICY INNOVATION

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



COPYRIGHTS

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions

DISCLAIMER

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions

Website: <http://ts.fujitsu.com>

2010-03-15 CE-EN