Windows®. Life without Walls™. Fujitsu recommends Windows 7.



Data Sheet

Fujitsu LIFEBOOK S751 Notebook

The Mobile Versatile Companion

LIFEBOOK S751

The LIFEBOOK S751 offers the perfect balance between low weight and high-end performance. Weighing only 2.3 kg it is a light modular 35.6cm (14-inch) notebook. A flexible modular bay and a phantastic battery life enable convenient working. Optional embedded 3G/UMTS and optional webcam enable connectivity anytime, anywhere.

Ergonomic working

Enjoy constant access to all your data thanks to a versatile mobile device.

- Lean, lightweight notebook weighing only 2.3 kg with a 35.6 cm (14-inch) HD display with LED backlight, with up to 17 hours running time with a second battery
- Anytime USB Charge to charge phones/media devices even when the system is turned off



Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.

■ Integrated DisplayPort, eSATA, optional USB 3.0, optional embedded 3G/UMTS, WLAN and Bluetooth®

Reliable companion

Secure and effective working for the most demanding of users – in every kind of situation.

- Spill-resistant keyboard and further innovative highlights
- Optional 0-Watt AC Adapter reduces energy consumption as it guarantees that the notebook does not consume electricity when it is turned off

Maximum security

Protect your company data against unauthorized third-party access.

 Benefit from our end-to-end anti-theft concept and system and user protection, such as Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Great flexibility

The family concept offers same design and accessory components for LIFEBOOK E751 and LIFEBOOK S751.

Same industrial design, bit image, BIOS and accessories such as port replicator, power supply unit, keyboard and modular bay for optical drive, second battery and second hard disk drive

























Components

Processor	Intel® Core™ i7-2620M processor (2 Cores / 4 Threads, 2.70 GHz, 4 MB, Intel® HD Graphics 3000)	
	Intel® Core™ i5-2520M processor (2 Cores / 4 Threads, 2.50 GHz, 3 MB, Intel® HD Graphics 3000)	
	Intel® Core™ i5-2410M processor (2.3 GHz, 3 MB) *	
	Intel® Core™ i3-2310M processor (2.1 GHz, 3 MB) *	
	Intel® Celeron® processor B810 (1.6 GHz, 2 MB)	
	*Processor only for retail, SMB, education and government	
Operating system		
Operating system	Genuine Windows® 7 Professional 64-bit	
	Genuine Windows® 7 Home Premium 64-bit	
	Genuine Windows® 7 Home Basic (EM) 64-bit	
Operating system compatible	Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit	
	Driver support for Microsoft® Windows® XP Professional	
Operating system notes	Microsoft Office 2010 preloaded. Purchase a Product Key to activate a full Microsoft Office 2010 suite.	
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
	4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM	
Supported capacity RAM (max.)	8 GB	
Memory slots total	2	
Memory slot type	DIMM (DDR3)	
Memory notes	DDR3 - 1333 MHz	
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch	
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
	SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T.	
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.	
Hard disk notes	ShockSensor for HDD shock protection	
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.	
	Accessible capacity may vary, also depending on used software	
	Up to 18 GB of HDD space is reserved for system recovery	
WLAN (optional)	Atheros Minicard b/g/n	
	Intel® Centrino® 6205 802.11 a/b/g/n	
Wireless technologies		
Antennas	2 dual band antennas; 1 Bluetooth antenna optional, 2 UMTS antennas optional	
WLAN notes	Import and usage according to country-specific regulations.	
WiDi support	Yes (with Intel W-LAN)	
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (downlink 14.4 Mbit/s, uplink 5.76 Mbit/s)	
Bluetooth (optional)	Bluetooth 3.0	
 Display	35.6 cm (14-inch), LED backlight, (HD+), Anti-glare display, compound, 1600 x 900 pixel, 300:1, 220 cd/m²	
· /	35.6 cm (14-inch), LED backlight, (HD), Anti-glare display, compound, 1366 x 768 pixel, 300:1, 220 cd/m ²	

Page 2 / 6 http://ts.fujitsu.com/mobile

Modular bay options	2nd battery	
7,4	2nd hard disk drive	
	Blu-ray Disc™ Triple Writer	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK S751 14.0-inch	LIFEBOOK S751 14.0-inch vPro
General system information		
hipset	Intel® HM65	Intel® QM67
hipset notes	supports iAMT 7.0	supports iAMT 7.0, Intel® vPro™ requires Core i5-25xx / i processor, Intel W-LAN & TPM module
BIOS features	BIOS based on Phoenix TrustedCore Notebook	
Graphics		
FT resolution (DisplayPort)	up to 2560 x 1600	
FT resolution (VGA)	up to 1920 x 1200	
FT resolution (DVI on Port Replicator)	up to 1920 x 1200	
raphics brand name	Intel® HD Graphics	
raphics features	DualView	
Graphics notes	Shared memory depending on main memory size and	operating system
nterfaces		
Nemory card slots	1 (SD/MS/MSPro)	1 (SD/MS/MSPro)
xpressCard slots	1 (34mm and 54mm supported)	1 (34mm and 54mm supported)
martCard slot	1	1
IM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)
Nodem (RJ-11)	1 (optional)	1 (optional)
SATA & USB combo	1	1
SB 3.0 total		1
SB 2.0 total	4 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)
GA	1	1
DisplayPort	1	1
thernet (RJ-45)	1	1
)C-in	1	1
ludio: line-in / microphone	1	1
udio: line-out / headphone	1	1
nternal microphones	optional	optional
Oocking connector for Port Replicator	1	1
Censington Lock support	1	1
Vired communication		
Modem type	Optional: 56 K V.92 modem MDC1.5	
AN	Built-in 10/100/1000 MBit/s Intel® 82579 V	Built-in 10/100/1000 MBit/s Intel® 82579 LM
eyboard and pointing devices		
	Optional spill-resistand keyboard or anti-bacterial spill-	
	Number of keyboard keys: 85, Keyboard pitch: 19 mm,	•
	Multi-gesture touchpad with two mouse buttons and	Multi-gesture touchpad with two mouse buttons and
	ergonomic ScrollWheel Optional: Fingerprint sensor	ergonomic ScrollWheel Optional: Fingerprint sensor
	Application buttons	Optional: Fingerprint sensor Optional: TouchStick
		Application buttons
Multimedia		···
Audio type	On board	

19 1 / 18 0 W (4.2 2A), 100 V - 240 V (AC input), 50 Hz - 60 Hz, Standard Adapter Lino hattery 6 cell, 500 on 5800 mAh, 67 Wh Lino hattery 6 cell, 500 on 5800 mAh, 67 Wh Sattery Leatures				
Audio features Stereo speakers Optional Euli-rin webcam. 1.3 megapixel Power supply **C Adapter** **19 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 0 Watt AC Adapter technology **19 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **19 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **19 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **20 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **20 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **20 V 80 W 14.22 Al, 100 V - 240 V MC Input), 50 Hz - 60 Hz. 9 Watt AC Adapter technology **20 V 80 W 8				
Camera Optionals Boill-In webcam, 1.3 megapixel				
Power supply	Audio features	-		
AC Adapter	Camera	Optional: Built-in webcam, 1.3 megapixel		
1991 / 20 W (4.2 Al.) 100 V - 24 W (AC Input), 50 Hz - 60 Hz, Stendard Adapter 1st battery 1st	Power supply			
1-lon battery C-ell, 500 or 5800 mAh, 63 Wh 1-lon battery C-ell, 6200 mAh, 67 Wh 1-lon battery C-ell, 6200 mAh, 67 Wh 1-lon battery C-ell, 6200 mAh, 67 Wh 1-lon battery C-ell, 800 mAh, 41 Wh 1-lon battery Up to 10 h 1-lon battery Up to 10 h 1-lon battery Up to 10 h 1-lon battery Up to 17 May Up to 17 M	AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 6	60 Hz, 0-Watt AC Adapter technology	
Companies Comp	•			
Date Patures Rapid Charge Rapid Charge Runtime Ist battery Up to 10 h	1st battery			
Date Patures Rapid Charge Rapid Charge Runtime Ist battery Up to 10 h	,	Li-lon battery 6-cell, 6200 mAh, 67 Wh		
Battery Features Rapid Charge Up to 10 in No. Community State 2 and battery Up to 10 in No. Community State 2 and battery Up to 17 in State 2 and battery Up to 18 in Up to	2nd battery (optional)	,		
Runtime 1st battery up to 10 h Runtime 1st + 2nd battery up to 17 h Runtime 1st + 2nd battery up to 17 h Battery charging time				
Battery charging time	•			
Battery charging time -160min (5,800mAh) - 180min (6,200mAh)	•	•		
Battery notes Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Dimensions (Weight / Environmental Dimensions (W x D x H) 340 x 245 x 35 mm Weight 2.3 kg Weight notes Actual weight may vary depending on configuration Operating malient temperature 5 - 35°C Operating relative humidity 20 - 80 % Additional software Additional software (preinstalled) Adobe Acrobat Reader Application Panel Display Manager Shocksensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials (5 florming software) Additional software (optional) Recovery (More (hard Disk Based Recovery) Additional software (optional) Recovery (WO (Windows* 7) Divisers & Utilities DVD for Microsoft Windows XP Fijitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Wanageability features DeskUpdate Driver management Executed to the prover management including: DeskUpdate Driver management DeskView features DeskView Helpdesk Integration Detailed system inventory management Remote power management Security Remote Control System notifications Woll (Wake on LAN) PXE Bootly (Made 4000)	•			
Dimensions (W x D x H) 340 x 245 x 35 mm Weight 2.3 kg		Battery life may vary depending on product model, conf		
Weight notes Actual weight may vary depending on configuration Operating rabient temperature 5 - 35°C Operating relative humidity 20 - 80 % Additional Software Adobte Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Puligine Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Friewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Windows Services as Utilities DVD (DUDVD) UMTS connection manager (optional) with UMTS) DVD (PUDVD) UMTS connection manager (optional with UMTS) DVD (PUDVD) UMTS connection management (PUDVD) UMTS	Dimensions / Weight / Environmental			
Weight notes Actual weight may vary depending on configuration Operating ambient temperature 5 - 35°C Operating relative humidity 20 - 80 % Additional Software Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utilities Software (optional) Driver Software (optional) Power Saving Utilities DVD (DVDVD) UMTS connection manager (optional with UMTS) DVD for Microsoft Windows XP Figitsu Recovery DVD (Windows* 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability Features DeskUpdate Driver management including: Including: Power Includin	Dimensions (W x D x H)	340 x 245 x 35 mm		
Operating ambient temperature 5 - 35°C Operating relative humidity 20 - 80 % Additional Software Adobe Acrobat Reader Application Panel Display Manager Shocksensor Utility Power Saving Power Saving Utility Power Saving Utility Power Saving Power Saving Power Saving Utility Power Saving Power Saving Power Saving Power Saving Utility Power Saving Utility Power Saving Power Saving Power Saving Utility Power Saving Utility Power Saving Power Saving Utility Power U	Weight	2.3 kg		
Additional software (preinstalled) Additional software (optional) Additional software (optional) Additional software (optional) Becovery (Hard Disk Based Recovery) Additional software (optional) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability features DeskUpdate Driver management IAMT 7.0 Intel® vPro™ technology Manageability type DeskView 10.x client management including: DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote (ineint management Remote power management Remote powe	Weight notes	Actual weight may vary depending on configuration		
Additional software (preinstalled) Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability features DeskUpdate Driver management i_iAMT 7.0 Intel® vPro™ technology Manageability type DeskView features BIOS Management DeskView lo.x client management including: DeskView features On/Offline remote client management Security Remote Control System notifications Wol. (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Operating ambient temperature	5 - 35°C		
Additional software (preinstalled) Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (Incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fijitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability features DeskUpdate Driver management Amanageability type DeskView 10.x client management including: DeskView features DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Remote power management Security Remote Control System notifications Wol. (Wake on LAW) Supported standards WMI PXE BootP (made4you)	Operating relative humidity	20 - 80 %		
Additional software (preinstalled) Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (Incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fijitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability features DeskUpdate Driver management Amanageability type DeskView 10.x client management including: DeskView features DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Remote power management Security Remote Control System notifications Wol. (Wake on LAW) Supported standards WMI PXE BootP (made4you)	Additional Software			
Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery) Additional software (optional) Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability Features DeskUpdate Driver management iAMT 7.0 Intel® vPro™ technology Manageability type DeskView 10.x client management including: DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Additional software (preinstalled)	Application Panel Display Manager ShockSensor Utility		
Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) DVD playback software Manageability Manageability features DeskUpdate Driver management LAMT 7.0 Intel® vPro™ technology Manageability type DeskView 10.x client management including: DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)		Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Util	ities DVD for Microsoft Windows XP	
Manageability features DeskUpdate Driver management AMT 7.0 Intel® vPro™ technology Manageability type DeskView 10.x client management including: DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Additional software (optional)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)		
iAMT 7.0 Intel® vPro™ technology Manageability type DeskView 10.x client management including: DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Manageability			
Manageability type DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Manageability features	DeskUpdate Driver management	iAMT 7.0	
DeskView features BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)	Managoahility typo	Dock/low 10 v client management including:	ilitei vrio teciliology	
DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN) Supported standards WMI PXE BootP (made4you)				
PXE BootP (made4you)	Deskview reactures	DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications		
	Supported standards	PXE		
	Manageability link	. , .	s/manageability/featurefinder.html	

Security	
Physical security	Kensington Lock support
System security	Computrace® enabled BIOS
	Optional: Trusted platform module (TPM 1.2)
	Norton Internet Security (incl. Firewall) 90 days version
User security	Integrated SmartCard slot
	Optional: Integrated fingerprint sensor including Omnipass software
	Optional: Access protection via external SmartCard reader
	Hard disk password User and supervisor BIOS password
	Osei aliu supervisor bios passworu
Compliance	
Germany	GS in progress
Europe	CE
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronical equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified ENERGY STAR® 5.0
	EPEAT® in progress
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx
Port Replicator interfaces (option	
DC-in	1 (19V)
Power on switch	1
Audio: headphone	1
Audio: microphone	
USB 2.0 total	4
DisplayPort	1 (up to 2560 x 1600)
VGA	1
DVI	1 (up to 1920 x 1200)
Ethernet (RJ-45)	1 (10/100/1000)
Parallel	1
Kensington Lock support	1
eSATA	1
Notes	Port replicator does not support 0-Watt technology
Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on county specific requirements)
Maintenance and Support Service	
Recommended Service	5x9, Response Time: Next Business Day or On-site Service
Spare Parts availability	5 years
Service Weblink	htttp://ts.fujitsu.com/Supportservice

Recommended Accessories

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK S751, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures

With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK S751, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.

Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu. com/terms_of_use.html Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT

FUJITSU Technology Solutions Website: http://ts.fujitsu.com 2011-03-07 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright © Fujitsu Technology Solutions